

PAVEMENT MANAGEMENT HISTORICAL PAVEMENT INDEX REPORT

Data from 1997 - 2006
Compiled January, 2007

District Four

Prepared by:
Idaho Transportation Department
Division of Planning and Programming



DEFINITIONS OF TERMS USED IN THE ANNUAL INDEXLIST REPORT

D: The Idaho Transportation Department maintenance district number. It can be 1 - 6.

Route: The Route Number of the Highway (097 means State Highway 97, 084 means Interstate 84).

MACS Code (Segment Code): six-digit number that identifies the section of highway according to the code in the Milepost and Coded Segment (MACS) System.

Beginning Milepost: The milepost at the beginning of the test section of highway.

Ending Milepost: The milepost at the ending of the test section of highway.

DIR: Refers to direction of testing on a divided highway. Ascending means in the direction of ascending mileposts. Descending means the opposite direction.

YEAR: Shows the year to which the indices correspond.

RI (Roughness Index): Formerly called PSI, this index is a 0 - 5 rating of the pavement section's roughness. This number is now obtained via profile measuring equipment.

CI (Crack Index): The CI is a rating similar to the RI, 5.0 corresponding to a section with little or no cracking and 0.0 representing sections with extreme cracking. Pavements are rated annually by the Pavement Management Engineer.

SN (Skid Number): A value (typically between 20 - 100) that represents a relative pavement friction index as measured by the locked-wheel skidmeter.

FINAL INDEX: This is the final pavement index for the section. It represents a weighted average of the CI and RI, based on factors such as traffic volume and traffic speed.

REMARKS: This area is to report any pavement related rehabilitation project for that pavement section and year. Also this area can be used for the user's own comments.

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	U.S.-20	002070	124.634	129.797	N	1997	3.40	4.00	60	3.71	0.28	
						1998	3.30	3.70	60	3.50	0.27	
						1999	3.30	3.50	67	3.40	0.27	SEALCOAT
						2000	3.40	3.50	67	3.45	0.25	
						2001	3.30	3.50	67	3.40	0.27	
						2002	3.10	2.40	67	2.73	0.25	
						2003	3.10	2.40	00	2.73	0.27	
						2004	3.10	2.40	00	2.73	0.28	
						2005	3.10	2.40	00	2.73	0.24	
						2006	3.10	2.40	00	2.73	0.25	
4	U.S.-20	002070	129.797	136.429	N	1997	3.10	3.20	62	3.15	0.26	
						1998	3.00	3.20	62	3.10	0.27	
						1999	3.00	3.20	69	3.10	0.29	SEALCOAT
						2000	3.20	3.20	69	3.20	0.17	
						2001	3.20	2.80	69	2.99	0.19	
						2002	3.00	2.40	69	2.68	0.16	
						2003	2.90	2.40	00	2.63	0.20	
						2004	2.90	2.40	00	2.63	0.20	
						2005	2.90	2.30	00	2.58	0.22	
						2006	2.90	2.30	00	2.58	0.21	
4	U.S.-20	002070	136.429	138.600	N	*1997	3.30	2.80	59	3.03	0.36	
						1998	3.30	2.80	57	3.03	0.31	PLANT MIX OVERLAY
						1999	3.20	5.00	68	4.14	0.32	SEALCOAT
						2000	3.70	5.00	68	4.38	0.24	
						2001	3.70	4.50	68	4.11	0.28	
						2002	3.50	4.50	68	4.02	0.26	
						2003	3.50	4.50	00	4.02	0.21	
						2004	3.50	2.90	00	3.18	0.24	
						2005	3.50	2.90	00	3.18	0.21	
						2006	3.40	2.90	00	3.13	0.21	
4	U.S.-20	002070	138.600	144.470	N	*1997	3.30	2.80	59	3.03	0.36	
						1998	3.90	5.00	60	4.47	0.12	PLANT MIX OVERLAY
						1999	4.10	5.00	71	4.57	0.09	
						2000	4.20	5.00	71	4.61	0.10	
						2001	4.20	5.00	71	4.61	0.11	
						2002	4.00	4.70	71	4.36	0.14	
						2003	4.00	4.70	00	4.36	0.14	
						2004	3.90	4.70	00	4.31	0.13	
						2005	4.00	4.60	00	4.31	0.15	
						2006	3.80	4.60	00	4.21	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	U.S.-20	002070	144.470	151.500	N	*1997	3.00	2.40	51	2.68	0.44	PLANT MIX OVERLAY	1998
						1998	4.20	5.00	52	4.61	0.09		
						1999	4.20	5.00	69	4.61	0.10		
						2000	4.20	5.00	69	4.61	0.11		
						2001	4.30	5.00	69	4.66	0.12		
						2002	3.90	5.00	69	4.47	0.14		
						2003	3.90	5.00	00	4.47	0.15		
						2004	3.90	4.80	00	4.37	0.14		
						2005	3.90	4.70	00	4.31	0.15		
						2006	3.90	4.50	00	4.21	0.16		
4	U.S.-20	002070	151.500	157.200	N	1997	3.80	4.50	56	4.16	0.10	MILL AND INLAY	1999
						*1998	3.80	4.50	56	4.16	0.14		
						1999	4.30	5.00	59	4.66	0.04		
						2000	4.20	5.00	59	4.61	0.05		
						2001	4.30	5.00	59	4.66	0.06		
						2002	4.00	4.80	59	4.41	0.07		
						2003	4.00	4.80	00	4.41	0.09		
						2004	4.00	4.80	00	4.41	0.09		
						2005	4.00	4.50	00	4.26	0.11		
						2006	4.00	4.50	00	4.26	0.12		
4	U.S.-20	002070	157.200	165.119	N	1997	3.80	4.50	56	4.16	0.10		
						*1998	3.80	4.50	56	4.16	0.14		
						1999	3.80	4.50	64	4.16	0.14		
						2000	3.80	4.50	64	4.16	0.15		
						2001	3.80	4.30	64	4.06	0.15		
						2002	3.50	4.10	64	3.81	0.18		
						2003	3.50	4.10	00	3.81	0.17		
						2004	3.50	3.90	00	3.70	0.18		
						2005	3.50	3.80	00	3.65	0.20		
						2006	3.50	3.10	00	3.29	0.21		
4	U.S.-20	002070	165.119	171.079	N	1997	3.80	4.50	54	4.16	0.13		
						1998	3.70	4.50	54	4.11	0.17		
						1999	3.80	4.50	62	4.16	0.16		
						2000	3.80	4.40	62	4.11	0.19		
						2001	3.80	3.90	62	3.85	0.19		
						2002	3.40	3.80	62	3.60	0.21		
						2003	3.40	3.30	00	3.34	0.24		
						2004	3.40	3.30	00	3.34	0.23		
						2005	3.40	3.30	00	3.34	0.26		
						2006	3.50	3.20	00	3.34	0.27		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	U.S.-20	002070	171.079	178.095	N	1997	3.80	4.90	54	4.37	0.11		
						1998	3.80	4.60	54	4.21	0.12		
						1999	3.90	4.50	64	4.21	0.12		
						2000	3.90	4.50	64	4.21	0.14		
						2001	3.90	4.40	64	4.16	0.15		
						2002	3.50	3.80	64	3.65	0.16		
						2003	3.50	3.80	00	3.65	0.18		
						2004	3.50	3.80	00	3.65	0.18		
						2005	3.50	3.50	00	3.50	0.20		
						2006	3.50	2.40	00	2.92	0.20		
4	U.S.-20	002070	178.095	186.310	N	1997	2.90	3.00	48	2.95	0.20		
						1998	2.90	3.00	48	2.95	0.19		
						1999	3.00	3.00	61	3.00	0.24	SEALCOAT	1999
						2000	2.90	3.00	61	2.95	0.21		
						2001	3.00	3.00	61	3.00	0.22		
						2002	2.90	3.00	61	2.95	0.21		
						2003	2.90	3.00	00	2.95	0.21		
						2004	2.80	3.00	00	2.90	0.23		
						2005	2.90	3.00	00	2.95	0.26		
						2006	2.90	2.40	00	2.63	0.22		
4	U.S.-20	002070	186.310	191.558	N	1997	3.00	3.00	48	3.00	0.27		
						1998	2.90	3.00	48	2.95	0.26		
						1999	2.90	3.00	59	2.95	0.31		
						2000	2.90	2.90	59	2.90	0.31		
						2001	2.90	2.80	59	2.84	0.33		
						2002	2.70	2.30	59	2.49	0.32		
						2003	2.70	2.30	00	2.49	0.34		
						2004	2.70	2.30	00	2.49	0.33		
						2005	2.60	2.30	00	2.44	0.38		
						2006	2.50	2.20	00	2.34	0.33		
4	U.S.-20	002070	191.558	194.830	N	1997	3.50	4.70	49	4.12	0.07		
						1998	3.50	4.70	49	4.12	0.10		
						1999	3.50	4.70	59	4.12	0.10		
						2000	3.40	4.50	59	3.97	0.11		
						2001	3.50	4.50	59	4.02	0.12		
						2002	3.40	4.30	59	3.87	0.14		
						2003	3.40	4.30	00	3.87	0.14		
						2004	3.40	4.00	00	3.71	0.12		
						2005	3.30	3.80	00	3.56	0.15		
						2006	3.30	2.80	00	3.03	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	U.S.-20	002070	194.830	195.483	N	1997	3.70	5.00	41	4.38	0.06							
						1998	3.60	5.00	41	4.33	0.09							
						1999	3.60	5.00	64	4.33	0.08							
						2000	3.60	5.00	64	4.33	0.07							
						2001	3.80	5.00	64	4.42	0.10							
						2002	3.60	5.00	64	4.33	0.11							
						2003	3.60	4.90	00	4.28	0.09							
						2004	3.60	4.90	00	4.28	0.08							
						2005	3.60	4.70	00	4.17	0.11							
						2006	3.50	4.00	00	3.76	0.13							
						4	U.S.-20	002070	195.530	196.039	N	1997	3.70	5.00	29	4.41	0.10	
												1998	3.80	5.00	41	4.46	0.14	
1999	3.70	5.00	64	4.41	0.16													
2000	3.80	5.00	64	4.46	0.16													
2001	3.80	5.00	64	4.46	0.17													
2002	3.60	4.80	64	4.26	0.20													
2003	3.60	4.80	00	4.26	0.21													
2004	3.50	4.80	00	4.21	0.19													
2005	3.50	4.80	00	4.21	0.22													
2006	3.60	4.80	00	4.26	0.22													
4	S.H.-21	002140	105.517	113.093	N							1997	2.90	1.70	45	2.23	0.11	
												1998	4.00	5.00	45	4.55	0.11	COLD IN PLACE RECYCLE
						1999	3.60	5.00	57	4.38	0.08							
						2000	3.50	3.90	57	3.72	0.08							
						2001	3.60	3.30	60	3.43	0.09							
						2002	3.30	3.30	60	3.30	0.11							
						2003	3.30	2.30	60	2.74	0.09							
						2004	3.30	2.30	60	2.74	0.09							
						2005	3.20	2.30	00	2.70	0.10							
						2006	3.70	5.00	00	4.42	0.10	R.A.B.S.	2006					
						4	S.H.-21	002140	113.093	116.500	N	*1997	2.50	1.60	45	2.00	0.14	
												1998	4.00	5.00	45	4.55	0.13	COLD IN PLACE RECYCLE
1999	3.50	5.00	57	4.34	0.08													
2000	3.40	4.50	57	4.01	0.08													
*2001	3.50	3.00	59	3.22	0.09													
2002	3.30	3.00	59	3.13	0.11													
2003	3.20	2.40	59	2.75	0.10													
2004	3.20	2.30	59	2.70	0.09													
2005	3.20	2.20	00	2.64	0.10													
2006	3.80	5.00	00	4.46	0.10							R.A.B.S.	2006					

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-21	002140	116.500	122.400	N	1997	3.60	2.80	50	3.15	0.05	COLD IN PLACE RECYCLE PLANT MIX OVERLAY SEALCOAT	1998 2002 2005
						1998	3.50	2.80	50	3.11	0.04		
						1999	3.50	2.80	53	3.10	0.04		
						*2000	3.40	2.80	53	3.06	0.04		
						*2001	3.50	3.00	59	3.22	0.09		
						2002	3.40	5.00	57	4.28	0.05		
						2003	3.30	5.00	57	4.24	0.06		
						2004	3.30	5.00	57	4.24	0.06		
						2005	3.30	4.80	00	4.13	0.06		
						2006	3.30	4.80	00	4.13	0.05		
4	S.H.-21	002140	122.400	125.905	N	1997	3.60	2.80	50	3.15	0.05	NEW CONST OR RECONST (FLEX) SEALCOAT	2001 2005
						1998	3.50	2.80	50	3.11	0.04		
						1999	3.50	2.80	53	3.10	0.04		
						*2000	3.40	2.80	53	3.06	0.04		
						2001	3.60	5.00	45	4.37	0.05		
						2002	3.90	5.00	45	4.51	0.09		
						2003	3.80	5.00	45	4.46	0.09		
						2004	3.70	5.00	45	4.42	0.09		
						2005	3.80	5.00	00	4.46	0.09		
						2006	3.70	5.00	00	4.42	0.07		
4	S.H.-21	002140	125.905	130.869	N	1997	3.60	3.50	43	3.54	0.06	NEW CONST OR RECONST (FLEX) SEALCOAT	2001 2005
						1998	3.60	3.50	43	3.54	0.06		
						1999	3.50	3.50	47	3.50	0.07		
						2000	3.40	3.50	47	3.45	0.07		
						2001	3.50	5.00	42	4.37	0.08		
						2002	3.80	5.00	42	4.50	0.09		
						2003	3.70	5.00	42	4.46	0.10		
						2004	3.70	4.70	42	4.28	0.08		
						2005	3.70	4.70	00	4.28	0.09		
						2006	3.60	4.70	00	4.24	0.07		
4	S.H.-24	002270	050.665	050.830	N	2004	2.70	5.00	42	3.99	0.13	PLANT MIX OVERLAY SEALCOAT	1999 2002
						1997	2.50	2.40	33	2.44	0.21		
4	S.H.-24	002270	051.068	051.210	N	*1998	2.30	2.40	33	2.35	0.23		
						1999	2.90	2.40	36	2.61	0.37		
						*2000	2.50	2.30	38	2.38	0.27		
						2001	0.80	2.30	38	1.64	0.21		
						2002	2.30	2.30	38	2.30	0.23		
						2003	2.60	2.30	42	2.43	0.27		
						2004	2.80	2.30	42	2.51	0.35		
						2005	2.70	3.00	00	2.87	0.32		
						2006	2.90	3.00	00	2.96	0.38		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	DEPTH	REMARKS	
4	S.H.-24	002270	051.210	051.900	N	1997	2.50	2.40	33	2.44	0.21		
						*1998	2.30	2.40	33	2.35	0.23	PLANT MIX OVERLAY	1999
						1999	2.80	5.00	46	4.04	0.17		
						*2000	3.00	5.00	46	4.13	0.31		
						2001	3.00	5.00	46	4.14	0.35		
						2002	3.30	5.00	46	4.27	0.40	SEALCOAT	2002
						2003	3.30	5.00	42	4.27	0.37		
						2004	3.30	5.00	42	4.27	0.41		
						2005	3.30	5.00	00	4.33	0.34		
						2006	3.30	5.00	00	4.33	0.37		
4	S.H.-24	002270	051.900	052.455	N	1997	2.70	2.40	32	2.52	0.33		
						*1998	2.70	2.40	32	2.52	0.30	PLANT MIX OVERLAY	1999
						1999	2.50	5.00	37	3.92	0.35		
						2000	3.30	5.00	37	4.27	0.32		
						2001	3.30	5.00	37	4.27	0.30		
						2002	3.40	5.00	37	4.31	0.33	SEALCOAT	2002
						2003	3.40	5.00	42	4.31	0.34		
						2004	3.40	4.00	42	3.74	0.41		
						2005	3.40	4.00	00	3.76	0.36		
						2006	3.40	4.00	00	3.76	0.39		
4	S.H.-24	002280	000.330	000.900	ASC	1997	3.60	5.00	21	4.36	0.13		
						1998	3.60	5.00	43	4.36	0.18		
						1999	3.60	5.00	38	4.36	0.21		
						2000	3.40	4.50	38	4.00	0.23		
						2001	3.50	4.50	38	4.04	0.25		
						2002	3.40	3.80	38	3.61	0.26		
						2003	3.40	3.80	42	3.61	0.28		
						2004	3.40	2.70	42	3.01	0.27		
						2005	3.40	2.70	00	3.01	0.29		
						2006	3.30	2.70	00	2.97	0.27		
4	S.H.-24	002280	000.330	000.900	DES	1997	3.70	5.00	42	4.41	0.13		
						1998	3.80	5.00	42	4.45	0.14		
						1999	3.70	5.00	44	4.40	0.16		
						2000	3.70	4.70	44	4.24	0.18		
						2001	3.80	4.70	44	4.29	0.15		
						2002	3.80	4.70	44	4.29	0.20		
						2003	3.80	4.20	42	4.01	0.23		
						2004	3.80	3.40	42	3.58	0.22		
						2005	3.70	3.30	00	3.48	0.23		
						2006	3.70	3.30	00	3.48	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	S.H.-24	002280	000.900	003.281	ASC	1997	2.80	5.00	25	4.00	0.08	C.R.A.B.S.	1997
						1998	3.80	5.00	25	4.45	0.12		
						1999	3.80	5.00	44	4.45	0.11	SEALCOAT	1999
						2000	3.80	5.00	44	4.45	0.14		
						2001	3.80	5.00	44	4.45	0.14		
						2002	3.60	4.70	44	4.20	0.16		
						2003	3.60	4.70	42	4.20	0.15		
						2004	3.50	4.60	42	4.10	0.13		
						2005	3.50	4.60	00	4.10	0.13		
						2006	3.40	4.60	00	4.05	0.17		
4	S.H.-24	002280	000.900	003.281	DES	1997	3.00	5.00	25	4.09	0.11	C.R.A.B.S.	1997
						1998	3.90	5.00	25	4.50	0.08		
						1999	3.80	5.00	43	4.45	0.08	SEALCOAT	1999
						2000	3.70	5.00	43	4.41	0.11		
						2001	3.80	5.00	43	4.45	0.09		
						2002	3.60	5.00	43	4.36	0.13		
						2003	3.60	5.00	42	4.36	0.13		
						2004	3.60	5.00	42	4.36	0.12		
						2005	3.50	4.50	00	4.04	0.14		
						2006	3.50	4.50	00	4.04	0.15		
4	S.H.-24	002280	003.281	003.400	ASC	1997	3.00	2.40	25	2.65	0.09	C.R.A.B.S.	1997
						1998	3.60	5.00	25	4.41	0.10		
						1999	3.60	5.00	43	4.41	0.11	SEALCOAT	1999
						2000	3.50	5.00	43	4.32	0.13		
						2001	3.70	5.00	43	4.45	0.11		
						2002	3.40	5.00	43	4.32	0.13		
						2003	3.50	5.00	42	4.36	0.14		
						2004	3.50	4.80	42	4.25	0.11		
						2005	3.40	4.50	00	4.03	0.06		
						2006	3.40	4.50	00	4.03	0.15		
4	S.H.-24	002280	003.281	003.400	DES	1997	2.70	2.50	25	2.58	0.43	C.R.A.B.S.	1997
						1998	3.00	5.00	25	4.15	0.18		
						1999	3.00	5.00	43	4.15	0.20	SEALCOAT	1999
						2000	2.60	5.00	43	3.91	0.15		
						2001	2.60	5.00	43	3.99	0.18		
						2002	3.20	5.00	43	4.24	0.16		
						2003	3.70	5.00	42	4.45	0.16		
						2004	3.70	4.00	42	3.87	0.15		
						2005	3.70	4.00	00	3.87	0.09		
						2006	3.60	4.00	00	3.83	0.16		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
4	S.H.-24	002280	003.400	003.735	ASC	1998	2.10	2.00	37	2.04	0.35			
						*1999	2.20	2.00	52	2.08	0.43			
							2.10	2.00	52	2.04	0.40			
							2.10	1.80	52	1.92	0.39			
							3.30	1.80	52	2.42	0.21	SEALCOAT	2002	
							3.10	1.80	42	2.34	0.15			
							3.30	1.80	42	2.42	0.22			
							3.20	4.00	00	3.66	0.17			
							3.20	4.00	00	3.66	0.23			
							1998	2.00	2.00	32	2.00	0.32		
4	S.H.-24	002280	003.400	003.735	DES	*1999	2.20	2.00	38	2.08	0.45			
							2.40	1.80	38	2.05	0.42			
							2.00	1.80	38	1.88	0.31			
							3.10	1.80	38	2.34	0.24	SEALCOAT	2002	
							3.50	1.80	42	2.51	0.32			
							3.50	5.00	42	4.37	0.30			
							3.20	5.00	00	4.24	0.21			
							3.30	5.00	00	4.28	0.34			
							1997	1.60	2.80	27	2.26	0.36		
							1998	1.60	2.20	27	1.93	0.39		
4	S.H.-24	002280	005.120	005.750	N	1999	2.30	5.00	43	3.78	0.25			
							2.10	5.00	43	3.69	0.32			
							2.20	5.00	43	3.74	0.33			
							2.00	5.00	43	3.65	0.16	SEALCOAT	2002	
							2.10	5.00	42	3.69	0.19			
							2.00	5.00	42	3.65	0.18			
							2.00	4.70	00	3.48	0.19			
							2.10	4.70	00	3.53	0.20			
							1997	3.80	5.00	21	4.46	0.04	PLANT MIX OVERLAY	1997
							1998	3.80	5.00	21	4.46	0.08		
4	S.H.-24	002280	005.750	006.605	N	1999	3.90	5.00	35	4.50	0.11	SEALCOAT	1999	
							3.90	4.60	35	4.28	0.13			
							3.90	4.60	35	4.28	0.14			
							3.60	4.60	35	4.15	0.19	SEALCOAT	2002	
							3.50	4.50	42	4.05	0.21			
							3.50	4.00	42	3.77	0.18			
							3.50	4.00	00	3.77	0.19			
							3.40	3.50	00	3.45	0.25			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
4	S.H.-24	002280	006.605	009.450	N	*1997	4.20	5.00	24	4.66	0.04	PLANT MIX OVERLAY	1997	
							1998	4.30	5.00	24	4.70	0.09		
							1999	4.30	5.00	39	4.70	0.11	SEALCOAT	1999
							2000	4.10	5.00	39	4.62	0.12		
							2001	4.20	4.70	39	4.49	0.12		
							2002	3.90	4.70	39	4.36	0.15		
							2003	3.90	4.70	42	4.36	0.17		
							2004	3.90	4.50	42	4.25	0.17		
							2005	3.80	4.20	00	4.03	0.16		
							2006	3.80	2.40	00	2.98	0.21		
						4	S.H.-24	002280	009.450	012.100	N	*1997	4.20	5.00
	1998	3.80	5.00	39	4.50							0.02		
	1999	3.80	5.00	36	4.50							0.05	SEALCOAT	1999
	2000	3.70	5.00	36	4.46							0.05		
	2001	3.80	5.00	36	4.50							0.06		
	2002	3.70	5.00	36	4.46							0.08		
	2003	3.70	5.00	42	4.46							0.09		
	2004	3.70	5.00	42	4.46							0.08		
	2005	3.60	5.00	00	4.42							0.08		
	2006	3.50	4.80	00	4.26							0.13		
4	S.H.-24	002280	012.100	017.940	N							1997	3.00	5.00
							1998	3.70	5.00	41	4.46	0.15		
							1999	3.70	5.00	37	4.46	0.16	SEALCOAT	1999
							2000	3.60	5.00	37	4.42	0.16		
							2001	3.70	5.00	37	4.46	0.16		
							2002	3.50	5.00	37	4.38	0.17		
							2003	3.50	5.00	42	4.38	0.17		
							2004	3.60	5.00	42	4.42	0.15		
							2005	3.50	5.00	00	4.38	0.14		
							2006	3.50	5.00	00	4.38	0.18		
						4	S.H.-24	002280	017.940	021.910	N	1997	3.10	4.00
	1998	3.10	3.70	55	3.45							0.18		
	1999	3.00	3.70	55	3.41							0.20	SEALCOAT	1999
	2000	3.00	3.70	55	3.41							0.20		
	2001	2.90	2.10	55	2.42							0.21		
	2002	3.20	2.10	55	2.55							0.11		
	2003	3.20	2.10	42	2.55							0.11		
	2004	3.30	2.10	42	2.59							0.11		
	2005	3.30	2.10	00	2.59							0.08	SEALCOAT	2005
	2006	3.20	2.10	00	2.55							0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-24	002280	021.910	027.335	N	1997	3.30	4.50	53	4.00	0.16		
						1998	3.30	4.10	53	3.77	0.16		
						1999	3.40	4.10	52	3.81	0.17		
						2000	3.20	3.80	52	3.55	0.19		
						2001	3.30	2.40	52	2.77	0.19		
						2002	3.40	2.40	52	2.81	0.11		
						2003	3.40	2.20	42	2.69	0.12		
						*2004	3.40	1.70	42	2.40	0.10		
						2005	3.30	1.90	00	2.47	0.09	SEALCOAT	2005
						2006	3.30	1.90	00	2.47	0.09		
4	S.H.-24	002280	027.335	028.434	N	1997	3.30	4.50	53	4.00	0.16		
						1998	3.30	4.10	53	3.77	0.16		
						1999	3.40	4.10	52	3.81	0.17		
						2000	3.20	3.80	52	3.55	0.19		
						2001	3.30	2.40	52	2.77	0.19		
						2002	3.40	2.40	52	2.81	0.11		
						2003	3.40	2.20	42	2.69	0.12		
						*2004	3.40	1.70	42	2.40	0.10		
						2005	3.50	5.00	00	4.38	0.03	SEALCOAT	2005
						2006	3.40	3.80	00	3.63	0.04		
4	S.H.-24	002280	028.434	032.259	N	1997	3.30	4.50	53	4.00	0.16		
						1998	3.30	4.10	53	3.77	0.16		
						1999	3.40	4.10	52	3.81	0.17		
						2000	3.20	3.80	52	3.55	0.19		
						2001	3.30	2.40	52	2.77	0.19		
						2002	3.40	2.40	52	2.81	0.11		
						2003	3.40	2.20	42	2.69	0.12		
						*2004	3.40	1.70	42	2.40	0.10		
						2005	3.40	1.90	00	2.51	0.09	SEALCOAT	2005
						2006	3.30	1.90	00	2.47	0.08		
4	S.H.-24	002280	032.259	036.446	N	1997	3.80	4.50	53	4.21	0.12		
						1998	3.80	4.50	53	4.21	0.10		
						1999	3.80	4.50	53	4.21	0.12		
						2000	3.80	4.30	53	4.09	0.13		
						2001	3.80	4.20	53	4.03	0.13		
						2002	3.50	3.00	53	3.20	0.12		
						2003	3.60	3.00	42	3.24	0.11		
						2004	3.50	1.90	42	2.56	0.11		
						2005	3.50	1.90	00	2.56	0.09	SEALCOAT	2005
						2006	3.40	1.90	00	2.51	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-24	002280	036.446	044.781	N	1997	3.40	2.50	51	2.87	0.15		
						1998	3.40	2.50	51	2.87	0.15		
						1999	3.40	2.50	56	2.87	0.18		
						2000	3.40	2.50	56	2.87	0.17		
						2001	3.60	2.50	56	2.95	0.17		
						2002	3.50	2.50	56	2.91	0.13		
						2003	3.50	2.50	42	2.91	0.12	SEALCOAT	2003
						2004	3.50	2.30	42	2.79	0.11		
						2005	3.50	1.90	00	2.56	0.10		
						2006	3.50	1.90	00	2.56	0.11		
4	S.H.-24	002280	044.781	050.693	N	1997	3.50	3.00	48	3.20	0.22		
						1998	3.50	3.00	48	3.20	0.26		
						1999	3.50	3.00	55	3.20	0.34		
						2000	3.50	2.40	55	2.85	0.32		
						2001	3.70	1.90	55	2.64	0.25		
						2002	3.70	5.00	55	4.46	0.05		
						2003	3.60	5.00	42	4.42	0.06	SEALCOAT	2003
						2004	3.60	4.60	42	4.18	0.05		
						2005	3.70	4.40	00	4.11	0.04		
						2006	3.70	4.40	00	4.11	0.05		
4	S.H.-24	002280	050.693	054.310	N	1997	3.40	3.50	43	3.45	0.14		
						1998	3.40	3.50	43	3.45	0.19		
						1999	3.40	3.50	51	3.45	0.21		
						2000	3.40	3.50	51	3.45	0.22		
						2001	3.50	3.50	51	3.50	0.20		
						2002	3.10	3.50	51	3.33	0.19		
						2003	3.20	3.50	42	3.37	0.18	SEALCOAT	2003
						2004	3.20	3.50	42	3.37	0.13		
						2005	3.20	3.50	00	3.37	0.15		
						2006	3.20	3.50	00	3.37	0.16		
4	S.H.-24	002280	054.310	060.250	N	1997	3.30	3.00	40	3.12	0.17		
						1998	3.30	3.00	40	3.12	0.22		
						1999	3.40	3.00	50	3.16	0.27		
						2000	3.30	3.00	50	3.12	0.27		
						2001	3.40	3.00	50	3.16	0.25		
						2002	3.30	3.00	50	3.12	0.18		
						2003	3.20	3.00	42	3.08	0.20	SEALCOAT	2003
						2004	3.20	3.00	42	3.08	0.16		
						2005	3.30	3.00	00	3.12	0.15		
						2006	3.30	3.00	00	3.12	0.17		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-24	002280	060.250	062.650	N	1997	3.30	4.00	47	3.71	0.19		
						1998	3.30	4.00	47	3.71	0.18		
						1999	3.30	4.00	54	3.71	0.23		
						2000	3.20	4.00	54	3.66	0.23		
						2001	3.30	4.00	54	3.71	0.24		
						2002	3.50	4.00	54	3.79	0.12		
						2003	3.50	4.00	42	3.79	0.11	SEALCOAT	2003
						2004	3.50	2.40	42	2.85	0.11		
						2005	3.40	2.40	00	2.81	0.11	SEALCOAT	2005
						2006	3.40	1.90	00	2.51	0.11		
4	S.H.-24	002280	062.650	064.975	N	1997	3.30	4.50	53	4.00	0.12		
						1998	3.30	4.50	53	4.00	0.08		
						1999	3.30	4.50	58	4.00	0.08		
						2000	3.30	4.10	58	3.76	0.10		
						*2001	3.40	4.10	58	3.80	0.10		
						2002	3.40	3.20	59	3.28	0.10		
						2003	3.40	3.00	42	3.16	0.09		
						*2004	3.40	1.90	42	2.52	0.08		
						2005	3.50	5.00	00	4.37	0.02	SEALCOAT	2005
						2006	3.40	4.50	00	4.04	0.03		
4	S.H.-24	002280	064.975	066.916	N	1997	3.30	4.50	53	4.00	0.12		
						1998	3.30	4.50	53	4.00	0.08		
						1999	3.30	4.50	58	4.00	0.08		
						2000	3.30	4.10	58	3.76	0.10		
						*2001	3.40	4.10	58	3.80	0.10		
						2002	3.40	3.20	59	3.28	0.10		
						2003	3.40	3.00	42	3.16	0.09		
						*2004	3.40	1.90	42	2.52	0.08		
						2005	3.40	1.90	00	2.52	0.07	SEALCOAT	2005
						2006	3.30	1.90	00	2.47	0.08		
4	S.H.-24	002280	066.916	067.533	N	1997	3.30	4.50	53	4.00	0.12		
						1998	3.30	4.50	53	4.00	0.08		
						1999	3.30	4.50	58	4.00	0.08		
						2000	3.30	4.10	58	3.76	0.10		
						*2001	3.40	4.10	58	3.80	0.10		
						2002	3.70	5.00	58	4.46	0.16	NEW CONST OR RECONST (FLEX)	2002
						2003	3.00	5.00	42	4.17	0.12		
						2004	2.90	5.00	42	4.13	0.13		
						2005	2.90	5.00	00	4.12	0.15	SEALCOAT	2005
						2006	3.00	5.00	00	4.17	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-25	002270	000.000	000.626	N	1997	2.40	3.00	29	2.74	0.11	
						1998	2.30	2.30	29	2.30	0.16	
						1999	2.40	2.30	42	2.34	0.13	
						2000	2.40	2.00	42	2.16	0.19	
						2001	2.30	1.90	42	2.06	0.26	
						2002	2.30	1.90	42	2.06	0.26	
						2003	2.10	1.90	42	1.98	0.15	
						2004	2.60	1.90	42	2.19	0.20	
						2005	2.20	1.90	00	2.02	0.16	
						2006	2.20	1.90	00	2.02	0.26	
4	S.H.-25	002270	000.626	001.320	N	1997	2.70	2.40	27	2.51	0.10	
						1998	2.70	2.40	27	2.51	0.18	
						1999	2.50	2.40	27	2.43	0.15	
						2000	2.50	2.20	42	2.31	0.12	
						2001	2.80	2.10	42	2.37	0.22	
						*2002	2.60	2.10	42	2.29	0.16	
						2003	2.70	2.10	42	2.33	0.21	
						2004	2.70	2.10	42	2.33	0.18	
						2005	2.80	2.10	00	2.37	0.17	
						2006	2.70	1.90	00	2.21	0.28	
4	S.H.-25	002270	001.320	001.502	N	1997	2.70	2.00	24	2.27	0.17	
						1998	2.70	2.00	24	2.27	0.26	
						1999	2.70	2.00	24	2.27	0.28	
						2000	2.80	4.50	42	3.83	0.15	
						2001	2.90	4.50	42	3.87	0.15	
						*2002	2.90	4.50	42	3.87	0.08	
						2003	2.60	4.50	42	3.76	0.09	
						2004	2.70	4.50	42	3.79	0.09	
						2005	2.80	4.50	00	3.83	0.10	
						2006	2.80	4.50	00	3.83	0.09	
4	S.H.-25	002270	001.502	001.838	N	1997	2.40	2.40	37	2.40	0.23	
						1998	2.40	2.40	37	2.40	0.29	
						1999	2.30	2.40	37	2.36	0.26	
						2000	2.20	2.40	42	2.32	0.09	
						2001	2.10	2.40	42	2.28	0.09	
						2002	2.00	2.40	42	2.24	0.08	
						2003	2.00	2.40	42	2.24	0.09	
						2004	2.00	2.40	42	2.24	0.08	
						2005	1.80	2.30	00	2.10	0.07	
						2006	2.00	2.30	00	2.18	0.09	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-25	002270	001.838	002.100	N	1997	3.10	3.00	27	3.03	0.14		
						1998	3.40	3.00	27	3.15	0.16		
						1999	3.50	3.00	44	3.19	0.19		
						2000	3.50	3.00	44	3.19	0.19		
						2001	3.50	3.00	44	3.19	0.19		
						2002	3.40	3.00	44	3.15	0.21		
						2003	3.30	2.70	42	2.93	0.20		
						2004	3.40	2.40	42	2.78	0.22		
						2005	3.30	2.30	00	2.68	0.10		
						2006	3.50	2.30	00	2.76	0.14		
4	S.H.-25	002270	002.100	002.356	N	1997	3.30	5.00	24	4.35	0.09	COLD IN PLACE RECYCLE	1997
						1998	4.10	5.00	24	4.65	0.06		
						1999	3.90	5.00	24	4.57	0.04		
						2000	4.00	5.00	44	4.61	0.04		
						2001	4.10	5.00	44	4.65	0.05		
						2002	4.00	5.00	44	4.61	0.07		
						2003	4.00	5.00	42	4.61	0.08		
						2004	4.00	5.00	42	4.61	0.06		
						2005	4.00	4.70	00	4.43	0.07		
						2006	3.80	4.00	00	3.92	0.06		
4	S.H.-25	002270	002.356	004.700	N	1997	3.40	5.00	21	4.33	0.20	COLD IN PLACE RECYCLE	1997
						1998	4.30	5.00	21	4.70	0.07		
						1999	4.20	5.00	63	4.66	0.07	PLANT MIX OVERLAY	1999
						2000	4.20	5.00	63	4.66	0.07		
						2001	4.30	5.00	63	4.70	0.08		
						2002	4.00	5.00	63	4.58	0.08		
						2003	4.00	5.00	42	4.58	0.10		
						2004	4.00	5.00	42	4.58	0.08		
						2005	4.00	4.70	00	4.40	0.09		
						2006	4.00	4.70	00	4.40	0.10		
4	S.H.-25	002270	004.700	005.342	N	1997	3.60	1.70	42	2.49	0.12	SEALCOAT	1997
						1998	3.50	1.70	42	2.44	0.19		
						1999	3.40	1.70	63	2.40	0.25		
						2000	3.40	1.70	63	2.40	0.28		
						2001	3.50	1.70	63	2.44	0.31		
						2002	3.20	1.70	63	2.32	0.36		
						2003	3.10	1.70	42	2.28	0.39		
						2004	3.10	1.70	42	2.27	0.38		
						2005	3.10	1.70	00	2.28	0.40		
						2006	2.80	1.70	00	2.15	0.45		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	S.H.-25	002270	005.342	008.403	N	1997	3.20	3.00	48	3.08	0.23	SEALCOAT	1997
						1998	3.30	3.00	48	3.12	0.31		
						1999	3.30	3.00	55	3.12	0.44		
						2000	3.20	3.00	55	3.08	0.37		
						2001	3.40	2.90	55	3.10	0.54		
						2002	3.20	2.90	55	3.02	0.50		
						2003	3.20	2.90	42	3.02	0.41		
						2004	3.20	2.90	42	3.02	0.50		
						2005	3.20	2.80	00	2.96	0.52		
						2006	2.90	1.90	00	2.31	0.45		
4	S.H.-25	002270	008.403	010.420	N	1997	3.50	3.00	49	3.20	0.27		2003
						1998	3.50	3.00	49	3.20	0.25		
						1999	3.60	2.90	58	3.18	0.32		
						2000	3.50	2.90	58	3.14	0.32		
						2001	3.60	2.90	58	3.18	0.45		
						2002	3.40	2.90	58	3.10	0.30		
						2003	3.30	2.90	42	3.06	0.25	SEALCOAT	
						2004	3.40	2.40	42	2.81	0.28		
						2005	3.40	2.40	00	2.81	0.34		
						2006	3.40	1.90	00	2.51	0.32		
4	S.H.-25	002270	010.420	014.600	N	1997	2.90	1.70	55	2.19	0.12		2003
						1998	2.90	1.70	55	2.19	0.11		
						1999	2.70	1.70	56	2.11	0.13		
						2000	2.50	1.70	56	2.03	0.13		
						2001	2.20	1.70	56	1.90	0.18		
						2002	3.60	5.00	56	4.42	0.06		
						2003	3.50	5.00	42	4.38	0.08	SEALCOAT	
						2004	3.50	5.00	42	4.38	0.07		
						2005	3.50	5.00	00	4.38	0.08		
						2006	3.50	5.00	00	4.39	0.07		
4	S.H.-25	002270	014.600	018.000	N	1997	3.00	1.70	54	2.23	0.13		2003
						1998	3.00	1.70	54	2.23	0.14		
						1999	2.90	1.70	56	2.19	0.16		
						2000	2.90	1.70	56	2.19	0.11		
						2001	2.50	1.70	56	2.03	0.22		
						2002	3.60	5.00	56	4.42	0.05		
						2003	3.50	5.00	42	4.38	0.08	SEALCOAT	
						2004	3.50	5.00	42	4.38	0.06		
						2005	3.50	5.00	00	4.38	0.06		
						2006	3.50	5.00	00	4.39	0.06		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
4	S.H.-25	002270	018.000	019.112	N	1997	3.00	5.00	43	4.17	0.13	COLD IN PLACE RECYCLE	1997						
						1998	3.30	5.00	43	4.29	0.22								
						1999	3.30	5.00	61	4.29	0.22								
						2000	3.30	4.50	61	4.00	0.24								
						2001	3.30	2.00	61	2.53	0.26								
						2002	3.10	2.00	61	2.45	0.26								
						2003	3.00	1.90	42	2.35	0.28								
						2004	3.00	1.50	42	2.11	0.27								
						2005	2.90	1.50	00	2.07	0.28								
						2006	2.50	1.50	00	1.90	0.29								
						4	S.H.-25	002270	019.112	024.368	N	1997	3.20	5.00	36	4.25	0.15	COLD IN PLACE RECYCLE	1997
												1998	3.40	5.00	36	4.33	0.22		
1999	3.40	4.70	56	4.16	0.24														
2000	3.40	4.50	56	4.04	0.24														
2001	3.40	3.00	56	3.16	0.25														
2002	3.10	3.00	56	3.04	0.27														
2003	3.00	1.90	42	2.35	0.28														
2004	3.10	1.60	42	2.22	0.27														
2005	3.00	1.60	00	2.17	0.29														
2006	2.70	1.60	00	2.05	0.29														
4	S.H.-25	002270	024.368	030.564	N							1997	2.80	5.00	35	4.09	0.16	COLD IN PLACE RECYCLE	1997
												1998	3.40	5.00	35	4.33	0.19		
						1999	3.30	4.70	51	4.12	0.21								
						2000	3.30	4.30	51	3.88	0.21								
						2001	3.30	3.40	51	3.35	0.24								
						2002	3.10	3.00	51	3.04	0.24								
						2003	3.00	1.90	42	2.35	0.25								
						2004	3.00	1.50	42	2.11	0.24								
						2005	2.90	1.50	00	2.07	0.25								
						2006	2.70	1.50	00	1.99	0.23								
						4	S.H.-25	002270	037.570	042.470	N	1997	2.90	2.30	47	2.54	0.22		
												1998	2.90	1.90	47	2.31	0.24		
1999	2.90	1.90	48	2.31	0.24														
2000	2.90	1.50	48	2.08	0.24														
*2001	2.90	1.50	48	2.08	0.26														
2002	3.90	5.00	49	4.54	0.03							REHABILITATION AND RESURFACE	2002						
2003	3.90	5.00	42	4.54	0.07														
2004	3.90	5.00	42	4.54	0.06														
2005	3.90	5.00	00	4.54	0.08														
2006	3.70	5.00	00	4.46	0.07							SEALCOAT	2006						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-25	002270	042.470	045.693	N	1997	2.90	2.30	47	2.54	0.22	
						1998	2.90	1.90	47	2.31	0.24	
						1999	2.90	1.90	48	2.31	0.24	
						2000	2.90	1.50	48	2.08	0.24	
						*2001	2.90	1.50	48	2.08	0.26	
						2002	2.40	1.50	48	1.84	0.14	
						2003	2.30	1.50	42	1.80	0.15	
						2004	2.30	1.40	42	1.74	0.14	
						2005	3.50	5.00	00	4.41	0.05	C.R.A.B.S.
						2006	3.40	5.00	00	4.37	0.05	SEALCOAT
4	S.H.-25	002270	045.693	046.025	N	1997	2.20	3.10	45	2.75	0.11	
						1998	2.20	2.60	45	2.44	0.16	
						1999	2.20	2.60	45	2.44	0.16	
						2000	2.10	2.50	49	2.34	0.15	
						2001	2.30	2.30	49	2.30	0.25	
						2002	2.20	2.30	48	2.26	0.17	
						2003	2.30	2.30	42	2.30	0.22	
						2004	2.20	2.30	42	2.26	0.18	
						2005	2.40	2.10	00	2.21	0.13	
						2006	2.40	1.90	00	2.09	0.18	SEALCOAT
4	S.H.-25	002270	046.025	046.410	N	1997	2.10	3.30	37	2.79	0.20	
						1998	2.20	3.30	37	2.83	0.35	
						1999	2.10	3.30	37	2.79	0.30	
						2000	2.00	2.50	49	2.28	0.31	
						2001	2.30	2.50	49	2.41	0.37	
						2002	2.20	2.50	48	2.37	0.28	
						2003	2.10	2.50	42	2.33	0.41	
						2004	2.00	2.40	42	2.23	0.31	
						2005	2.20	2.20	00	2.20	0.35	
						2006	2.10	1.90	00	1.98	0.38	
4	S.H.-25	002270	046.410	050.665	N	1997	3.60	5.00	25	4.41	0.11	
						1998	3.60	5.00	25	4.41	0.14	
						1999	3.60	5.00	37	4.41	0.17	
						2000	3.50	4.00	37	3.79	0.15	
						2001	3.60	4.00	37	3.83	0.19	
						2002	3.40	4.00	37	3.74	0.15	SEALCOAT
						2003	3.40	3.90	42	3.69	0.18	
						2004	3.30	3.90	42	3.64	0.17	
						2005	3.30	2.70	00	2.95	0.19	
						2006	3.30	1.90	00	2.48	0.18	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	S.H.-25	002270	050.665	050.830	N	1997	1.80	1.50	34	1.61	0.26	
						1998	1.80	1.50	34	1.61	0.23	
						1999	1.80	1.50	53	1.61	0.26	
						*2000	1.70	1.50	53	1.57	0.33	
						2001	2.70	1.50	37	2.00	0.13	
						2002	2.70	5.00	37	4.03	0.13	SEALCOAT
						2003	2.70	5.00	42	4.03	0.13	
						2005	3.30	4.50	00	3.99	0.19	
						2006	3.30	3.50	00	3.41	0.18	
4	S.H.-25	002270	052.455	052.697	N	1997	2.90	2.50	29	2.66	0.12	
						*1998	2.80	2.00	29	2.33	0.17	
						1999	2.60	2.00	43	2.25	0.16	PLANT MIX OVERLAY
						2000	3.40	4.50	43	4.04	0.20	
						2001	3.40	4.50	43	4.03	0.08	
						2002	2.90	4.50	43	3.82	0.09	SEALCOAT
						2003	3.00	4.50	42	3.87	0.08	
						2004	2.90	3.70	42	3.36	0.07	
						2005	3.20	2.90	00	3.01	0.07	
						2006	2.90	2.90	00	2.90	0.09	
4	S.H.-25	002270	052.697	053.394	N	1997	2.50	1.30	28	1.83	0.17	
						*1998	2.50	1.30	28	1.83	0.17	
						1999	2.20	5.00	28	3.74	0.14	NEW CONST OR RECONST (FLEX)
						2000	3.20	5.00	43	4.19	0.10	
						2001	3.20	5.00	43	4.18	0.11	
						2002	3.20	5.00	43	4.18	0.13	
						2003	3.10	5.00	42	4.14	0.14	
						2004	3.10	5.00	42	4.14	0.13	
						2005	3.10	4.50	00	3.91	0.12	
						2006	3.10	4.50	00	3.91	0.10	
4	S.H.-25	002270	053.394	053.623	N	1997	3.80	5.00	27	4.50	0.12	SEALCOAT
						*1998	3.70	5.00	27	4.45	0.16	
						1999	2.50	5.00	24	3.95	0.07	
						2000	2.40	5.00	43	3.91	0.06	
						2001	2.70	4.50	43	3.75	0.06	
						2002	3.00	4.50	43	3.87	0.07	
						2003	3.00	4.50	42	3.87	0.11	
						2004	2.90	4.50	42	3.83	0.08	
						2005	2.90	4.50	00	3.83	0.10	
						2006	2.90	4.50	00	3.83	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	S.H.-25	002270	053.623	054.394	N	1997	3.80	5.00	27	4.50	0.12	SEALCOAT	1997
						*1998	3.70	5.00	27	4.45	0.16		
						1999	3.50	4.50	52	4.08	0.16		
						2000	3.80	4.50	52	4.20	0.17		
						2001	3.90	4.50	52	4.25	0.19		
						2002	3.70	4.50	52	4.16	0.21		
						2003	3.70	4.50	42	4.16	0.23		
						2004	3.60	1.90	42	2.60	0.20		
						2005	3.60	1.90	00	2.60	0.24		
						2006	3.60	1.90	00	2.60	0.22		
4	S.H.-25	002270	054.394	056.790	N	1997	3.90	5.00	31	4.54	0.08	SEALCOAT	1997
						1998	3.70	5.00	31	4.46	0.10		
						1999	3.80	5.00	50	4.50	0.13		
						2000	3.80	4.60	50	4.26	0.12		
						2001	3.90	4.60	50	4.30	0.16		
						2002	3.70	4.30	50	4.05	0.17		
						2003	3.60	4.30	42	4.00	0.16		
						2004	3.70	2.30	42	2.88	0.19		
						2005	3.70	2.10	00	2.76	0.17		
						2006	3.60	1.90	00	2.60	0.17		
4	S.H.-25	002270	057.360	058.048	N	1997	3.50	5.00	29	4.37	0.05	SEALCOAT	1997
						*1998	3.20	5.00	29	4.25	0.07		
						1999	3.50	5.00	44	4.37	0.06		
						2000	3.50	4.50	44	4.08	0.08		
						2001	3.60	4.30	44	4.00	0.11		
						2002	3.20	2.60	44	2.84	0.11		
						2003	3.10	2.60	42	2.80	0.11		
						2004	3.10	1.90	42	2.39	0.12		
						2005	3.40	1.90	00	2.52	0.13		
						2006	3.40	1.90	00	2.52	0.11		
4	S.H.-25	015999	056.790	057.340	N	1997	3.20	5.00	31	4.25	0.06	SEALCOAT	1997
						1998	3.00	5.00	31	4.17	0.04		
						1999	3.10	5.00	50	4.21	0.04		
						2000	3.10	5.00	50	4.21	0.05		
						2001	3.20	5.00	50	4.25	0.05		
						2002	3.10	5.00	50	4.21	0.07		
						2003	3.10	5.00	42	4.21	0.05		
						2004	3.00	4.50	42	3.87	0.04		
						2005	3.10	4.00	00	3.62	0.06		
						2006	3.10	4.00	00	3.62	0.05		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-25	025310	050.830	050.978	N	2003	2.70	4.50	42	3.81	0.13							
						2004	3.30	4.50	42	4.04	0.17							
						2005	3.30	4.50	00	4.04	0.19							
						2006	3.30	4.40	00	3.97	0.18							
4	U.S.-26	002240	138.970	145.700	N	1997	3.50	1.90	51	2.61	0.11							
						*1998	3.40	1.90	51	2.57	0.11	PLANT MIX OVERLAY	1999					
						1999	3.40	5.00	54	4.28	0.12							
						2000	3.50	5.00	54	4.32	0.06							
						2001	3.60	5.00	54	4.37	0.10							
						2002	3.40	5.00	54	4.28	0.10							
						2003	3.40	4.80	42	4.17	0.11							
						2004	3.40	4.80	42	4.17	0.11							
						2005	3.40	4.50	00	4.00	0.12	SEALCOAT	2005					
						2006	3.40	4.50	00	4.00	0.12							
						4	U.S.-26	002240	145.700	149.992	N	1997	3.50	1.90	51	2.61	0.11	
												*1998	3.40	1.90	51	2.57	0.11	
1999	2.80	5.00	38	4.01	0.26							C.R.A.B.S.	1999					
2000	3.50	5.00	38	4.32	0.08													
2001	3.50	5.00	38	4.32	0.10													
2002	3.40	5.00	38	4.28	0.12													
2003	3.40	5.00	42	4.28	0.12													
2004	3.40	5.00	42	4.28	0.12													
2005	3.50	5.00	00	4.32	0.14							SEALCOAT	2005					
2006	3.40	5.00	00	4.28	0.13													
4	U.S.-26	002240	149.992	150.355	N							1997	2.00	2.50	41	2.27	0.08	
												1998	2.00	2.50	41	2.27	0.08	
						1999	2.00	2.50	50	2.27	0.07							
						2000	2.30	2.50	50	2.41	0.08	C.R.A.B.S.	2000					
						2001	2.30	2.50	50	2.41	0.08							
						2002	2.30	2.50	50	2.41	0.08							
						2003	2.30	2.30	42	2.30	0.08	SEALCOAT	2003					
						2004	2.10	2.30	42	2.21	0.08							
						2005	2.20	2.30	00	2.25	0.09							
						2006	2.10	2.30	00	2.21	0.08							
						4	U.S.-26	002240	150.355	156.144	N	1997	3.20	2.30	46	2.70	0.12	
												1998	3.20	2.30	46	2.70	0.16	
1999	3.20	2.30	47	2.70	0.17													
2000	3.20	5.00	47	4.19	0.18							C.R.A.B.S.	2000					
2001	4.10	5.00	47	4.59	0.09													
2002	3.80	5.00	47	4.46	0.11													
2003	3.60	5.00	42	4.38	0.11							SEALCOAT	2003					
2004	3.70	5.00	42	4.42	0.09													
2005	3.70	5.00	00	4.42	0.11													
2006	3.80	5.00	00	4.47	0.11													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-26	002240	156.144	165.450	N	1997	3.30	2.80	53	3.02	0.13	
						1998	3.40	2.70	53	3.01	0.13	
						1999	3.30	2.40	56	2.80	0.15	
						2000	3.40	5.00	56	4.28	0.16	C.R.A.B.S.
						2001	4.00	5.00	56	4.55	0.13	
						2002	3.70	5.00	56	4.41	0.15	
						2003	3.60	5.00	42	4.38	0.16	SEALCOAT
						2004	3.60	5.00	42	4.38	0.13	
						2005	3.70	5.00	00	4.42	0.14	
						2006	3.70	5.00	00	4.42	0.14	
4	U.S.-26	002240	165.450	165.928	N	1997	3.20	4.50	56	3.96	0.09	
						1998	3.20	4.50	56	3.96	0.06	
						1999	3.20	4.50	53	3.95	0.08	
						2000	3.30	4.50	53	4.00	0.09	C.R.A.B.S.
						2001	2.70	4.50	53	3.75	0.07	
						2002	3.00	4.50	53	3.87	0.10	
						2003	2.80	4.50	42	3.81	0.09	SEALCOAT
						2004	2.70	4.50	42	3.77	0.09	
						2005	2.70	4.50	00	3.77	0.10	
						2006	2.60	4.20	00	3.55	0.09	
4	S.H.-27	002290	000.000	007.000	N	1997	3.90	5.00	45	4.54	0.04	PLANT MIX OVERLAY
						1998	3.90	5.00	45	4.54	0.11	
						1999	4.00	5.00	33	4.58	0.12	SEALCOAT
						2000	3.80	5.00	33	4.50	0.11	
						2001	3.90	5.00	33	4.54	0.11	
						2002	3.50	5.00	33	4.37	0.12	
						2003	3.60	5.00	42	4.42	0.14	
						2004	3.60	5.00	42	4.42	0.12	
						2005	3.50	5.00	00	4.37	0.12	SEALCOAT
						2006	3.50	5.00	00	4.37	0.10	
4	S.H.-27	002290	007.000	012.898	N	1997	4.10	5.00	38	4.62	0.06	PLANT MIX OVERLAY
						1998	4.10	5.00	38	4.62	0.10	
						1999	4.10	5.00	35	4.62	0.12	SEALCOAT
						2000	4.00	5.00	35	4.58	0.11	
						2001	4.10	5.00	35	4.62	0.13	
						2002	3.60	5.00	35	4.42	0.14	
						2003	3.60	5.00	42	4.42	0.14	
						2004	3.60	5.00	42	4.42	0.13	
						2005	3.60	5.00	00	4.42	0.13	SEALCOAT
						2006	3.60	5.00	00	4.42	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-27	002290	012.898	019.946	N	1997	3.90	5.00	36	4.53	0.07	PLANT MIX OVERLAY	1997
						1998	4.00	5.00	36	4.57	0.13		
						1999	4.00	5.00	32	4.58	0.13	SEALCOAT	1999
						2000	3.90	5.00	32	4.53	0.14		
						2001	4.00	5.00	32	4.57	0.15		
						2002	3.60	5.00	32	4.41	0.17		
						2003	3.50	5.00	42	4.36	0.19		
						2004	3.50	5.00	42	4.36	0.18		
						2005	3.50	4.80	00	4.25	0.19	SEALCOAT	2005
						2006	3.50	4.80	00	4.25	0.19		
4	S.H.-27	002290	019.946	020.448	N	1997	2.10	2.00	33	2.04	0.14		
						1998	2.30	2.00	33	2.12	0.20		
						1999	2.20	2.00	46	2.08	0.22		
						2000	2.10	2.00	46	2.04	0.21		
						2001	2.00	1.50	46	1.71	0.23		
						2002	3.10	1.50	46	2.17	0.16		
						2003	3.10	1.50	42	2.17	0.13	MILL AND INLAY	2003
						2004	3.70	5.00	42	4.45	0.03		
						2005	3.70	5.00	00	4.45	0.08	SEALCOAT	2005
						2006	3.60	5.00	00	4.41	0.06		
4	S.H.-27	002290	020.448	020.780	N	1997	2.50	3.00	33	2.78	0.26		
						1998	2.40	3.00	33	2.74	0.22		
						1999	2.50	2.80	49	2.67	0.30		
						2000	2.40	2.70	49	2.57	0.25		
						2001	2.50	2.60	49	2.55	0.27		
						2002	2.80	2.60	49	2.68	0.31		
						2003	2.40	2.60	42	2.51	0.25	MILL AND INLAY	2003
						2004	3.90	5.00	42	4.52	0.05		
						2005	3.80	5.00	00	4.48	0.08	SEALCOAT	2005
						2006	3.60	5.00	00	4.40	0.10		
4	S.H.-27	002290	020.780	021.807	N	1997	3.10	2.40	33	2.70	0.26		
						1998	2.80	2.40	33	2.57	0.25		
						1999	2.90	2.40	33	2.61	0.30		
						2000	2.60	2.40	49	2.48	0.14		
						2001	2.80	2.40	49	2.57	0.30		
						2002	2.70	2.40	49	2.53	0.28		
						*2003	2.30	2.40	42	2.35	0.30	MILL AND INLAY	2003
						2004	3.70	5.00	42	4.43	0.05		
						2005	3.70	5.00	00	4.43	0.08	SEALCOAT	2005
						2006	3.50	5.00	00	4.34	0.11		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-27	002290	024.106	024.547	ASC	1997	2.30	2.60	30	2.47	0.14		
						1998	2.40	1.90	30	2.10	0.11		
						1999	3.40	5.00	53	4.32	0.06	C.R.A.B.S.	1999
						2000	3.30	5.00	53	4.28	0.07		
						2001	3.40	5.00	53	4.33	0.07		
						2002	3.30	5.00	53	4.28	0.07	SEALCOAT	2002
						2003	3.20	5.00	42	4.24	0.07		
						2004	3.20	4.00	42	3.66	0.07		
						2005	3.20	2.80	00	2.96	0.07	SEALCOAT	2005
						2006	3.20	2.80	00	2.98	0.07		
4	S.H.-27	002290	024.106	024.547	DES	1997	2.30	2.00	30	2.12	0.14		
						1998	2.40	2.00	30	2.16	0.11		
						1999	3.40	2.00	53	2.58	0.06	C.R.A.B.S.	1999
						2000	3.30	2.00	53	2.54	0.07		
						2001	3.40	2.00	53	2.58	0.07		
						2002	3.30	2.00	53	2.54	0.07	SEALCOAT	2002
						2003	3.20	2.00	42	2.50	0.07		
						2004	3.20	2.00	42	2.50	0.07		
						2005	3.20	2.00	00	2.50	0.07	SEALCOAT	2005
						2006	3.20	2.00	00	2.54	0.07		
4	S.H.-27	002290	024.547	025.950	N	1997	2.90	1.90	32	2.32	0.12		
						1998	2.80	1.40	32	1.99	0.15		
						1999	3.60	5.00	45	4.40	0.05	C.R.A.B.S.	1999
						2000	3.60	5.00	45	4.40	0.06		
						2001	3.70	5.00	45	4.44	0.06		
						2002	3.30	5.00	45	4.28	0.05	SEALCOAT	2002
						2003	3.40	5.00	42	4.32	0.05		
						2004	3.40	5.00	42	4.32	0.05		
						2005	3.30	4.50	00	3.99	0.07	SEALCOAT	2005
						2006	3.30	4.50	00	3.99	0.07		
4	S.H.-27	002290	025.950	026.423	N	1997	2.40	1.90	35	2.11	0.39		
						1998	2.50	1.60	35	1.98	0.44		
						1999	3.60	5.00	41	4.40	0.02	C.R.A.B.S.	1999
						2000	3.60	5.00	41	4.40	0.03		
						2001	3.70	5.00	41	4.44	0.03		
						2002	3.40	5.00	41	4.32	0.03	SEALCOAT	2002
						2003	3.40	5.00	42	4.32	0.04		
						2004	3.40	4.80	42	4.21	0.03		
						2005	3.40	4.80	00	4.21	0.04	SEALCOAT	2005
						2006	3.30	4.80	00	4.17	0.04		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-27	002290	026.423	026.561	N	1997	2.80	1.90	35	2.24	0.25	C.R.A.B.S. 1999 SEALCOAT 2002 SEALCOAT 2005
						1998	2.80	1.60	35	2.06	0.28	
						1999	3.60	5.00	41	4.45	0.04	
						2000	3.80	5.00	41	4.53	0.04	
						2001	3.90	5.00	41	4.57	0.03	
						2002	3.90	5.00	41	4.57	0.03	
						2003	3.90	5.00	42	4.57	0.04	
						2004	3.90	5.00	42	4.57	0.03	
						2005	3.40	5.00	00	4.38	0.04	
						2006	3.30	4.80	00	4.22	0.04	
4	U.S.-30	002040	172.604	174.900	N	1997	3.60	3.50	34	3.54	0.14	
						1998	3.50	3.50	35	3.50	0.13	
						1999	3.50	3.50	64	3.50	0.16	
						2000	3.50	3.50	64	3.50	0.16	
						2001	3.50	3.50	64	3.50	0.16	
						2002	3.30	3.50	64	3.41	0.17	
						2003	3.30	3.50	42	3.41	0.19	
						2004	3.30	3.50	42	3.41	0.17	
						2005	3.40	3.50	00	3.45	0.18	
						2006	3.40	3.20	00	3.28	0.18	
4	U.S.-30	002040	174.900	176.300	N	1997	3.20	2.50	34	2.81	0.12	
						1998	3.20	2.40	35	2.75	0.14	
						1999	3.20	2.40	65	2.75	0.15	
						2000	3.20	2.40	65	2.75	0.20	
						2001	3.20	2.40	65	2.75	0.16	
						2002	2.90	2.40	65	2.62	0.16	
						2003	3.00	2.40	42	2.66	0.18	
						2004	3.00	2.40	42	2.66	0.15	
						2005	2.90	2.40	00	2.62	0.13	
						2006	3.00	2.40	00	2.66	0.14	
4	U.S.-30	002040	176.300	177.510	N	1997	3.40	2.50	18	2.87	0.15	SEALCOAT 2000
						*1998	3.40	2.40	35	2.81	0.21	
						1999	3.20	2.90	62	3.03	0.13	
						2000	3.10	2.90	62	2.98	0.13	
						2001	3.20	2.80	62	2.97	0.11	
						2002	3.00	2.80	62	2.88	0.11	
						2003	2.90	2.80	42	2.84	0.12	
						2004	3.00	2.80	42	2.88	0.11	
						2005	2.90	2.40	00	2.62	0.10	
						2006	3.00	2.40	00	2.66	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	U.S.-30	002040	177.510	180.650	N	1997	3.40	2.50	18	2.87	0.15		
						*1998	3.40	2.40	35	2.81	0.21	C.R.A.B.S.	1999
						1999	3.40	5.00	52	4.33	0.27	SEALCOAT	2000
						2000	3.70	5.00	52	4.45	0.03		
						2001	3.80	5.00	52	4.49	0.04		
						2002	3.70	5.00	52	4.45	0.04		
						2003	3.70	5.00	42	4.45	0.04		
						2004	3.70	5.00	42	4.45	0.04		
						2005	3.70	5.00	00	4.45	0.04		
						2006	3.70	4.40	00	4.10	0.04		
4	U.S.-30	002040	180.650	181.256	N	1997	3.10	2.90	34	2.98	0.12		
						1998	3.10	2.90	35	2.98	0.22	C.R.A.B.S.	1999
						1999	3.00	5.00	57	4.16	0.16	SEALCOAT	2000
						2000	3.00	4.50	57	3.87	0.19		
						2001	3.00	4.50	57	3.87	0.20		
						2002	2.70	4.00	57	3.45	0.14		
						2003	2.70	4.00	42	3.45	0.12		
						2004	2.70	4.00	42	3.45	0.14		
						2005	2.60	4.00	00	3.41	0.18		
						2006	2.60	3.80	00	3.29	0.13		
4	U.S.-30	002040	181.256	184.170	N	1997	3.50	5.00	24	4.32	0.14		
						1998	3.40	2.90	35	3.12	0.16	C.R.A.B.S.	1999
						*1999	3.40	5.00	46	4.28	0.19	SEALCOAT	2000
						*2000	3.80	5.00	46	4.46	0.05		
						2001	3.80	5.00	45	4.46	0.06		
						2002	3.70	5.00	45	4.41	0.06		
						2003	3.70	5.00	42	4.41	0.06		
						2004	3.70	5.00	42	4.41	0.06		
						2005	3.70	5.00	00	4.41	0.06		
						2006	3.70	5.00	00	4.41	0.06		
4	U.S.-30	002040	184.170	185.419	N	1997	3.90	3.50	29	3.67	0.13		
						*1998	3.80	3.50	35	3.63	0.16	SEALCOAT	2000
						1999	3.70	3.50	42	3.58	0.16		
						2000	3.60	3.50	42	3.54	0.17		
						2001	3.50	3.50	42	3.50	0.18		
						2002	3.30	3.50	42	3.41	0.18		
						2003	3.30	3.50	42	3.41	0.19		
						2004	3.40	3.00	42	3.17	0.15		
						2005	3.40	2.70	00	3.01	0.12	COLD IN PLACE RECYCLE WITH OVERLAY	2005
						2006	4.00	5.00	00	4.55	0.09		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-30	002040	185.419	191.200	N	1997	3.10	2.50	34	2.76	0.14	
						*1998	3.10	2.50	35	2.76	0.17	
						1999	3.10	2.50	56	2.76	0.17	
						2000	3.00	2.00	56	2.44	0.17	SEALCOAT
						2001	3.00	2.00	56	2.44	0.18	
						2002	3.10	2.00	56	2.49	0.14	
						2003	3.10	2.00	42	2.49	0.15	
						2004	3.10	2.00	42	2.49	0.13	
						2005	3.10	2.00	00	2.49	0.14	COLD IN PLACE RECYCLE WITH OVERLAY
						2006	4.00	5.00	00	4.55	0.09	2005
4	U.S.-30	002040	191.200	192.240	N	1997	2.90	2.50	30	2.67	0.13	
						*1998	3.00	2.50	35	2.72	0.20	
						1999	3.20	5.00	47	4.19	0.27	PLANT MIX OVERLAY
						2000	3.50	4.70	47	4.16	0.08	SEALCOAT
						2001	3.70	4.70	47	4.25	0.10	
						2002	3.40	4.50	47	4.00	0.11	
						2003	3.40	4.50	42	4.00	0.13	
						2004	3.50	4.00	42	3.77	0.12	
						2005	3.40	4.00	00	3.73	0.13	SEALCOAT
						2006	3.40	3.00	00	3.17	0.13	
4	U.S.-30	002040	192.240	193.300	N	1997	3.60	3.00	29	3.26	0.10	
						1998	3.50	3.00	35	3.22	0.09	
						1999	3.50	5.00	50	4.32	0.10	PLANT MIX OVERLAY
						2000	3.70	5.00	50	4.41	0.03	SEALCOAT
						2001	3.70	5.00	50	4.41	0.04	
						2002	3.40	4.60	50	4.06	0.06	
						2003	3.40	4.60	42	4.06	0.06	
						2004	3.40	4.10	42	3.78	0.05	
						2005	3.40	3.90	00	3.67	0.06	SEALCOAT
						2006	3.30	3.90	00	3.63	0.05	
4	U.S.-30	002040	193.300	196.300	N	1997	2.90	2.30	29	2.56	0.26	
						1998	2.90	2.30	35	2.56	0.33	
						1999	2.90	5.00	42	4.06	0.34	PLANT MIX OVERLAY
						2000	3.30	5.00	42	4.24	0.12	SEALCOAT
						2001	3.40	5.00	42	4.28	0.13	
						2002	3.30	5.00	42	4.24	0.13	
						2003	3.30	5.00	42	4.24	0.15	
						2004	3.30	5.00	42	4.24	0.15	
						2005	3.30	5.00	00	4.24	0.14	SEALCOAT
						2006	3.30	4.40	00	3.90	0.12	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS		
										INDEX	DEPTH			
4	U.S.-30	002040	196.300	200.815	N	1997	3.10	2.00	27	2.49	0.15			
						1998	3.00	2.00	35	2.45	0.18			
						*1999	3.00	5.00	42	4.09	0.19	PLANT MIX OVERLAY	1999	
							2000	3.20	5.00	42	4.18	0.09	SEALCOAT	2000
							2001	3.30	5.00	42	4.23	0.11		
							2002	3.20	5.00	42	4.18	0.13		
							2003	3.20	5.00	42	4.18	0.15		
							2004	3.20	4.50	42	3.91	0.16		
							2005	3.20	4.50	00	3.91	0.15	SEALCOAT	2005
							2006	3.20	4.50	00	3.91	0.12		
4	U.S.-30	002040	200.815	201.639	N	1997	2.70	3.00	13	2.87	0.35			
						1998	2.70	3.00	35	2.87	0.40			
						*1999	2.80	3.00	45	2.91	0.42	PLANT MIX OVERLAY	1999	
							2000	3.10	3.00	45	3.04	0.41	SEALCOAT	2000
							2001	3.10	3.00	45	3.04	0.43		
							2002	2.70	3.50	45	3.16	0.46		
							2003	2.80	3.50	42	3.20	0.49		
							2004	2.60	3.50	42	3.12	0.45		
							2005	2.60	3.50	00	3.12	0.51	SEALCOAT	2005
							2006	2.70	2.80	00	2.75	0.46		
4	U.S.-30	002040	201.639	201.994	N	1997	2.60	3.60	13	3.17	0.19			
						1998	2.50	3.60	35	3.13	0.23			
						*1999	2.40	3.60	45	3.09	0.20			
							2000	2.30	3.60	45	3.04	0.20		
							2001	2.10	3.60	45	2.96	0.29		
							2002	2.00	3.60	45	2.92	0.26		
							2003	2.90	5.00	42	4.11	0.22		
							2004	3.00	5.00	42	4.15	0.18		
							2005	2.90	5.00	00	4.11	0.17		
							2006	2.50	5.00	00	3.94	0.21		
4	U.S.-30	002040	201.994	202.233	N	1997	2.30	4.00	13	3.27	0.22			
						1998	2.10	4.00	35	3.19	0.22			
						*1999	2.50	4.00	45	3.36	0.30			
							2000	2.40	4.00	45	3.32	0.31		
							2001	2.40	4.00	45	3.32	0.34		
							2002	1.80	4.00	45	3.07	0.30		
							2003	1.90	4.00	42	3.11	0.15		
							2004	2.00	4.00	42	3.15	0.22		
							2005	1.60	4.00	00	2.98	0.21		
							2006	1.80	4.00	00	3.07	0.26		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
4	U.S.-30	002040	202.233	202.446	N	1997	2.70	5.00	07	4.02	0.19	PLANT MIX OVERLAY	1997						
						1998	2.80	5.00	35	4.06	0.32								
						1999	2.90	5.00	45	4.10	0.36								
						2000	2.80	5.00	45	4.06	0.31								
						2001	3.00	5.00	45	4.15	0.40								
						2002	2.50	5.00	45	3.94	0.24								
						2003	2.60	5.00	42	3.98	0.44								
						2004	2.40	5.00	42	3.89	0.50								
						2005	2.60	2.90	00	2.77	0.41	SEALCOAT	2005						
						2006	2.60	2.90	00	2.77	0.24								
						4	U.S.-30	002040	202.446	204.692	N	1997	2.90	5.00	14	4.04	0.28	PLANT MIX OVERLAY	1997
												1998	3.60	5.00	35	4.36	0.08		
1999	3.70	5.00	39	4.40	0.09														
2000	3.60	5.00	39	4.36	0.11														
2001	3.70	5.00	39	4.40	0.14														
2002	3.60	5.00	39	4.36	0.15														
2003	3.50	5.00	42	4.31	0.18														
2004	3.50	5.00	42	4.31	0.16														
2005	3.50	5.00	00	4.31	0.19							SEALCOAT	2005						
2006	3.50	5.00	00	4.31	0.17							SEALCOAT	2006						
4	U.S.-30	002040	204.692	210.086	N							1997	3.50	5.00	25	4.32	0.26	PLANT MIX OVERLAY	1997
												1998	3.90	5.00	35	4.50	0.09		
						1999	4.00	5.00	50	4.54	0.11								
						2000	3.90	5.00	50	4.53	0.13								
						2001	3.90	5.00	50	4.50	0.14								
						2002	3.70	5.00	50	4.41	0.17								
						2003	3.70	5.00	42	4.41	0.20								
						2004	3.70	5.00	42	4.41	0.19								
						2005	3.70	5.00	00	4.41	0.21	SEALCOAT	2005						
						2006	3.60	5.00	00	4.36	0.18	SEALCOAT	2006						
						4	U.S.-30	002040	210.086	210.625	N	1997	3.20	5.00	30	4.23	0.35	PLANT MIX OVERLAY	1997
												1998	2.40	5.00	35	3.89	0.09		
1999	2.50	5.00	42	3.93	0.10														
2000	2.50	5.00	42	3.93	0.14														
2001	2.40	5.00	42	3.89	0.11														
2002	2.90	5.00	42	4.10	0.21														
2003	2.90	5.00	42	4.10	0.23														
2004	2.80	5.00	42	4.06	0.22														
2005	2.80	5.00	00	4.06	0.22							SEALCOAT	2005						
2006	2.80	5.00	00	4.06	0.28														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-30	002040	210.625	211.480	N	1997	3.90	5.00	21	4.49	0.06	
						1998	3.80	5.00	35	4.45	0.06	
						1999	3.90	5.00	39	4.49	0.07	
						2000	3.80	5.00	39	4.45	0.07	
						2001	3.90	5.00	39	4.49	0.07	
						2002	3.80	5.00	39	4.45	0.09	
						2003	3.80	5.00	42	4.45	0.12	
						2004	3.80	5.00	42	4.45	0.11	
						2005	3.80	5.00	00	4.45	0.13	SEALCOAT
						2006	3.70	5.00	00	4.40	0.10	
4	U.S.-30	002040	211.480	212.094	N	1999	3.70	5.00	38	4.40	0.09	
4	U.S.-30	002040	216.940	216.950	N	1997	3.90	3.50	21	3.67	0.06	SEALCOAT
						1998	3.80	3.50	35	3.63	0.06	
						1999	3.70	3.50	38	3.58	0.09	
						2000	3.80	5.00	39	4.47	0.07	
						2001	3.90	5.00	39	4.51	0.07	
						2002	3.80	5.00	39	4.47	0.09	
						2003	3.80	5.00	42	4.47	0.12	
						2004	3.80	5.00	42	4.47	0.11	
						2005	3.80	5.00	00	4.47	0.13	
						2006	3.70	5.00	00	4.43	0.10	SEALCOAT
4	U.S.-30	002040	217.210	217.314	N	1997	3.90	5.00	26	4.53	0.06	SEALCOAT
						1998	3.80	5.00	35	4.49	0.06	
						*1999	3.70	5.00	45	4.44	0.09	
						2000	4.00	5.00	39	4.57	0.14	MILL AND INLAY
						2001	2.50	5.00	39	3.94	0.07	
						2002	2.10	5.00	39	3.77	0.17	
						2003	2.10	5.00	42	3.77	0.08	
						2004	1.90	4.50	42	3.40	0.07	
						2005	1.80	5.00	00	3.65	0.14	
						2006	1.90	5.00	00	3.68	0.17	SEALCOAT
4	U.S.-30	002040	217.314	218.197	N	1997	3.90	5.00	26	4.53	0.06	SEALCOAT
						1998	3.80	5.00	35	4.49	0.06	
						*1999	3.70	5.00	45	4.44	0.09	
						2000	3.50	2.70	40	3.03	0.28	PLANT MIX OVERLAY
						2001	3.80	4.50	40	4.20	0.09	
						2002	3.20	4.50	40	3.95	0.10	
						2003	3.10	4.50	42	3.90	0.11	
						2004	3.10	4.50	42	3.90	0.10	
						2005	3.10	4.50	00	3.90	0.11	
						2006	3.00	4.50	00	3.86	0.11	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	U.S.-30	002040	218.197	218.570	N	1997	3.30	5.00	20	4.27	0.14	SEALCOAT	1997
						1998	3.00	3.00	35	3.00	0.20		
						1999	3.00	3.00	27	3.00	0.18		
						2000	3.60	2.90	27	3.19	0.21	PLANT MIX OVERLAY	2000
						2001	3.70	5.00	27	4.44	0.17		
						2002	3.30	5.00	27	4.27	0.17		
						2003	3.30	5.00	42	4.27	0.17		
						2004	3.20	4.50	42	3.94	0.18		
						2005	3.20	4.50	00	3.94	0.18		
						2006	3.10	4.50	00	3.90	0.15	SEALCOAT	2006
4	U.S.-30	002040	218.570	218.674	N	1997	2.00	1.50	20	1.71	0.21	SEALCOAT	1997
						1998	1.80	1.50	35	1.62	0.26		
						1999	2.10	1.50	27	1.75	0.23		
						2000	4.00	1.50	27	2.56	0.21	MILL AND INLAY	2000
						2001	2.60	1.50	27	1.97	0.14		
						2002	3.50	1.50	27	2.35	0.15		
						2003	3.40	1.50	42	2.31	0.15		
						2004	3.40	5.00	42	4.31	0.15		
						2005	3.40	5.00	00	4.31	0.15		
						2006	3.30	5.00	00	4.27	0.15	SEALCOAT	2006
4	U.S.-30	002040	218.674	219.676	N	1997	3.10	3.10	10	3.10	0.37		
						1998	3.00	3.10	32	3.05	0.51		
						1999	2.90	2.90	29	2.90	0.47		
						2000	2.80	2.50	29	2.63	0.49		
						2001	2.90	2.50	29	2.67	0.50		
						2002	2.70	2.40	29	2.53	0.45		
						2003	1.60	1.50	42	1.54	0.30	MILL AND INLAY	2003
						2004	3.50	5.00	42	4.34	0.12	NEW CONST OR RECONST (CONCRETE)	2004
						2005	3.40	5.00	00	4.29	0.14		
						2006	3.10	5.00	00	4.16	0.12	SEALCOAT	2006
4	U.S.-30	002040	219.676	220.668	ASC	1999	3.00	3.80	28	3.43	0.45		
						2000	2.80	3.10	28	2.96	0.46		
						2001	3.30	3.10	28	3.19	0.35		
						2002	3.20	2.50	28	2.81	0.35		
						2003	3.10	2.40	42	2.71	0.38		
						2004	3.00	5.00	42	4.09	0.38	C.R.A.B.S.	2004
						2005	3.20	5.00	00	4.18	0.05		
						2006	2.80	5.00	00	4.00	0.06	SEALCOAT	2006
4	U.S.-30	002040	219.676	220.668	DES	1999	3.00	3.80	28	3.43	0.45		
						2000	2.80	3.80	28	3.34	0.46		
						2001	3.30	2.40	28	2.80	0.35		
						2002	3.20	2.40	28	2.76	0.35		
						2003	3.10	2.40	42	2.71	0.38		
						2004	3.00	5.00	42	4.09	0.38	C.R.A.B.S.	2004
						2005	3.20	5.00	00	4.18	0.05		
						2006	5.00	00	4.00	0.06	SEALCOAT		2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT0, ENDING MILEPOINT0, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-30	002040	220.668	223.553	N	1997	3.90	4.50	33	4.22	0.10	
						1998	3.80	4.50	32	4.18	0.16	
						*1999	3.90	4.50	39	4.22	0.17	
						2000	3.80	4.50	39	4.18	0.16	
						2001	3.80	4.50	39	4.18	0.20	
						2002	3.40	4.50	39	4.00	0.18	
						2003	3.40	4.50	42	4.00	0.26	
						2004	3.50	4.50	42	4.04	0.28	C.R.A.B.S.
						2005	3.50	4.50	00	4.04	0.18	
						2006	3.70	5.00	00	4.41	0.08	C.R.A.B.S.
4	U.S.-30	002040	223.553	223.910	N	1997	2.90	2.50	26	2.68	0.10	
						1998	3.00	2.50	32	2.72	0.11	
						*1999	2.70	2.50	39	2.59	0.10	
						2000	3.50	5.00	39	4.31	0.12	PLANT MIX OVERLAY
						2001	3.30	5.00	39	4.22	0.03	
						2002	3.20	5.00	39	4.18	0.05	
						2003	3.20	5.00	42	4.18	0.04	
						2004	3.30	5.00	42	4.22	0.04	
						2005	3.20	4.90	00	4.13	0.04	
						2006	3.20	4.90	00	4.13	0.03	SEALCOAT
4	U.S.-30	002040	223.910	224.488	N	1997	2.90	5.00	23	4.12	0.17	PLANT MIX OVERLAY
						1998	3.80	5.00	32	4.50	0.10	
						1999	3.60	5.00	47	4.41	0.13	SEALCOAT
						2000	3.50	5.00	47	4.37	0.16	PLANT MIX OVERLAY
						2001	3.60	5.00	47	4.41	0.20	
						2002	3.40	5.00	47	4.33	0.22	
						2003	3.30	5.00	42	4.29	0.25	
						2004	3.20	5.00	42	4.25	0.21	
						2005	3.20	5.00	00	4.25	0.22	
						2006	3.10	5.00	00	4.21	0.24	SEALCOAT
4	U.S.-30	002040	224.488	227.294	N	1997	3.60	5.00	23	4.37	0.21	PLANT MIX OVERLAY
						1998	4.00	5.00	32	4.55	0.15	
						1999	4.00	5.00	43	4.55	0.16	SEALCOAT
						2000	3.90	5.00	43	4.50	0.18	
						2001	4.00	5.00	43	4.55	0.19	
						2002	3.70	5.00	43	4.41	0.19	
						2003	3.70	5.00	42	4.41	0.24	
						2004	3.70	5.00	42	4.41	0.23	
						2005	3.70	5.00	00	4.41	0.24	
						2006	3.60	5.00	00	4.37	0.26	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	U.S.-30	002040	227.294	227.790	N	1997	3.20	3.50	21	3.37	0.41	
						1998	3.30	3.50	32	3.41	0.42	
						1999	3.20	3.50	44	3.37	0.41	SEALCOAT
						2000	3.10	3.50	44	3.33	0.42	
						2001	2.90	2.70	44	2.78	0.43	
						2002	2.60	2.40	44	2.48	0.49	
						2003	2.40	2.00	42	2.16	0.54	
						2004	2.40	2.00	42	2.16	0.53	
						2005	3.30	2.00	00	2.54	0.23	
						2006	3.10	2.00	00	2.45	0.32	SEALCOAT
4	U.S.-30	002040	227.790	231.156	N	1997	2.90	3.00	27	2.95	0.28	
						1998	2.90	3.00	32	2.95	0.36	
						1999	2.90	3.00	49	2.95	0.33	
						2000	2.80	3.00	49	2.91	0.36	
						2001	2.80	2.90	49	2.85	0.37	
						2002	2.30	2.40	49	2.35	0.40	
						2003	3.60	5.00	42	4.37	0.18	C.R.A.B.S.
						2004	3.50	5.00	42	4.32	0.16	
						2005	3.60	5.00	30	4.37	0.16	
						2006	3.40	5.00	30	4.28	0.15	SEALCOAT
4	U.S.-30	002040	231.156	233.890	N	1997	3.00	2.20	36	2.55	0.36	
						1998	3.10	2.20	32	2.59	0.47	
						1999	3.10	2.20	49	2.59	0.39	
						2000	3.00	2.10	49	2.50	0.41	
						2001	3.00	2.00	49	2.44	0.43	
						2002	2.60	2.00	49	2.26	0.42	
						2003	3.70	5.00	42	4.41	0.13	C.R.A.B.S.
						2004	3.70	5.00	42	4.41	0.12	
						2005	3.70	5.00	30	4.41	0.13	
						2006	3.60	5.00	30	4.37	0.13	SEALCOAT
4	U.S.-30	002040	233.890	235.920	N	1997	2.90	2.00	36	2.40	0.28	
						1998	2.90	2.00	32	2.40	0.37	
						1999	2.90	1.90	49	2.33	0.33	
						2000	2.80	1.80	49	2.24	0.37	
						2001	2.80	1.50	49	2.08	0.31	
						*2002	2.50	1.50	49	1.94	0.34	
						2003	3.60	5.00	42	4.37	0.11	C.R.A.B.S.
						2004	3.60	5.00	42	4.37	0.10	
						2005	3.60	5.00	30	4.37	0.11	
						2006	3.50	5.00	30	4.32	0.12	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS					
										INDEX	DEPTH						
4	U.S.-30	002040	235.920	237.583	N	1997	2.90	5.00	32	4.06	0.14						
						1998	2.90	5.00	32	4.06	0.20						
						1999	2.90	4.50	40	3.78	0.20						
						2000	2.70	4.50	40	3.69	0.20						
						2001	2.80	4.00	40	3.46	0.24						
						*2002	2.80	2.90	40	2.85	0.25						
						*2003	3.10	5.00	42	4.15	0.15						
						2004	2.70	2.00	42	2.31	0.21						
						2005	3.10	2.00	30	2.49	0.20	SEALCOAT					
						2006	2.90	2.00	30	2.40	0.16	SEALCOAT					
																	2005
																	2006
4	U.S.-30	002040	237.583	240.000	N	1997	2.90	5.00	32	4.06	0.14						
						1998	2.90	5.00	32	4.06	0.20						
						1999	2.90	4.50	40	3.78	0.20						
						2000	2.70	4.50	40	3.69	0.20						
						2001	2.80	4.00	40	3.46	0.24						
						*2002	2.80	2.90	40	2.85	0.25						
						*2003	3.10	5.00	42	4.15	0.15						
						2004	3.50	4.70	42	4.16	0.04						
						2005	3.50	4.70	30	4.16	0.05	SEALCOAT					
						2006	3.10	4.70	30	3.98	0.05						
																	2005
																	1997
4	U.S.-30	002040	240.000	241.842	N	1997	4.10	5.00	34	4.59	0.04	SEALCOAT					
						1998	3.90	5.00	32	4.50	0.03						
						1999	3.90	4.30	61	4.12	0.03						
						2000	3.90	4.30	61	4.12	0.03						
						2001	3.90	3.40	61	3.62	0.03						
						2002	3.60	3.40	61	3.48	0.03						
						2003	3.40	2.80	42	3.06	0.04						
						2004	3.30	2.40	42	2.80	0.04						
						2005	3.30	2.40	30	2.80	0.04						
						2006	3.10	1.90	30	2.43	0.05						
																	1997
4	U.S.-30	002040	241.842	243.700	N	1997	4.10	5.00	33	4.62	0.06	SEALCOAT					
						1998	3.90	5.00	32	4.54	0.03						
						1999	4.00	5.00	62	4.58	0.04						
						2000	3.90	4.80	62	4.42	0.04						
						2001	4.00	4.80	62	4.46	0.04						
						2002	3.90	4.70	62	4.36	0.03						
						2003	3.90	4.70	42	4.36	0.04						
						2004	3.80	3.20	42	3.44	0.04						
						2005	3.80	3.20	30	3.44	0.04						
						2006	3.60	1.90	30	2.66	0.05						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	U.S.-30	002040	243.700	249.430	N	1997	3.60	3.50	37	3.54	0.05	SEALCOAT	1997
						1998	3.50	3.50	32	3.50	0.05		
						1999	3.50	3.50	63	3.50	0.05		
						2000	3.40	3.50	63	3.45	0.06		
						2001	3.40	3.50	63	3.45	0.06		
						2002	3.10	3.00	63	3.04	0.08		
						2003	3.00	1.90	42	2.35	0.08		
						2004	2.90	1.90	42	2.31	0.07		
						2005	2.90	1.90	30	2.31	0.09		
						2006	3.20	1.90	30	2.48	0.05		
4	U.S.-30	002040	249.430	252.422	N	1997	3.60	3.50	34	3.54	0.16		
						1998	3.50	3.50	32	3.50	0.19		
						1999	3.50	3.50	57	3.50	0.21		
						2000	3.50	3.50	57	3.50	0.21		
						2001	3.50	3.50	57	3.50	0.22		
						2002	3.50	3.50	57	3.50	0.23		
						2003	3.40	3.40	42	3.40	0.27		
						2004	3.40	3.40	42	3.40	0.22		
						2005	3.40	3.40	30	3.40	0.27		
						2006	3.40	3.30	30	3.34	0.27		
4	U.S.-30	002040	252.422	255.442	N	1997	4.10	4.00	25	4.04	0.19		
						1998	4.10	4.00	32	4.04	0.22		
						1999	4.10	4.00	40	4.04	0.25		
						2000	4.10	4.00	40	4.04	0.25		
						2001	4.10	4.00	40	4.04	0.27		
						2002	3.90	4.00	40	3.95	0.26		
						2003	3.90	4.00	42	3.95	0.32		
						2004	3.90	3.70	42	3.78	0.26		
						2005	3.90	3.70	30	3.78	0.32		
						2006	3.90	3.30	30	3.57	0.32		
4	U.S.-30	002040	255.442	256.716	N	1997	3.90	4.50	22	4.23	0.19		
						1998	3.80	4.50	32	4.18	0.22		
						1999	3.90	4.50	33	4.22	0.25		
						2000	3.80	4.50	33	4.18	0.27		
						2001	3.90	4.50	33	4.23	0.25		
						2002	3.80	4.50	33	4.18	0.30		
						2003	3.80	4.50	42	4.18	0.35		
						2004	3.70	4.50	42	4.14	0.32		
						2005	3.80	4.50	30	4.18	0.39		
						2006	3.70	3.00	30	3.31	0.33		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-30	002040	256.716	257.538	N	1997	1.40	3.30	29	2.49	0.08	
						1998	2.90	2.50	32	2.67	0.14	
						1999	2.80	2.50	39	2.62	0.13	
						2000	2.80	2.50	39	2.62	0.17	
						2001	2.80	2.50	39	2.62	0.14	
						2002	2.70	2.40	39	2.52	0.19	
						2003	2.50	2.40	42	2.44	0.17	MILL AND INLAY
						2004	3.30	5.00	42	4.27	0.07	
						2005	3.20	5.00	30	4.23	0.09	
						2006	3.00	5.00	30	4.14	0.09	
4	U.S.-30	002043	217.282	217.594	N	1997	3.00	4.00	42	3.57	0.10	
						1998	2.80	4.00	42	3.48	0.15	
						1999	2.90	4.00	52	3.53	0.15	
						2000	3.20	4.00	52	3.65	0.09	
						2001	3.40	4.00	52	3.74	0.11	
						2002	2.90	4.00	52	3.53	0.09	
						2003	2.60	4.00	42	3.40	0.13	
						2004	2.50	4.00	42	3.36	0.13	
						2005	2.50	4.00	00	3.36	0.14	
						2006	2.50	4.00	00	3.36	0.10	
4	U.S.-30	002043	217.594	217.948	N	1997	3.40	4.00	42	3.74	0.17	
						1998	3.40	4.00	42	3.74	0.18	
						1999	3.50	4.00	52	3.78	0.18	
						2000	3.80	4.00	52	3.91	0.07	
						2001	3.90	4.00	52	3.95	0.08	
						2002	3.60	4.00	52	3.82	0.11	
						2003	3.50	4.00	42	3.78	0.09	
						2004	3.50	4.00	42	3.78	0.09	
						2005	3.40	4.00	00	3.74	0.07	
						2006	3.40	4.00	00	3.74	0.09	
4	U.S.-30	002043	217.948	218.298	N	1997	3.20	4.00	32	3.66	0.15	
						1998	3.20	4.00	32	3.66	0.10	
						1999	2.90	4.00	49	3.53	0.26	
						2000	3.80	4.00	49	3.91	0.12	
						2001	4.00	4.00	49	4.00	0.14	
						2002	3.60	4.00	49	3.83	0.13	
						2003	2.90	4.00	42	3.53	0.15	
						2004	2.70	4.00	42	3.45	0.15	
						2005	2.90	4.00	00	3.53	0.15	
						2006	2.60	4.00	00	3.40	0.16	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-30	002043	218.298	218.674	N	1997	3.00	3.00	37	3.00	0.10	
						1998	3.50	3.00	35	3.21	0.10	
						1999	3.00	3.00	58	3.00	0.12	
						2000	2.70	4.50	58	3.72	0.13	
						2001	2.90	4.50	58	3.80	0.12	
						2002	2.10	4.50	58	3.46	0.12	
						2003	3.30	4.50	42	3.98	0.13	
						2004	3.30	4.50	42	3.97	0.12	
						2005	3.10	4.50	00	3.89	0.09	
						2006	3.00	4.50	00	3.84	0.14	
4	S.H.-46	002200	000.000	000.210	N	1997	1.20	3.20	34	2.42	0.12	
						1998	2.20	3.20	34	2.81	0.10	
						1999	2.30	3.20	34	2.85	0.08	
						2000	2.20	4.50	39	3.60	0.14	
						2001	1.90	4.50	39	3.48	0.08	
						2002	2.20	4.50	39	3.60	0.13	
						2003	2.30	4.50	42	3.63	0.12	
						2004	2.20	4.50	42	3.59	0.17	
						2005	2.20	4.50	30	3.59	0.14	
						2006	2.20	4.50	30	3.59	0.15	
4	S.H.-46	002200	000.210	000.782	N	1997	1.90	3.50	34	2.87	0.16	
						1998	2.20	3.50	34	2.99	0.15	
						1999	2.20	3.50	37	2.99	0.16	
						2000	2.30	3.20	37	2.84	0.19	SEALCOAT
						2001	2.30	3.20	37	2.85	0.18	2000
						2002	2.20	3.20	37	2.81	0.17	
						2003	2.20	3.20	42	2.80	0.17	
						2004	2.20	2.30	42	2.26	0.18	
						2005	2.10	2.30	30	2.22	0.17	
						2006	2.20	1.90	30	2.01	0.20	
4	S.H.-46	002200	000.782	001.214	N	1997	3.20	3.00	37	3.07	0.14	
						1998	3.20	3.00	37	3.07	0.19	
						1999	3.20	3.00	48	3.07	0.16	
						2000	3.20	3.00	48	3.07	0.20	SEALCOAT
						2001	3.10	3.00	48	3.03	0.21	2000
						2002	2.90	3.00	48	2.96	0.21	
						2003	2.90	3.00	42	2.96	0.22	
						2004	2.90	2.40	42	2.59	0.22	
						2005	2.90	2.40	30	2.59	0.19	
						2006	2.70	2.40	30	2.51	0.24	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS
										INDEX	DEPTH		
4	S.H.-46	002200	001.214	006.955	N	1997	2.90	2.00	40	2.37	0.11		
						1998	2.50	2.00	40	2.20	0.16	C.R.A.B.S.	1999
						1999	2.40	5.00	45	3.90	0.17	SEALCOAT	2000
						2000	3.80	5.00	45	4.49	0.05		
						2001	3.80	5.00	45	4.49	0.06		
						2002	3.50	5.00	45	4.36	0.07		
						2003	3.60	5.00	42	4.41	0.08		
						2004	3.60	5.00	42	4.41	0.07		
						2005	3.60	5.00	30	4.41	0.10		
						2006	3.60	5.00	30	4.41	0.10		
4	S.H.-46	002200	006.955	010.450	N	1997	2.60	2.00	42	2.23	0.14		
						*1998	2.40	1.80	42	2.03	0.15	C.R.A.B.S.	1999
						1999	2.10	5.00	48	3.78	0.19	SEALCOAT	2000
						2000	3.80	5.00	48	4.49	0.05		
						2001	3.80	5.00	48	4.49	0.06		
						2002	3.40	5.00	48	4.32	0.08		
						2003	3.50	5.00	42	4.38	0.08		
						2004	3.60	5.00	42	4.42	0.08		
						2005	3.60	5.00	30	4.42	0.10		
						2006	3.50	5.00	30	4.38	0.10		
4	S.H.-46	002200	010.450	010.742	N	1997	2.60	2.00	42	2.23	0.14		
						*1998	2.40	1.80	42	2.03	0.15		
						*1999	3.00	1.80	43	2.26	0.13	SEALCOAT	2000
						2000	3.20	1.80	47	2.38	0.15		
						2001	3.20	1.80	47	2.38	0.13		
						2002	2.80	1.80	47	2.22	0.10		
						2003	2.80	1.80	42	2.21	0.21		
						2004	2.80	1.80	42	2.21	0.20		
						2005	2.80	1.80	30	2.21	0.19		
						2006	2.60	1.80	30	2.12	0.17		
4	S.H.-46	002200	010.742	011.009	N	1997	2.60	2.00	42	2.23	0.14		
						*1998	2.40	1.80	42	2.03	0.15		
						*1999	3.00	1.80	43	2.26	0.13		
						*2000	2.50	1.80	47	2.06	0.12		
						2001	2.70	1.80	39	2.14	0.21		
						2002	2.60	1.80	39	2.10	0.17		
						2003	2.50	1.80	42	2.07	0.18		
						2004	2.50	1.80	42	2.07	0.25		
						2005	2.30	1.80	30	1.99	0.20		
						2006	2.10	1.80	30	1.91	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-46	002200	011.009	011.505	N	1997	2.70	3.00	43	2.88	0.18	
						1998	2.60	3.00	43	2.84	0.22	
						1999	2.60	3.00	44	2.84	0.22	
						2000	2.60	2.60	44	2.60	0.23	
						2001	2.70	2.60	44	2.63	0.29	
						2002	2.70	2.40	44	2.51	0.35	
						2003	2.60	2.40	42	2.47	0.35	
						2004	2.60	2.20	42	2.35	0.35	
						2005	2.60	2.20	30	2.35	0.13	
						2006	2.60	1.90	30	2.17	0.33	
4	S.H.-46	002200	011.505	012.465	N	1997	2.60	3.00	45	2.84	0.24	
						1998	2.40	3.00	45	2.76	0.21	
						1999	2.40	3.00	52	2.76	0.25	
						2000	2.50	3.00	52	2.80	0.32	
						2001	2.60	3.00	52	2.84	0.36	
						2002	2.50	2.70	52	2.62	0.35	
						2003	2.40	2.70	42	2.58	0.41	
						2004	2.50	2.70	42	2.62	0.39	
						2005	2.40	2.70	30	2.58	0.31	
						2006	2.30	1.90	30	2.05	0.44	
4	S.H.-46	002200	012.465	012.764	N	1997	1.20	4.00	42	2.93	0.12	
						1998	1.20	4.00	42	2.93	0.14	
						1999	1.20	4.00	42	2.93	0.11	
						2000	1.30	4.00	52	2.97	0.15	
						2001	1.30	4.00	52	2.97	0.17	
						2002	1.20	3.70	52	2.74	0.20	
						2003	1.50	3.40	42	2.67	0.15	
						2004	0.90	2.90	42	2.13	0.16	
						2005	1.50	2.60	30	2.18	0.18	
						2006	3.00	2.50	30	2.69	0.24	
4	S.H.-46	002200	012.764	017.032	N	1997	3.70	4.20	49	3.99	0.08	
						1998	3.70	4.20	49	3.99	0.08	
						1999	3.70	3.50	48	3.58	0.10	
						2000	3.70	2.70	48	3.11	0.15	
						2001	3.70	2.70	48	3.11	0.16	
						2002	3.60	2.70	48	3.07	0.15	
						2003	3.60	2.30	42	2.83	0.17	
						2004	3.60	2.30	42	2.83	0.16	
						2005	3.60	2.30	30	2.83	0.15	
						2006	3.50	2.30	30	2.79	0.17	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-46	002200	019.510	021.700	N	1997	3.40	4.50	59	4.04	0.13	
						1998	3.30	4.50	59	4.00	0.12	
						1999	3.40	4.50	62	4.04	0.12	
						2000	3.50	4.50	62	4.08	0.15	
						2001	3.50	4.50	62	4.08	0.14	
						2002	3.60	4.50	62	4.12	0.16	
						2003	3.60	3.70	42	3.65	0.16	
						2004	3.60	3.00	42	3.24	0.13	
						2005	3.60	3.00	30	3.24	0.16	
						2006	3.60	2.30	30	2.83	0.15	
4	S.H.-46	002200	021.700	026.315	N	1997	3.50	2.80	57	3.08	0.15	
						1998	3.50	2.80	57	3.08	0.15	
						1999	3.50	2.80	61	3.08	0.17	
						2000	3.50	2.80	61	3.08	0.19	
						2001	3.50	2.80	61	3.08	0.21	
						2002	3.50	3.00	61	3.20	0.14	
						2003	3.50	3.00	42	3.20	0.19	
						2004	3.50	3.00	42	3.20	0.17	
						2005	3.50	3.00	30	3.20	0.16	
						2006	3.40	3.00	30	3.16	0.21	
4	S.H.-46	002200	026.315	031.420	N	1997	3.50	2.30	59	2.79	0.16	
						1998	3.50	2.30	59	2.79	0.15	
						1999	3.50	2.10	61	2.67	0.15	
						2000	3.50	2.10	61	2.67	0.16	
						2001	3.50	1.90	61	2.56	0.16	
						2002	3.50	1.90	61	2.56	0.08	
						2003	3.50	1.90	42	2.56	0.06	
						2004	3.50	1.90	42	2.56	0.05	
						2005	3.50	1.90	30	2.56	0.06	
						2006	3.40	1.90	30	2.51	0.06	
4	S.H.-46	002200	031.420	035.100	N	1997	3.60	4.50	58	4.12	0.15	
						1998	3.50	4.50	58	4.08	0.15	
						1999	3.50	4.50	60	4.08	0.14	
						2000	3.60	4.50	60	4.12	0.17	
						2001	3.60	4.50	60	4.12	0.18	
						2002	3.40	4.50	60	4.04	0.11	
						2003	3.50	4.30	42	3.96	0.11	
						2004	3.50	4.30	42	3.96	0.10	
						2005	3.40	4.00	30	3.75	0.10	
						2006	3.40	4.00	30	3.75	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-46	002200	035.100	036.200	N	1997	3.20	4.00	48	3.66	0.08		
						1998	3.20	4.00	48	3.66	0.09		
						1999	3.10	4.00	56	3.62	0.09		
						2000	3.20	4.00	56	3.66	0.10		
						2001	3.20	4.00	56	3.66	0.09		
						2002	3.30	4.00	56	3.71	0.12		
						2003	3.20	4.00	42	3.66	0.11		
						2004	3.20	4.00	42	3.66	0.10		
						2005	3.20	4.00	30	3.66	0.11		
						2006	3.20	3.50	30	3.37	0.10		
4	S.H.-46	002200	036.200	038.000	N	1997	3.40	5.00	59	4.33	0.12		
						1998	3.40	5.00	59	4.33	0.08		
						1999	3.40	5.00	60	4.33	0.10		
						2000	3.40	5.00	60	4.33	0.12		
						2001	3.50	5.00	60	4.38	0.11		
						2002	3.40	5.00	60	4.33	0.10		
						2003	3.40	4.80	42	4.22	0.13		
						2004	3.30	4.80	42	4.18	0.09		
						2005	3.30	4.50	30	4.00	0.12		
						2006	3.40	3.50	30	3.45	0.12		
4	S.H.-46	002200	038.000	043.052	N	1997	3.50	1.30	58	2.20	0.14		
						1998	3.50	1.30	58	2.20	0.11		
						1999	4.30	4.50	61	4.41	0.02	PLANT MIX OVERLAY	1999
						2000	4.10	4.50	61	4.33	0.03		
						2001	4.20	4.40	61	4.31	0.03		
						2002	4.00	4.40	61	4.23	0.03		
						2003	4.00	3.40	42	3.64	0.03		
						2004	3.90	3.40	42	3.60	0.03		
						2005	4.00	3.40	30	3.64	0.03		
						2006	3.90	2.70	30	3.19	0.05		
4	S.H.-46	002201	000.000	000.237	N	1997	2.50	3.50	35	3.08	0.14		
						1998	2.20	3.00	35	2.66	0.12		
						1999	2.20	3.00	35	2.66	0.13		
						2000	2.10	3.00	61	2.62	0.13	SEALCOAT	2000
						2001	2.20	3.00	61	2.66	0.14		
						2002	2.10	3.00	61	2.62	0.13		
						2003	2.10	3.00	42	2.62	0.15		
						2004	2.10	2.70	42	2.45	0.15		
						2005	2.20	2.70	30	2.49	0.14		
						2006	2.20	2.70	30	2.49	0.15		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-46	002201	000.237	000.685	N	1997	2.20	1.80	43	1.96	0.10	
						1998	2.10	1.70	43	1.86	0.15	
						1999	3.10	4.50	45	3.91	0.13	
						2000	3.00	4.50	45	3.87	0.09	SEALCOAT
						2001	3.00	4.50	45	3.87	0.09	
						2002	3.30	4.50	45	4.00	0.10	
						2003	3.20	4.50	42	3.95	0.09	
						2004	3.20	3.50	42	3.37	0.07	
						2005	3.20	3.50	30	3.37	0.07	
						2006	3.20	3.50	30	3.37	0.11	
4	S.H.-46	002201	000.685	001.187	N	1997	2.60	1.50	41	1.92	0.09	
						1998	2.50	1.50	41	1.88	0.09	
						1999	3.50	4.50	47	4.12	0.13	
						2000	3.30	4.50	47	4.04	0.09	SEALCOAT
						2001	3.40	4.50	47	4.08	0.08	
						2002	3.50	4.50	47	4.11	0.14	
						2003	3.40	4.50	42	4.08	0.11	
						2004	3.40	2.90	42	3.09	0.12	
						2005	3.40	2.90	30	3.09	0.09	
						2006	3.40	2.90	30	3.09	0.11	
4	S.H.-46	002202	017.032	019.000	N	1997	3.10	4.50	49	3.92	0.10	
						1998	3.00	4.50	49	3.88	0.12	
						1999	3.10	4.30	62	3.80	0.12	
						2000	3.00	4.30	62	3.76	0.16	
						2001	3.10	4.10	62	3.68	0.15	
						2002	3.10	4.00	62	3.62	0.16	
						2003	3.10	3.50	42	3.33	0.14	
						2004	3.10	1.90	42	2.39	0.17	
						2005	3.10	1.90	30	2.39	0.15	
						2006	3.10	1.90	30	2.39	0.15	
4	S.H.-50	002260	000.000	003.955	N	1997	4.10	4.50	28	4.33	0.10	
						1998	4.10	4.50	28	4.33	0.16	
						1999	4.10	4.50	31	4.33	0.16	
						2000	4.00	4.40	31	4.23	0.18	
						2001	4.00	4.40	31	4.23	0.17	
						2002	3.60	4.20	31	3.95	0.21	
						2003	3.70	4.00	42	3.87	0.19	
						2004	3.70	3.40	42	3.52	0.17	
						2005	3.70	2.40	30	2.94	0.19	
						2006	3.70	5.00	30	4.44	0.05	C.R.A.B.S.

2000

2000

2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-50	002260	003.955	004.792	N	1997	2.70	5.00	49	4.03	0.12	
						1998	2.70	5.00	49	4.03	0.13	
						1999	2.70	5.00	39	4.03	0.13	
						2000	2.60	5.00	39	3.99	0.13	
						2001	2.70	5.00	39	4.03	0.14	
						2002	2.60	4.80	39	3.86	0.15	
						2003	2.70	4.70	42	3.85	0.15	
						2004	2.50	4.10	42	3.42	0.17	
						2005	3.00	4.00	30	3.57	0.15	SEALCOAT
						2006	3.30	5.00	30	4.28	0.06	C.R.A.B.S.
4	S.H.-50	002260	004.792	005.100	N	1997	2.50	5.00	52	3.96	0.10	
						1998	2.50	5.00	52	3.96	0.08	
						1999	2.40	4.40	47	3.57	0.07	
						2000	2.40	4.40	47	3.57	0.08	
						2001	2.20	4.20	47	3.37	0.07	
						2002	2.60	4.00	47	3.42	0.07	
						2003	3.30	5.00	42	4.29	0.06	C.R.A.B.S.
						2004	3.40	5.00	42	4.33	0.06	
						2005	3.30	5.00	30	4.29	0.06	SEALCOAT
						2006	3.70	5.00	30	4.46	0.06	
4	S.H.-50	002260	005.100	008.092	N	1997	2.80	1.90	48	2.27	0.37	
						1998	2.80	1.90	48	2.27	0.38	
						1999	2.80	1.90	54	2.27	0.37	
						2000	2.80	1.90	54	2.27	0.38	
						2001	2.80	1.90	54	2.27	0.40	
						2002	2.50	1.90	54	2.14	0.39	
						2003	3.80	5.00	42	4.50	0.06	C.R.A.B.S.
						2004	3.80	5.00	42	4.50	0.08	
						2005	3.80	5.00	30	4.50	0.09	SEALCOAT
						2006	3.80	5.00	30	4.50	0.08	
4	S.H.-74	002210	000.050	004.648	N	1997	3.50	4.50	39	4.08	0.09	
						1998	3.50	4.50	39	4.08	0.09	
						1999	3.40	4.50	47	4.04	0.11	
						2000	3.40	4.50	47	4.04	0.13	
						2001	3.40	4.50	47	4.04	0.11	
						2002	3.30	4.50	47	4.00	0.14	
						2003	3.30	4.50	42	4.00	0.14	
						2004	3.30	4.30	42	3.88	0.13	
						2005	3.30	4.30	30	3.88	0.13	
						2006	3.30	4.00	30	3.70	0.13	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-74	002210	004.648	005.068	N	*1997	3.40	4.50	33	4.03	0.12	
						1998	3.50	4.50	34	4.08	0.11	
						1999	3.40	4.50	43	4.04	0.16	
						2000	3.30	4.50	43	4.00	0.18	
						2001	3.40	4.50	43	4.04	0.13	
						2002	3.20	4.50	43	3.95	0.20	
						2003	3.30	4.50	42	4.00	0.20	
						2004	3.30	4.50	42	4.00	0.19	
						2005	3.30	4.50	30	4.00	0.20	
						2006	3.20	4.50	30	3.96	0.19	
4	S.H.-74	002210	005.155	006.116	N	*1997	3.40	4.50	33	4.03	0.12	
						1998	3.30	4.50	32	3.99	0.14	
						1999	3.20	4.50	32	3.95	0.14	
						2000	3.40	4.50	32	4.03	0.16	
						2001	3.30	4.50	32	3.99	0.16	
						2002	3.30	4.50	32	3.99	0.18	
						2003	3.30	4.50	42	3.99	0.19	
						2004	3.30	4.50	42	3.98	0.18	
						2005	3.30	4.50	30	3.98	0.20	
						2006	3.20	4.50	30	3.94	0.20	
4	S.H.-74	002210	006.116	006.888	N	1997	3.20	4.50	26	3.94	0.17	
						1998	3.20	4.50	26	3.94	0.19	
						1999	3.20	4.50	30	3.94	0.21	
						2000	3.10	4.50	30	3.90	0.22	
						2001	3.20	4.50	30	3.94	0.20	
						2002	3.30	4.50	30	3.98	0.24	
						2003	3.30	4.50	42	3.98	0.24	
						2004	3.30	4.50	42	3.98	0.24	
						2005	3.30	4.40	30	3.93	0.25	
						2006	3.30	4.40	30	3.93	0.25	
4	S.H.-74	002210	006.888	007.307	N	1997	2.00	4.00	36	3.19	0.09	
						1998	2.00	4.00	36	3.19	0.10	
						1999	1.90	3.80	48	3.03	0.10	
						2000	1.70	3.80	48	2.95	0.11	
						2001	1.90	3.80	48	3.03	0.11	
						2002	2.30	3.80	48	3.19	0.12	
						2003	2.30	2.90	42	2.65	0.11	
						2004	2.20	2.90	42	2.61	0.12	
						2005	2.10	2.90	30	2.57	0.12	
						2006	2.30	2.00	30	2.12	0.10	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-74	002210	007.307	007.835	N	1997	1.40	3.50	34	2.66	0.12							
						1998	1.40	3.50	34	2.66	0.12							
						1999	1.60	3.50	46	2.74	0.14							
						2000	1.40	3.50	46	2.66	0.12							
						2001	1.40	3.50	46	2.66	0.17							
						2002	1.30	3.50	46	2.62	0.15							
						2003	1.30	3.50	42	2.62	0.13	MILL AND INLAY						
						2004	2.40	5.00	42	3.96	0.11							
						2005	2.50	5.00	30	4.00	0.13							
						2006	2.40	5.00	30	3.96	0.13							
4	S.H.-74	007630	000.000	000.129	N	1999	2.20	4.50	43	3.62	0.15							
						2000	2.20	4.50	43	3.62	0.18							
						2001	2.30	4.50	43	3.66	0.15							
						2002	1.80	4.50	43	3.47	0.17							
						2003	2.00	4.50	42	3.54	0.16							
						2004	1.90	4.50	42	3.51	0.14							
						2005	1.50	4.50	30	3.35	0.18							
						2006	1.60	4.50	30	3.39	0.17							
						4	S.H.-74	016297	000.010	000.050	N	1997	2.80	4.00	48	3.51	0.37	
												1998	2.80	4.00	48	3.51	0.38	
1999	2.80	4.00	54	3.51	0.37													
2000	2.80	4.00	54	3.51	0.38													
2001	2.80	4.00	54	3.50	0.40													
2002	2.50	4.00	54	3.37	0.39													
2003	3.80	4.00	42	3.91	0.06													
2004	3.80	4.00	42	3.91	0.08													
2005	3.80	4.00	30	3.91	0.09													
2006	3.80	4.00	30	3.91	0.08													
4	S.H.-75	002230	073.659	074.055	N	1997	3.30	2.40	35	2.77	0.15							
						1998	3.30	2.40	35	2.77	0.18							
						1999	2.80	2.40	42	2.56	0.17							
						2000	2.80	2.40	42	2.56	0.14							
						2001	3.10	2.40	42	2.69	0.20							
						2002	2.80	2.40	42	2.56	0.19							
						2003	2.90	2.40	42	2.61	0.18							
						2004	2.80	2.40	42	2.56	0.18							
						2005	2.70	2.40	30	2.52	0.18							
						2006	2.80	2.40	30	2.56	0.21							

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	S.H.-75	002230	074.055	080.946	N	1997	3.30	2.70	45	2.96	0.10	
						1998	3.20	2.70	45	2.92	0.14	
						1999	3.20	2.70	51	2.92	0.15	
						2000	3.20	2.70	51	2.92	0.16	
						2001	3.20	2.70	51	2.92	0.18	
						2002	3.10	2.60	51	2.82	0.19	
						2003	3.00	2.60	42	2.77	0.21	
						2004	3.00	2.40	42	2.66	0.19	
						2005	3.00	2.40	30	2.66	0.22	
						2006	2.80	2.30	30	2.52	0.26	
4	S.H.-75	002230	080.946	081.000	N	1997	3.40	2.50	47	2.90	0.16	
						1998	3.40	2.50	47	2.90	0.19	
						1999	3.30	2.50	56	2.85	0.19	
						2000	3.30	2.50	56	2.85	0.19	
						2001	3.40	2.50	56	2.90	0.20	
						2002	3.20	2.50	56	2.81	0.20	
						2003	3.10	2.30	42	2.65	0.22	
						*2004	3.10	2.30	42	2.65	0.20	
						2005	3.00	2.30	30	2.61	0.22	
						2006	2.80	2.30	30	2.52	0.26	
4	S.H.-75	002230	081.000	082.000	N	1997	3.40	2.50	47	2.90	0.16	
						1998	3.40	2.50	47	2.90	0.19	
						1999	3.30	2.50	56	2.85	0.19	
						2000	3.30	2.50	56	2.85	0.19	
						2001	3.40	2.50	56	2.90	0.20	
						2002	3.20	2.50	56	2.81	0.20	
						2003	3.10	2.30	42	2.65	0.22	
						*2004	3.10	2.30	42	2.65	0.20	
						2005	3.20	5.00	30	4.19	0.14	C.R.A.B.S.
						2006	3.00	2.30	30	2.61	0.20	
4	S.H.-75	002230	082.000	092.765	N	1997	3.30	3.50	48	3.41	0.16	
						1998	3.30	3.40	48	3.35	0.18	
						1999	3.30	3.30	56	3.30	0.19	
						2000	3.30	3.30	56	3.30	0.20	
						*2001	3.30	3.30	56	3.30	0.22	
						2002	3.20	2.50	56	2.81	0.19	
						2003	3.10	2.40	42	2.71	0.21	
						*2004	3.10	2.40	42	2.71	0.20	
						2005	3.20	5.00	30	4.19	0.14	C.R.A.B.S.
						2006	4.00	5.00	30	4.55	0.03	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2005

2005

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-75	002230	092.765	102.130	N	*1997	3.70	2.80	51	3.20	0.10							
						1998	3.70	2.80	51	3.20	0.08							
						1999	3.60	2.80	58	3.15	0.09							
						2000	3.60	2.80	58	3.16	0.09							
						*2001	3.60	2.50	58	2.99	0.11							
						2002	3.60	5.00	58	4.36	0.08	C.R.A.B.S.						
						2003	3.60	5.00	42	4.36	0.11	SEALCOAT						
						2004	3.60	5.00	42	4.36	0.10							
						2005	3.70	5.00	30	4.41	0.12							
						2006	3.70	5.00	30	4.41	0.12							
						4	S.H.-75	002230	102.130	107.240	N	*1997	3.80	5.00	40	4.45	0.06	PLANT MIX OVERLAY
												1998	3.90	5.00	40	4.50	0.10	
												1999	3.90	5.00	43	4.50	0.12	SEALCOAT
												2000	3.80	5.00	43	4.45	0.13	
2001	3.90	5.00	43	4.50	0.16													
2002	3.80	4.50	43	4.18	0.17							C.R.A.B.S.						
2003	3.70	4.50	42	4.13	0.20							SEALCOAT						
2004	3.70	4.50	42	4.13	0.19													
2005	3.70	4.50	30	4.13	0.20													
2006	3.70	4.40	30	4.08	0.21													
4	S.H.-75	002230	107.240	110.789	N							1997	3.80	5.00	29	4.45	0.05	PLANT MIX OVERLAY
												1998	4.10	5.00	29	4.59	0.15	
												1999	4.10	5.00	57	4.59	0.19	
												2000	4.10	5.00	57	4.59	0.22	
						2001	4.10	5.00	57	4.59	0.26							
						2002	3.90	4.90	57	4.44	0.30							
						2003	3.80	3.30	42	3.52	0.32							
						2004	3.70	2.40	42	2.98	0.35							
						2005	3.70	2.00	30	2.77	0.37							
						2006	3.60	2.00	30	2.72	0.40							
						4	S.H.-75	002230	110.789	110.950	N	*1997	3.40	4.50	44	3.99	0.15	PLANT MIX OVERLAY
												1998	4.20	5.00	29	4.66	0.14	
												1999	4.20	5.00	57	4.66	0.18	
												2000	4.20	5.00	57	4.66	0.25	
2001	4.20	5.00	57	4.66	0.26													
2002	3.80	4.80	57	4.37	0.33													
2003	3.70	3.90	42	3.81	0.38													
2004	3.70	2.40	42	2.95	0.38													
2005	3.30	2.30	30	2.72	0.19													
2006	3.20	2.30	30	2.68	0.18													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
4	S.H.-75	002230	110.950	112.100	N	*1997	3.40	4.50	44	3.99	0.15								
						1998	3.30	4.50	44	3.94	0.18	PLANT MIX OVERLAY	1999						
						1999	3.30	4.50	58	3.94	0.21								
						2000	3.50	4.50	58	4.03	0.13								
						2001	3.60	2.90	58	3.22	0.18								
						2002	3.40	2.90	58	3.13	0.16								
						*2003	3.40	2.40	42	2.86	0.18								
						2004	3.30	5.00	42	4.21	0.16	MILL AND INLAY	2004						
						2005	3.50	5.00	30	4.30	0.07								
						2006	3.60	5.00	30	4.34	0.09								
						4	S.H.-75	002230	112.100	112.791	N	*1997	3.40	4.50	44	3.99	0.15		
												1998	3.30	4.50	44	3.94	0.18	PLANT MIX OVERLAY	1999
												1999	3.30	4.50	58	3.94	0.21		
												2000	3.50	4.50	58	4.03	0.13		
2001	3.60	2.90	58	3.22	0.18														
2002	3.40	2.90	58	3.13	0.16														
*2003	3.40	2.40	42	2.86	0.18														
2004	3.40	2.40	42	2.86	0.20														
2005	3.50	2.30	30	2.85	0.19														
2006	3.50	2.30	30	2.86	0.19														
4	S.H.-75	002230	112.791	114.316	N							1997	3.10	4.50	39	3.85	0.33		
												1998	2.90	1.90	39	2.36	0.39	PLANT MIX OVERLAY	1999
												1999	2.80	5.00	54	3.98	0.45		
												2000	3.70	5.00	54	4.39	0.13		
						2001	3.70	5.00	54	4.39	0.23								
						2002	3.70	4.60	54	4.18	0.27								
						2003	3.70	3.60	42	3.64	0.30								
						2004	3.60	2.40	42	2.95	0.32								
						2005	3.60	2.30	30	2.90	0.35								
						2006	3.30	2.30	30	2.76	0.42								
						4	S.H.-75	002230	114.316	115.526	N	1997	3.20	4.50	41	3.90	0.29		
												1998	3.10	2.20	41	2.61	0.39	PLANT MIX OVERLAY	1999
												1999	2.90	5.00	59	4.02	0.41		
												2000	3.60	5.00	59	4.35	0.15		
2001	3.70	5.00	59	4.39	0.22														
2002	3.70	4.70	59	4.23	0.25														
2003	3.60	4.00	42	3.81	0.31														
2004	3.60	2.50	42	3.00	0.31														
2005	3.50	2.50	30	2.96	0.34														
2006	3.30	2.50	30	2.87	0.37														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS	
4	S.H.-75	002230	115.526	115.850	N	1997	3.00	3.00	40	3.00	0.13		
						*1998	2.90	3.00	40	2.95	0.13		
						1999	2.80	5.00	36	4.03	0.25	PLANT MIX OVERLAY	1999
						2000	3.60	5.00	59	4.38	0.10		
						*2001	3.70	5.00	59	4.43	0.16		
						2002	3.50	4.40	59	4.00	0.12		
						2003	2.70	4.40	42	3.65	0.07		
						2004	3.00	3.30	42	3.16	0.16		
						2005	2.70	3.30	30	3.03	0.07		
						2006	2.80	3.30	30	3.08	0.10		
4	S.H.-75	002230	115.850	116.967	N	1997	3.00	3.00	40	3.00	0.13		
						*1998	2.90	3.00	40	2.95	0.13		
						1999	2.80	5.00	36	4.03	0.25	PLANT MIX OVERLAY	1999
						2000	3.60	5.00	59	4.38	0.10		
						*2001	3.70	5.00	59	4.43	0.16		
						2002	3.00	5.00	59	4.13	0.07	MILL AND INLAY	2002
						2003	2.90	5.00	42	4.08	0.10		
						2004	2.80	5.00	42	4.04	0.11		
						2005	2.70	5.00	30	4.00	0.11		
						2006	2.80	5.00	30	4.03	0.11	RUT FILLING	2006
4	S.H.-75	002230	116.967	117.160	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	PLANT MIX OVERLAY	1999
						2000	3.30	4.50	51	3.94	0.09		
						*2001	3.30	4.30	51	3.83	0.15		
						2002	3.10	5.00	59	4.17	0.08	MILL AND INLAY	2002
						2003	3.00	5.00	42	4.13	0.07		
						2004	3.10	5.00	42	4.17	0.07		
						2005	3.10	5.00	30	4.17	0.10		
						2006	3.10	5.00	30	4.16	0.06	RUT FILLING	2006
4	S.H.-75	002230	117.160	118.500	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	PLANT MIX OVERLAY	1999
						2000	3.30	4.50	51	3.94	0.09		
						*2001	3.30	4.30	51	3.83	0.15		
						2002	3.30	3.00	49	3.13	0.12		
						2003	3.10	2.40	42	2.72	0.16		
						*2004	3.20	2.40	42	2.77	0.12		
						2005	3.50	5.00	30	4.30	0.06	MILL AND INLAY	2005
						2006	3.30	5.00	30	4.20	0.09	RUT FILLING	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	S.H.-75	002230	118.500	119.100	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26	PLANT MIX OVERLAY	1999
						*1999	3.30	5.00	52	4.21	0.15		
						2000	3.30	4.50	51	3.94	0.09		
						*2001	3.30	4.30	51	3.83	0.15		
						2002	3.30	3.00	49	3.13	0.12		
						2003	3.10	2.40	42	2.72	0.16		
						*2004	3.20	2.40	42	2.77	0.12		
						2005	3.20	4.00	30	3.62	0.16		
						2006	3.20	4.00	30	3.62	0.19	RUT FILLING	2006
4	S.H.-75	002230	119.100	119.680	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	PLANT MIX OVERLAY	1999
						2000	3.30	4.50	51	3.94	0.09		
						*2001	3.30	4.30	51	3.83	0.15		
						2002	3.30	3.00	49	3.13	0.12		
						2003	3.10	2.40	42	2.72	0.16		
						*2004	3.20	2.40	42	2.77	0.12		
						2005	3.80	5.00	30	4.44	0.05	MILL AND INLAY	2005
						2006	3.60	5.00	30	4.34	0.09	RUT FILLING	2006
4	S.H.-75	002230	119.680	121.040	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	MILL AND INLAY	1999
						2000	3.10	2.00	53	2.51	0.26		
						2001	3.20	1.90	53	2.50	0.30		
						2002	3.30	1.90	53	2.54	0.22		
						2003	3.00	1.90	42	2.41	0.26		
						*2004	3.10	1.90	42	2.45	0.26		
						2005	3.50	5.00	30	4.30	0.07	MILL AND INLAY	2005
						2006	3.50	5.00	30	4.30	0.13	RUT FILLING	2006
4	S.H.-75	002230	121.040	123.150	N	1997	3.30	3.40	40	3.35	0.18		
						*1998	3.10	2.40	40	2.72	0.26		
						*1999	3.30	5.00	52	4.21	0.15	MILL AND INLAY	1999
						2000	3.10	2.00	53	2.51	0.26		
						2001	3.20	1.90	53	2.50	0.30		
						2002	3.30	1.90	53	2.54	0.22		
						2003	3.00	1.90	42	2.41	0.26		
						*2004	3.10	1.90	42	2.45	0.26		
						2005	3.80	5.00	30	4.44	0.10		
						2006	3.60	5.00	30	4.34	0.11	RUT FILLING	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	S.H.-75	002230	123.150	125.940	N	1997	3.20	3.90	38	3.57	0.17		
						*1998	2.90	2.60	38	2.74	0.26		
						1999	3.40	5.00	52	4.25	0.09	PLANT MIX OVERLAY	1999
						2000	3.30	5.00	52	4.20	0.13		
						2001	3.40	5.00	52	4.25	0.16		
						2002	3.00	3.50	52	3.26	0.16		
						2003	3.20	2.40	42	2.77	0.16		
						*2004	3.00	2.40	42	2.68	0.16	MILL AND INLAY	2004
						2005	3.60	5.00	30	4.34	0.07		
						2006	3.40	5.00	30	4.25	0.11	RUT FILLING	2006
4	S.H.-75	002230	125.940	126.782	N	1997	3.20	3.90	38	3.57	0.17		
						*1998	2.90	2.60	38	2.74	0.26		
						1999	3.40	5.00	52	4.25	0.09	PLANT MIX OVERLAY	1999
						2000	3.30	5.00	52	4.20	0.13		
						2001	3.40	5.00	52	4.25	0.16		
						2002	3.00	3.50	52	3.26	0.16		
						2003	3.20	2.40	42	2.77	0.16		
						*2004	3.00	2.40	42	2.68	0.16		
						2005	2.50	3.80	30	3.19	0.11		
						2006	2.60	3.80	30	3.24	0.10	RUT FILLING	2006
4	S.H.-75	002230	126.782	127.100	N	2000	2.70	2.90	52	2.80	0.15		
						2001	2.90	2.90	52	2.90	0.25		
						2002	1.90	2.90	52	2.43	0.14		
						2003	2.90	2.90	42	2.90	0.12		
						*2004	2.90	2.40	42	2.63	0.17		
						2005	2.90	2.40	30	2.63	0.09		
						2006	2.80	5.00	30	3.97	0.09	RUT FILLING	2006
4	S.H.-75	002230	127.100	127.778	N	1997	3.00	3.80	41	3.45	0.11		
						1998	2.70	3.70	41	3.26	0.12		
						1999	2.90	3.70	47	3.35	0.22		
						2000	2.70	2.90	52	2.80	0.15		
						2001	2.90	2.90	52	2.90	0.25		
						2002	1.90	2.90	52	2.43	0.14		
						2003	2.90	2.90	42	2.90	0.12		
						*2004	2.90	2.40	42	2.63	0.17	MILL AND INLAY	2004
						2005	3.40	5.00	30	4.29	0.10		
						2006	3.40	5.00	30	4.29	0.10	RUT FILLING	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS
4	S.H.-75	002230	127.778	128.219	N	1997	3.30	4.00	45	3.69	0.10	
						1998	2.70	3.90	45	3.37	0.18	
						1999	3.20	3.90	48	3.59	0.05	
						2000	3.10	3.90	48	3.55	0.09	
						2001	3.40	3.90	48	3.68	0.13	
						2002	3.10	3.90	48	3.55	0.20	
						2003	2.80	2.90	42	2.85	0.21	MILL AND INLAY
						2004	2.70	2.50	42	2.58	0.25	
						2005	3.40	2.50	30	2.89	0.08	
						2006	3.30	2.40	30	2.79	0.07	RUT FILLING
4	S.H.-75	002230	128.219	128.535	N	1997	2.40	3.80	34	3.19	0.10	
						1998	2.30	3.80	34	3.15	0.13	
						1999	1.90	3.80	34	2.97	0.21	
						2000	1.50	3.80	48	2.80	0.25	
						*2001	1.80	3.80	48	2.93	0.28	
						2002	4.00	5.00	48	4.56	0.14	MILL AND INLAY
						2003	2.30	5.00	42	3.83	0.13	
						2004	2.30	5.00	42	3.83	0.13	
						2005	2.10	5.00	30	3.74	0.12	
						2006	2.20	5.00	30	3.79	0.13	
4	S.H.-75	002230	128.535	129.239	N	1997	2.60	3.00	28	2.83	0.28	
						1998	2.40	3.00	28	2.74	0.31	
						1999	2.40	3.00	50	2.74	0.34	
						2000	2.40	3.00	50	2.74	0.35	
						2001	3.50	3.00	50	3.21	0.05	
						2002	3.40	3.00	50	3.16	0.08	
						2003	3.00	3.00	42	3.00	0.11	
						2004	3.10	3.00	42	3.04	0.11	
						2005	3.20	3.00	30	3.08	0.13	
						2006	2.90	3.00	30	2.95	0.16	
4	S.H.-75	002230	129.239	129.869	N	1997	3.60	4.00	28	3.81	0.21	
						1998	3.70	4.00	28	3.86	0.22	
						1999	3.40	4.00	41	3.72	0.25	
						2000	3.30	4.00	41	3.68	0.25	
						2001	3.40	4.00	41	3.72	0.28	
						2002	3.20	4.00	41	3.63	0.28	
						2003	3.10	4.00	42	3.59	0.36	
						2004	3.10	3.70	42	3.42	0.34	
						2005	3.20	3.50	30	3.36	0.29	
						2006	3.00	3.20	30	3.10	0.34	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-75	002230	129.869	136.590	N	1997	3.50	4.80	47	4.22	0.12	
						*1998	3.40	4.80	47	4.17	0.18	
						1999	3.50	4.80	57	4.21	0.18	
						2000	3.50	4.60	57	4.10	0.19	SEALCOAT
						2001	3.60	4.60	57	4.15	0.21	
						2002	3.40	4.60	57	4.06	0.19	
						2003	3.40	4.60	42	4.06	0.23	
						2004	3.40	3.70	42	3.56	0.20	
						2005	3.40	3.70	30	3.56	0.21	
						2006	3.40	3.00	30	3.17	0.22	
4	S.H.-75	002230	136.590	137.575	N	1997	3.50	4.80	47	4.22	0.12	
						*1998	3.40	4.80	47	4.17	0.18	
						1999	3.00	5.00	63	4.10	0.06	COLD IN PLACE RECYCLE WITH OVERLAY
						2000	3.30	4.60	63	4.01	0.12	1999 SEALCOAT
						2001	3.50	4.60	63	4.10	0.07	
						2002	3.30	4.60	63	4.01	0.08	
						2003	3.40	4.40	42	3.95	0.08	
						2004	3.40	4.20	42	3.84	0.07	
						2005	3.30	4.20	30	3.79	0.08	
						2006	3.30	4.20	30	3.79	0.08	
4	S.H.-75	002230	137.575	143.014	N	1997	3.10	3.30	52	3.21	0.16	
						1998	3.10	3.30	52	3.21	0.19	
						1999	3.10	5.00	62	4.15	0.20	COLD IN PLACE RECYCLE WITH OVERLAY
						2000	3.60	4.60	62	4.15	0.05	1999 SEALCOAT
						2001	3.70	4.60	62	4.19	0.06	
						2002	3.50	4.60	62	4.10	0.05	
						2003	3.50	4.60	42	4.10	0.06	
						2004	3.50	4.60	42	4.10	0.06	
						2005	3.40	4.50	30	4.00	0.06	
						2006	3.40	4.50	30	4.00	0.05	
4	S.H.-75	002230	143.014	148.260	N	1997	3.00	3.50	49	3.27	0.18	
						1998	2.90	3.50	49	3.23	0.18	
						1999	2.90	5.00	60	4.06	0.20	COLD IN PLACE RECYCLE WITH OVERLAY
						2000	3.30	5.00	60	4.24	0.06	1999 SEALCOAT
						2001	3.60	5.00	60	4.37	0.05	
						2002	3.40	4.70	60	4.12	0.05	
						2003	3.40	4.50	42	4.00	0.06	
						2004	3.40	4.50	42	4.00	0.05	
						2005	3.40	4.50	30	4.00	0.06	
						2006	3.30	4.50	30	3.96	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-75	002230	148.260	152.850	N	1997	3.30	4.50	56	3.96	0.11	
						1998	3.20	4.50	56	3.92	0.10	
						1999	3.20	4.40	63	3.86	0.09	
						2000	3.10	4.40	63	3.82	0.09	SEALCOAT
						2001	3.20	4.40	63	3.86	0.08	
						2002	3.20	4.40	63	3.86	0.08	
						2003	3.20	4.40	42	3.86	0.07	
						2004	3.20	4.40	42	3.86	0.08	
						2005	3.20	3.90	30	3.58	0.08	
						2006	3.10	3.20	30	3.15	0.07	
4	S.H.-75	002230	152.850	157.930	N	1997	3.20	4.50	51	3.92	0.09	
						1998	3.10	3.90	51	3.54	0.09	
						1999	3.20	3.90	56	3.58	0.09	
						2000	3.00	3.90	56	3.49	0.10	
						2001	3.20	3.90	56	3.58	0.09	
						2002	3.40	3.80	56	3.62	0.07	
						2003	3.30	3.80	42	3.57	0.07	
						2004	3.30	3.40	42	3.35	0.07	
						2005	3.30	3.40	30	3.35	0.08	
						2006	3.20	3.30	30	3.25	0.07	
4	S.H.-75	002230	157.930	162.900	N	1997	3.40	4.00	52	3.73	0.08	SEALCOAT
						1998	3.30	4.00	52	3.68	0.09	
						1999	3.30	4.00	58	3.68	0.09	
						2000	3.20	4.00	58	3.64	0.09	
						2001	3.30	4.00	58	3.68	0.09	
						2002	3.40	4.00	58	3.73	0.09	
						2003	3.40	4.00	42	3.73	0.09	
						2004	3.40	4.00	42	3.73	0.08	
						2005	3.40	4.00	30	3.73	0.09	
						2006	3.40	3.90	30	3.67	0.08	
4	S.H.-75	002230	162.900	168.039	N	1997	4.00	5.00	45	4.55	0.09	SEALCOAT
						1998	4.10	4.70	45	4.43	0.06	
						1999	4.10	4.50	62	4.32	0.05	
						2000	4.00	4.50	62	4.27	0.06	
						2001	4.10	4.00	62	4.04	0.06	
						2002	3.90	4.00	62	3.95	0.06	
						2003	3.80	4.00	42	3.91	0.06	
						2004	3.80	4.00	42	3.91	0.06	
						2005	3.70	3.90	30	3.81	0.06	
						2006	3.60	2.40	30	2.93	0.06	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS								
										INDEX	DEPTH										
4	S.H.-75	002230	168.039	172.640	N	1997	4.20	5.00	46	4.64	0.09	SEALCOAT	1997								
							1998	4.30	5.00	46	4.68	0.05									
							1999	4.30	4.50	62	4.41	0.04									
							2000	4.30	4.30	62	4.30	0.05									
							2001	4.30	4.30	62	4.30	0.04									
							2002	3.80	4.30	62	4.07	0.04									
							2003	3.80	4.20	42	4.02	0.04									
							2004	3.70	4.10	42	3.92	0.04									
							2005	3.50	4.00	30	3.77	0.05									
							2006	3.40	2.50	30	2.90	0.04									
							4	S.H.-75	002230	172.640	176.457	N		1997	4.00	5.00	41	4.55	0.11	SEALCOAT	1997
															1998	4.10	4.70	41	4.43	0.09	
1999	4.00	4.50	61	4.27	0.10																
2000	4.00	4.30	61	4.16	0.10																
2001	4.00	4.30	61	4.16	0.10																
2002	3.80	4.00	61	3.91	0.09																
2003	3.80	4.00	42	3.91	0.09																
2004	3.70	3.20	42	3.42	0.08																
2005	3.60	3.20	30	3.37	0.08																
2006	3.60	3.00	30	3.26	0.09																
4	S.H.-75	002230	176.457	178.112	N	1997							4.20		2.30	44	3.14	0.06	SEALCOAT	1997	
													1998		4.10	2.30	44	3.10	0.08		
							1999	4.00	2.30	60	3.05	0.09									
							2000	4.00	2.30	60	3.05	0.09									
							2001	4.00	2.30	60	3.05	0.08									
							2002	3.70	2.30	60	2.92	0.09									
							2003	3.70	2.30	42	2.92	0.08									
							2004	3.60	2.30	42	2.87	0.08									
							2005	3.50	2.30	30	2.83	0.08									
							2006	3.40	2.30	30	2.79	0.08									
							4	S.H.-75	002230	178.112	182.875	N	1997	4.30	3.50	41	3.85	0.06	SEALCOAT		1997
														1998	4.10	3.50	41	3.76	0.09		
1999	4.10	3.50	61	3.76	0.08																
2000	4.10	3.50	61	3.76	0.09																
2001	4.20	3.50	61	3.81	0.09																
2002	3.90	3.50	61	3.67	0.09																
2003	3.90	3.50	42	3.67	0.08																
2004	3.80	3.50	42	3.63	0.07																
2005	3.80	3.50	30	3.63	0.08																
2006	3.70	3.50	30	3.58	0.07																

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS							
										INDEX	DEPTH									
4	S.H.-75	002230	182.875	185.125	N	1997	4.20	2.50	36	3.25	0.09	SEALCOAT	1997							
						1998	4.10	2.50	36	3.21	0.13									
						1999	4.10	2.50	55	3.21	0.12									
						2000	4.00	2.50	55	3.16	0.12									
						2001	4.10	2.50	55	3.21	0.13									
						2002	3.90	2.50	55	3.12	0.13									
						2003	3.90	2.50	42	3.12	0.12									
						2004	3.80	2.50	42	3.07	0.11									
						2005	3.80	2.50	30	3.07	0.10									
						2006	3.70	2.50	30	3.03	0.10									
						4	S.H.-75	002230	185.125	189.980	N	1997		4.10	5.00	26	4.59	0.04	SEALCOAT	1997
												*1998		4.00	5.00	26	4.55	0.06		
1999	4.00	4.70	58	4.38	0.05															
2000	3.90	4.50	58	4.23	0.06															
2001	4.00	4.50	58	4.27	0.05															
2002	3.80	4.20	58	4.02	0.06															
2003	3.80	4.00	42	3.91	0.06															
2004	3.70	2.50	42	3.03	0.05															
2005	3.70	2.50	30	3.03	0.06															
2006	3.60	2.40	30	2.93	0.06															
4	S.H.-75	002230	189.980	195.080	N							1997	2.50	1.80	46	2.11	0.17	SEALCOAT	1997 1998 1999	
												*1998	4.00	5.00	46	4.55	0.12	PLANT MIX OVERLAY		
						1999	3.30	4.80	51	4.13	0.12	SEALCOAT								
						2000	3.30	4.50	51	3.96	0.13									
						2001	3.40	4.50	51	4.00	0.12									
						2002	3.40	4.00	51	3.73	0.14									
						2003	3.40	4.00	42	3.73	0.14									
						2004	3.40	4.00	42	3.73	0.14									
						2005	3.30	4.00	30	3.68	0.15									
						2006	3.30	4.00	30	3.68	0.15									
						4	S.H.-75	002230	195.080	202.476	N	1997	2.30	2.30	45	2.30	0.21	PLANT MIX OVERLAY SEALCOAT		1998 1999
												1998	4.00	5.00	45	4.55	0.23			
1999	3.30	5.00	53	4.24	0.14															
2000	3.30	4.80	53	4.13	0.14															
2001	3.40	4.80	53	4.17	0.14															
2002	3.40	4.50	53	4.00	0.16															
2003	3.40	4.50	42	4.00	0.17															
2004	3.40	4.40	42	3.95	0.15															
2005	3.30	4.40	30	3.91	0.16															
2006	3.10	4.40	30	3.82	0.17															

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-75	002230	202.476	209.138	N	1997	2.40	2.00	39	2.17	0.21	PLANT MIX OVERLAY SEALCOAT	1998 1999
						1998	4.00	5.00	39	4.55	0.16		
						1999	3.10	5.00	56	4.15	0.12		
						2000	3.10	5.00	56	4.15	0.13		
						2001	3.20	5.00	56	4.19	0.12		
						2002	3.30	4.80	56	4.13	0.13		
						2003	3.30	4.80	42	4.13	0.13		
						2004	3.30	4.60	42	4.02	0.13		
						2005	3.20	4.60	30	3.97	0.13		
						2006	3.20	4.60	30	3.97	0.13		
4	S.H.-75	002230	209.138	214.400	N	1997	2.20	2.10	41	2.14	0.24	PLANT MIX OVERLAY SEALCOAT	1998 1999
						1998	4.00	5.00	41	4.55	0.13		
						*1999	3.10	5.00	58	4.15	0.14		
						2000	3.10	5.00	58	4.15	0.16		
						2001	3.10	4.80	58	4.04	0.16		
						2002	3.20	4.80	58	4.08	0.16		
						2003	3.20	4.50	42	3.92	0.17		
						2004	3.20	4.50	42	3.92	0.16		
						2005	3.10	4.50	30	3.87	0.17		
						2006	3.10	4.50	30	3.87	0.15		
4	S.H.-75	002230	214.400	217.186	N	1997	2.20	2.10	41	2.14	0.24	PLANT MIX OVERLAY SEALCOAT	1998 1999
						1998	4.00	5.00	41	4.55	0.13		
						*1999	3.10	5.00	58	4.15	0.14		
						2000	3.20	5.00	58	4.19	0.14		
						2001	3.20	4.70	58	4.03	0.14		
						2002	3.20	4.70	58	4.03	0.15		
						2003	3.20	4.70	42	4.03	0.15		
						2004	3.20	4.70	42	4.03	0.16		
						2005	3.10	4.70	30	3.98	0.15		
						2006	3.10	4.70	30	3.98	0.14		
4	S.H.-75	002231	000.000	000.338	N	1997	2.70	3.00	35	2.88	0.15	REHABILITATION AND RESURFACE	2002
						1998	2.30	3.00	35	2.72	0.16		
						1999	2.50	3.00	35	2.80	0.20		
						2000	2.10	3.00	58	2.65	0.29		
						2001	2.10	3.00	58	2.65	0.39		
						2002	4.00	5.00	58	4.61	0.26		
						2003	1.80	5.00	42	3.76	0.28		
						2004	1.60	5.00	42	3.67	0.22		
						2005	1.30	5.00	30	3.56	0.32		
						2006	1.20	5.00	30	3.53	0.23		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-75	002231	000.338	003.599	N	1997	2.10	3.00	46	2.65	0.20	
						1998	2.00	3.00	46	2.62	0.23	
						1999	2.00	3.00	55	2.61	0.23	
						2000	1.90	2.50	55	2.27	0.23	
						2001	2.00	2.00	55	2.00	0.25	
						2002	3.50	5.00	55	4.43	0.35	REHABILITATION AND RESURFACE
						2003	2.70	5.00	42	4.12	0.14	
						2004	2.70	5.00	42	4.12	0.13	
						2005	2.60	5.00	30	4.09	0.15	
						2006	2.60	5.00	30	4.09	0.15	
4	S.H.-77	002300	000.000	001.100	N	1997	3.50	5.00	51	4.39	0.12	SEALCOAT
						1998	3.30	5.00	51	4.31	0.11	
						*1999	3.40	4.50	66	4.05	0.11	
						2000	3.70	5.00	60	4.47	0.16	NEW CONST OR RECONST (FLEX)
						2001	3.10	5.00	60	4.32	0.06	
						2002	3.00	5.00	60	4.28	0.06	
						2003	3.10	5.00	42	4.32	0.07	
						2004	3.20	5.00	42	4.35	0.06	
						2005	3.20	5.00	30	4.35	0.06	
						2006	3.20	5.00	30	4.35	0.06	
4	S.H.-77	002300	001.100	007.495	N	1997	3.50	5.00	51	4.39	0.12	SEALCOAT
						1998	3.30	5.00	51	4.31	0.11	
						*1999	3.40	4.50	66	4.05	0.11	
						2000	3.30	4.50	66	4.01	0.12	
						2001	3.40	4.50	66	4.05	0.11	
						2002	3.40	4.50	66	4.05	0.11	
						2003	3.30	4.50	42	4.01	0.12	
						2004	3.30	3.00	42	3.12	0.10	
						2005	3.30	3.00	30	3.12	0.10	
						2006	3.30	2.70	30	2.94	0.11	
4	S.H.-77	002300	007.495	008.990	N	1997	3.50	5.00	43	4.38	0.12	SEALCOAT
						1998	3.50	5.00	43	4.38	0.13	
						1999	3.40	5.00	63	4.34	0.15	
						2000	3.30	4.00	63	3.71	0.14	
						2001	3.50	4.00	63	3.79	0.14	
						2002	3.40	3.70	63	3.57	0.17	
						2003	3.10	3.40	42	3.27	0.17	
						2004	3.10	1.90	42	2.39	0.15	
						2005	3.00	1.90	30	2.35	0.13	
						2006	2.90	1.90	30	2.31	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	S.H.-77	002300	008.990	014.000	N	1997	3.50	5.00	52	4.38	0.11	SEALCOAT	1997
						1998	3.40	5.00	52	4.34	0.11		
						1999	3.40	5.00	65	4.34	0.11		
						2000	3.30	5.00	65	4.29	0.11		
						2001	3.50	3.90	65	3.73	0.12		
						2002	3.40	3.90	65	3.69	0.13		
						2003	3.40	3.40	42	3.40	0.13		
						2004	3.40	1.90	42	2.51	0.12		
						2005	3.50	1.90	30	2.56	0.07		
						2006	3.50	1.90	30	2.56	0.08		
4	S.H.-77	002300	014.000	018.883	N	1997	3.80	5.00	42	4.54	0.04	SEALCOAT	1997
						1998	3.70	5.00	42	4.51	0.05		
						1999	3.70	5.00	60	4.51	0.05		
						2000	3.60	5.00	60	4.47	0.07		
						2001	3.80	5.00	60	4.54	0.07		
						2002	3.70	5.00	60	4.51	0.08		
						2003	3.70	4.70	42	4.32	0.09		
						*2004	3.70	4.70	42	4.32	0.09		
						2005	3.50	4.70	30	4.24	0.07		
						2006	3.60	4.00	30	3.84	0.09		
4	S.H.-77	002300	018.883	022.022	N	1997	3.70	5.00	45	4.46	0.14	SEALCOAT	1997
						1998	3.70	5.00	45	4.46	0.16		
						1999	3.70	5.00	58	4.46	0.16		
						2000	3.60	5.00	58	4.42	0.17		
						2001	3.70	5.00	58	4.46	0.17		
						2002	3.70	5.00	58	4.46	0.17		
						2003	3.70	5.00	42	4.46	0.16		
						*2004	3.60	5.00	42	4.42	0.15		
						2005	3.60	5.00	30	4.42	0.16	NEW CONST OR RECONST (FLEX)	2005
						2006	3.40	5.00	30	4.33	0.07		
4	S.H.-77	002300	022.284	022.780	N	1997	3.70	5.00	45	4.46	0.14	SEALCOAT	1997
						1998	3.70	5.00	45	4.46	0.16		
						1999	3.70	5.00	58	4.46	0.16		
						2000	3.60	5.00	58	4.42	0.17		
						2001	3.70	5.00	58	4.46	0.17		
						2002	3.70	5.00	58	4.46	0.17		
						2003	3.70	5.00	42	4.46	0.16		
						*2004	3.60	5.00	42	4.42	0.15		
						2005	3.60	5.00	30	4.42	0.16	NEW CONST OR RECONST (FLEX)	2005
						2006	3.70	5.00	30	4.46	0.18		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
4	S.H.-77	002300	022.780	023.009	N	1997	3.60	5.00	41	4.46	0.08	SEALCOAT	1997	
						1998	3.50	5.00	41	4.42	0.09			
						1999	3.60	5.00	54	4.46	0.12			
						2000	3.60	5.00	54	4.46	0.09			
						2001	3.70	5.00	54	4.50	0.14			
						2002	3.50	5.00	54	4.43	0.15			
						2003	3.50	5.00	42	4.43	0.15			
						*2004	3.60	5.00	42	4.46	0.13			
						2005	3.60	5.00	30	4.42	0.16	NEW CONST OR RECONST (FLEX)		2005
						2006	3.40	5.00	30	4.33	0.06			
4	S.H.-77	002300	023.009	027.296	N	1997	3.60	5.00	41	4.46	0.08			
						1998	3.50	5.00	41	4.42	0.09			
						1999	3.60	5.00	54	4.46	0.12			
						2000	3.60	5.00	54	4.46	0.09			
						2001	3.70	5.00	54	4.50	0.14			
						2002	3.50	5.00	54	4.43	0.15			
						2003	3.50	5.00	42	4.43	0.15			
						*2004	3.60	5.00	42	4.46	0.13			
						2005	3.60	5.00	30	4.46	0.13			
						2006	3.60	5.00	30	4.46	0.15			
4	S.H.-77	002300	027.296	030.676	N	1997	4.10	5.00	38	4.62	0.09			
						1998	4.10	5.00	38	4.62	0.16			
						1999	4.10	5.00	49	4.62	0.18			
						2000	4.00	5.00	49	4.58	0.17			
						2001	4.00	4.80	49	4.46	0.20			
						2002	3.60	4.00	49	3.83	0.21			
						2003	3.30	4.00	42	3.70	0.21			
						2004	3.20	4.00	42	3.66	0.21			
						2005	3.20	4.00	30	3.66	0.21			
						2006	3.00	4.00	30	3.58	0.21			
4	S.H.-79	002250	000.000	000.280	N	1997	2.30	3.00	26	2.70	0.12	1999		
						1998	2.20	3.00	26	2.65	0.11			
						1999	2.20	2.60	34	2.42	0.12		SEALCOAT	
						2000	2.10	2.60	34	2.38	0.14			
						2001	2.20	2.60	34	2.42	0.21			
						2002	2.00	2.60	34	2.34	0.23			
						2003	1.80	2.40	42	2.13	0.22			
						2004	2.00	1.90	42	1.94	0.25			
						2005	1.90	1.90	30	1.90	0.25			
						2006	1.80	1.90	30	1.85	0.26			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	S.H.-79	002250	000.280	001.940	N	1997	3.00	4.50	19	3.90	0.10		
						1998	3.00	4.50	19	3.90	0.15		
						1999	2.90	4.50	32	3.86	0.18	SEALCOAT	1999
							2.90	4.50	32	3.86	0.15		
							3.10	4.50	32	3.94	0.27		
							3.00	4.50	32	3.89	0.22		
							3.00	4.50	42	3.89	0.28		
							3.00	4.50	42	3.89	0.26		
							2.90	4.50	30	3.86	0.25		
							2.90	4.50	30	3.86	0.38		
4	S.H.-79	002250	001.940	002.228	N	1997	3.30	2.00	25	2.51	0.10		
						1998	3.30	2.00	25	2.51	0.18		
						1999	3.30	2.00	32	2.51	0.12	SEALCOAT	1999
							3.20	4.50	32	3.98	0.18		
							3.20	2.60	32	2.83	0.13		
							2.90	2.60	32	2.71	0.21		
							3.10	2.60	42	2.80	0.23		
							3.10	2.60	42	2.80	0.22		
							3.20	2.60	30	2.84	0.13		
							3.10	2.40	30	2.68	0.25		
4	S.H.-79	002250	002.228	002.422	N	1997	3.00	2.00	30	2.39	0.10		
						1998	3.20	2.00	30	2.47	0.25		
						*1999	2.70	2.00	47	2.27	0.20		
							3.30	2.10	32	2.57	0.26		
							3.40	2.10	32	2.61	0.23		
							2.90	2.10	32	2.41	0.12		
							3.00	2.10	42	2.46	0.15		
							2.90	2.10	42	2.42	0.25		
							2.90	2.10	30	2.42	0.11		
							3.10	2.10	30	2.50	0.22		
4	S.H.-79	002250	002.422	002.564	N	1997	3.00	2.00	30	2.39	0.10		
						1998	3.20	2.00	30	2.47	0.25		
						*1999	2.70	2.00	47	2.27	0.20		
							2.80	5.00	47	4.12	0.19		
							2.70	5.00	47	4.08	0.21		
							2.30	5.00	47	3.92	0.20		
							2.40	5.00	42	3.95	0.21		
							2.30	5.00	42	3.91	0.18		
							2.30	5.00	30	3.91	0.16		
							2.50	5.00	30	3.99	0.25		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	S.H.-81	002310	000.000	004.890	N	1997	3.60	5.00	52	4.43	0.12							
						1998	3.50	5.00	52	4.39	0.12							
						1999	3.60	4.00	58	3.83	0.13							
						2000	3.50	4.00	58	3.79	0.13							
						2001	3.80	4.00	58	3.91	0.12							
						2002	3.60	4.00	58	3.83	0.14							
						2003	3.60	4.00	42	3.83	0.15							
						2004	3.60	3.80	42	3.71	0.13							
						2005	3.60	3.80	30	3.71	0.15							
						2006	3.60	3.80	30	3.71	0.15							
						4	S.H.-81	002310	004.890	007.888	N	1997	3.70	5.00	55	4.47	0.11	
												1998	3.50	5.00	55	4.39	0.10	
1999	3.60	5.00	62	4.43	0.10													
2000	3.50	4.60	62	4.15	0.10													
2001	3.60	4.60	62	4.19	0.11													
2002	3.40	4.00	62	3.75	0.13													
2003	3.40	4.00	42	3.75	0.14													
2004	3.40	2.80	42	3.04	0.12													
2005	3.40	2.70	30	2.98	0.14													
2006	3.40	2.70	30	2.98	0.14													
4	S.H.-81	002310	007.888	015.166	N							1997	4.10	5.00	51	4.63	0.09	
												1998	4.10	5.00	51	4.63	0.11	
						1999	4.10	5.00	57	4.63	0.18							
						2000	4.00	5.00	57	4.59	0.14							
						2001	3.80	5.00	57	4.51	0.21							
						2002	3.30	4.80	57	4.19	0.17							
						2003	3.30	4.80	42	4.19	0.21							
						2004	3.30	2.90	42	3.06	0.19							
						2005	3.20	2.90	30	3.02	0.23							
						2006	3.30	2.90	30	3.06	0.23							
						4	S.H.-81	002310	015.166	021.232	N	1997	3.80	5.00	54	4.53	0.10	
												1998	3.80	5.00	54	4.53	0.12	
1999	3.80	5.00	61	4.53	0.13													
2000	3.70	4.70	61	4.31	0.11													
2001	3.90	4.50	61	4.26	0.16													
2002	3.50	4.40	61	4.05	0.14													
2003	3.50	4.40	42	4.05	0.15													
2004	3.50	3.30	42	3.37	0.16													
2005	3.50	3.30	30	3.37	0.18													
2006	3.50	3.30	30	3.37	0.15													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-81	002310	021.232	026.048	N	1997	3.70	4.60	47	4.22	0.09	
						1998	3.60	4.60	47	4.18	0.10	
						1999	3.70	4.60	56	4.23	0.13	
						2000	3.60	4.60	56	4.18	0.11	
						2001	3.70	4.50	56	4.16	0.17	
						2002	3.40	4.50	56	4.04	0.15	
						2003	3.40	4.50	42	4.04	0.17	
						2004	3.40	4.00	42	3.75	0.18	
						2005	3.40	3.60	30	3.51	0.17	
						2006	3.40	3.50	30	3.45	0.15	
4	S.H.-81	002310	026.048	029.500	N	1997	4.10	5.00	40	4.62	0.09	
						1998	4.10	5.00	40	4.62	0.14	
						1999	4.10	5.00	44	4.62	0.15	
						2000	4.10	5.00	44	4.62	0.15	
						2001	4.10	5.00	44	4.62	0.18	
						2002	3.80	5.00	44	4.50	0.17	
						2003	3.80	5.00	42	4.50	0.20	
						2004	3.80	4.80	42	4.38	0.19	
						2005	3.80	4.80	30	4.38	0.21	
						2006	3.70	4.80	30	4.34	0.21	
4	S.H.-81	002310	029.500	032.860	N	1997	4.00	5.00	40	4.58	0.10	
						1998	4.00	5.00	40	4.58	0.14	
						1999	3.90	5.00	41	4.54	0.18	
						2000	4.00	5.00	41	4.58	0.19	
						2001	4.10	5.00	41	4.62	0.22	
						2002	3.80	4.80	41	4.38	0.24	
						2003	3.70	4.80	42	4.33	0.27	
						2004	3.80	4.80	42	4.38	0.27	
						2005	3.70	4.80	30	4.33	0.29	
						2006	3.60	4.80	30	4.29	0.27	
4	S.H.-81	002310	032.860	033.978	N	1997	3.90	5.00	31	4.53	0.16	
						1998	3.80	5.00	31	4.49	0.22	
						1999	3.90	5.00	36	4.53	0.24	
						2000	3.80	5.00	36	4.49	0.27	
						2001	3.90	5.00	36	4.53	0.32	
						2002	3.60	4.90	36	4.35	0.33	
						2003	3.60	4.80	42	4.29	0.38	
						2004	3.60	4.80	42	4.29	0.38	
						2005	3.50	4.80	30	4.25	0.40	
						2006	3.40	4.80	30	4.20	0.43	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	S.H.-81	002311	000.000	000.340	N	1997	1.70	2.40	41	2.13	0.40	
						1998	1.80	1.50	41	1.61	0.49	
						1999	2.60	4.00	41	3.47	0.23	
						2000	2.70	2.60	36	2.63	0.31	
						2001	2.90	2.60	36	2.71	0.30	
						2002	3.00	1.90	36	2.31	0.33	
						2003	2.90	1.90	42	2.27	0.33	
						2004	2.80	1.70	42	2.11	0.32	
						2005	2.80	1.70	30	2.11	0.34	
						2006	2.50	1.70	30	2.00	0.38	
4	I-84	001010	121.094	128.154	ASC	1997	3.30	2.10	23	2.70	0.07	
						1998	3.20	2.10	23	2.65	0.04	
						1999	3.10	2.10	29	2.60	0.05	
						2000	2.80	2.10	29	2.45	0.04	
						2001	2.80	2.00	32	2.40	0.05	
						2002	2.20	2.00	32	2.10	0.05	
						2003	3.20	5.00	32	4.08	0.04	NEW CONST OR RECONST (CONCRETE) 2003
						2004	3.00	5.00	32	3.98	0.03	
						2005	2.90	5.00	35	3.93	0.03	
						2006	3.10	5.00	35	4.03	0.03	
4	I-84	001010	121.094	128.154	DES	1997	3.70	3.00	28	3.35	0.06	
						1998	3.50	2.90	32	3.20	0.04	
						1999	3.40	2.90	31	3.15	0.04	
						2000	3.20	2.70	31	2.95	0.04	
						2001	3.20	2.40	31	2.80	0.05	
						2002	2.60	2.40	31	2.50	0.05	
						2003	2.80	2.40	32	2.60	0.04	NEW CONST OR RECONST (CONCRETE) 2003
						2004	2.80	5.00	32	3.87	0.02	
						2005	3.40	5.00	44	4.18	0.04	
						2006	3.60	5.00	44	4.28	0.03	
4	I-84	001010	128.154	129.821	ASC	1997	3.80	3.50	37	3.65	0.14	
						1998	3.80	3.50	37	3.65	0.17	
						1999	3.80	3.50	45	3.65	0.27	
						2000	3.80	3.50	45	3.65	0.28	
						2001	4.00	3.50	40	3.75	0.29	
						2002	3.60	3.50	40	3.55	0.32	
						*2003	3.50	3.50	40	3.50	0.27	NEW CONST OR RECONST (CONCRETE) 2003
						2004	3.10	5.00	44	4.03	0.02	
						2005	3.00	5.00	44	3.98	0.02	
						2006	3.20	5.00	44	4.08	0.03	
4	I-84	001010	128.154	129.821	DES	1997	4.10	4.00	43	4.05	0.20	
						1998	4.10	4.00	49	4.05	0.30	
						1999	4.00	4.00	50	4.00	0.31	
						2000	4.00	4.00	50	4.00	0.33	
						2001	4.20	4.00	50	4.10	0.39	
						2002	3.90	4.00	50	3.94	0.42	
						*2003	3.80	4.00	40	3.89	0.42	NEW CONST OR RECONST (CONCRETE) 2003

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	001010	129.821	132.243	ASC	2004	2.60	4.00	44	3.28	0.03	
						2005	3.10	5.00	47	4.03	0.04	
						2006	3.30	5.00	47	4.13	0.03	
						1997	3.80	3.50	37	3.65	0.14	
						1998	3.80	3.50	37	3.65	0.17	
						1999	3.80	3.50	45	3.65	0.27	
						2000	3.80	3.50	45	3.65	0.28	
						2001	4.00	3.50	40	3.75	0.29	
						2002	3.60	3.50	40	3.55	0.32	
						*2003	3.50	3.50	40	3.50	0.27	
						2004	3.60	3.50	39	3.55	0.25	
						2005	3.50	3.50	41	3.50	0.29	
						2006	3.60	3.50	41	3.55	0.31	
						4	I-84	001010	129.821	132.243	DES	1997
						1998	4.10	4.00	49	4.05	0.30	
						1999	4.00	4.00	50	4.00	0.31	
						2000	4.00	4.00	50	4.00	0.33	
						2001	4.20	4.00	50	4.10	0.39	
						2002	3.90	4.00	50	3.94	0.42	
						*2003	3.80	4.00	40	3.89	0.42	
						2004	3.70	4.00	39	3.84	0.30	
						2005	3.80	4.00	43	3.89	0.43	
						2006	3.70	3.90	43	3.79	0.39	
4	I-84	001010	132.243	136.000	ASC	1997	4.10	3.50	42	3.80	0.11	
						1998	4.00	3.50	42	3.75	0.21	
						1999	4.00	3.50	47	3.75	0.24	
						2000	4.00	3.50	47	3.75	0.27	
						2001	4.00	3.50	44	3.75	0.29	
						2002	3.60	3.50	44	3.55	0.28	
						2003	3.70	3.50	44	3.60	0.35	
						2004	3.70	3.50	44	3.60	0.34	
						2005	3.60	3.50	43	3.55	0.38	
						2006	3.70	3.50	43	3.60	0.42	
4	I-84	001010	132.243	136.000	DES	1997	4.00	3.50	43	3.75	0.19	
						1998	4.00	3.50	49	3.75	0.28	
						1999	4.00	3.50	48	3.75	0.31	
						2000	3.90	3.50	48	3.70	0.32	
						2001	4.00	3.50	48	3.75	0.35	
						2002	3.60	3.50	48	3.55	0.39	
						2003	3.60	3.50	44	3.55	0.39	
						2004	3.50	3.50	44	3.50	0.39	
						2005	3.60	3.50	42	3.55	0.46	
						2006	3.50	3.30	42	3.40	0.45	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	I-84	001010	136.000	140.900	ASC	1997	3.90	4.50	35	4.19	0.27		
						1998	3.80	4.50	35	4.14	0.35		
						1999	3.80	4.50	44	4.14	0.42		
						2000	3.80	4.50	44	4.14	0.43	SEALCOAT	2000
						2001	3.70	4.50	54	4.09	0.47		
						2002	3.40	4.50	54	3.94	0.48		
						2003	3.40	4.50	54	3.94	0.52		
						2004	3.70	4.50	54	4.09	0.33	C.R.A.B.S.	2004
						2005	3.80	4.50	48	4.14	0.30		
						2006	3.60	4.50	48	4.04	0.37	SEALCOAT	2006
4	I-84	001010	136.000	140.900	DES	1997	4.00	4.50	39	4.24	0.23		
						1998	3.90	4.50	46	4.19	0.27		
						1999	3.90	4.50	46	4.19	0.30		
						2000	3.90	4.50	46	4.19	0.30	SEALCOAT	2000
						2001	3.90	4.50	46	4.19	0.33		
						2002	3.60	4.50	46	4.04	0.38		
						2003	3.60	4.50	54	4.04	0.40		
						2004	3.50	4.50	54	3.99	0.26	C.R.A.B.S.	2004
						2005	3.80	4.50	56	4.14	0.25		
						2006	3.60	4.20	56	3.89	0.31	SEALCOAT	2006
4	I-84	001010	140.900	148.220	ASC	1997	3.90	3.50	41	3.70	0.26		
						1998	3.90	3.50	41	3.70	0.34		
						1999	3.90	3.50	51	3.70	0.42	SEALCOAT	1999
						2000	3.80	3.50	51	3.65	0.44		
						2001	3.80	3.50	49	3.65	0.46		
						2002	3.30	3.00	49	3.15	0.48		
						2003	3.30	3.00	49	3.15	0.52		
						2004	3.70	5.00	49	4.33	0.11	C.R.A.B.S.	2004
						2005	4.00	5.00	52	4.49	0.16		
						2006	3.80	5.00	52	4.38	0.19	SEALCOAT	2006
4	I-84	001010	140.900	148.220	DES	1997	3.80	3.50	37	3.65	0.14		
						1998	4.00	3.50	43	3.75	0.21		
						1999	4.00	3.50	45	3.75	0.23	SEALCOAT	1999
						2000	4.00	3.50	45	3.75	0.24		
						2001	4.00	3.50	45	3.75	0.26		
						2002	3.50	3.50	45	3.50	0.29		
						2003	3.30	3.50	49	3.39	0.31		
						2004	3.40	5.00	49	4.18	0.21	C.R.A.B.S.	2004
						2005	3.90	5.00	58	4.44	0.19		
						2006	3.80	5.00	58	4.38	0.21	SEALCOAT	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	001010	148.220	149.500	ASC	1997	3.80	4.00	32	3.89	0.33	
						1998	3.60	4.00	32	3.79	0.38	
						1999	3.50	4.00	37	3.74	0.42	SEALCOAT
						2000	3.40	4.00	37	3.69	0.40	
						2001	3.50	4.00	48	3.74	0.42	
						2002	2.90	3.00	48	2.94	0.44	
						2003	2.80	2.80	48	2.80	0.46	
						2004	3.80	5.00	48	4.39	0.07	C.R.A.B.S.
						2005	4.00	5.00	58	4.49	0.15	
						2006	3.80	5.00	58	4.38	0.16	SEALCOAT
4	I-84	001010	148.220	149.500	DES	1997	2.70	4.50	28	3.58	0.11	
						1998	4.00	4.50	38	4.24	0.23	
						1999	3.80	4.50	42	4.14	0.21	SEALCOAT
						2000	3.90	4.50	42	4.19	0.27	
						2001	3.90	4.50	42	4.19	0.27	
						2002	3.70	4.50	42	4.09	0.30	
						2003	3.50	4.50	48	3.99	0.27	
						2004	3.60	5.00	48	4.28	0.26	C.R.A.B.S.
						2005	4.00	5.00	53	4.49	0.13	
						2006	3.90	5.00	53	4.44	0.17	SEALCOAT
4	I-84	001010	149.500	156.200	ASC	1997	4.00	4.00	29	4.00	0.16	
						1998	4.00	4.00	29	4.00	0.20	
						1999	4.00	4.00	38	4.00	0.25	SEALCOAT
						2000	3.90	4.00	38	3.94	0.23	
						2001	3.90	4.00	47	3.94	0.26	
						2002	3.60	3.90	47	3.74	0.26	
						2003	3.60	3.90	47	3.74	0.29	
						2004	3.60	3.50	47	3.55	0.27	
						2005	3.60	3.50	46	3.55	0.25	
						2006	3.50	3.50	46	3.50	0.26	SEALCOAT
4	I-84	001010	149.500	156.200	DES	1997	4.20	4.50	29	4.34	0.25	
						1998	4.00	4.30	39	4.14	0.31	
						1999	4.00	4.30	42	4.14	0.36	SEALCOAT
						2000	3.90	4.30	42	4.09	0.35	
						2001	4.00	4.30	42	4.14	0.37	
						2002	3.80	4.30	42	4.04	0.40	
						2003	3.80	3.80	47	3.80	0.43	
						2004	3.80	3.80	47	3.80	0.44	
						2005	3.80	3.40	43	3.60	0.44	
						2006	3.70	3.40	43	3.55	0.44	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	I-84	001010	156.200	161.319	ASC	*1997	3.70	5.00	31	4.33	0.04	C.R.A.B.S.	1997
						1998	3.70	5.00	31	4.33	0.06		
						1999	3.70	5.00	35	4.33	0.11	SEALCOAT	
						2000	3.60	4.50	35	4.03	0.13		
						2001	3.60	4.50	42	4.03	0.14		
						2002	3.40	4.50	42	3.93	0.10		
						2003	3.30	4.50	42	3.88	0.15		
						*2004	3.00	4.50	42	3.73	0.17		
						2005	3.80	4.50	43	4.14	0.16		
						2006	3.70	4.50	43	4.09	0.21	SEALCOAT	
4	I-84	001010	156.200	161.319	DES	*1997	3.40	5.00	25	4.18	0.12	C.R.A.B.S.	1997
						1998	3.70	5.00	25	4.33	0.08		
						1999	3.80	4.60	31	4.19	0.10	SEALCOAT	
						2000	3.70	4.60	31	4.13	0.12		
						2001	3.70	4.60	31	4.13	0.13		
						2002	3.20	4.60	31	3.88	0.14		
						2003	3.10	4.60	42	3.83	0.14		
						*2004	3.10	4.60	42	3.83	0.17		
						2005	3.90	4.60	54	4.24	0.13		
						2006	3.70	3.60	54	3.65	0.17	SEALCOAT	
4	I-84	001010	161.319	164.699	ASC	*1997	4.00	5.00	32	4.49	0.05	C.R.A.B.S.	1997
						*1998	3.70	5.00	32	4.33	0.05		
						1999	3.70	5.00	35	4.33	0.08	SEALCOAT	
						2000	3.60	4.50	35	4.03	0.10		
						2001	3.60	4.50	41	4.03	0.11		
						2002	3.10	3.90	41	3.49	0.13		
						2003	2.90	3.90	41	3.38	0.15		
						2004	3.00	3.50	41	3.24	0.14		
						2005	4.10	3.50	51	3.80	0.14		
						2006	3.90	3.50	51	3.70	0.20	SEALCOAT	
4	I-84	001010	161.319	164.699	DES	*1997	3.10	5.00	25	4.03	0.15	C.R.A.B.S.	1997
						*1998	3.70	5.00	25	4.33	0.04		
						1999	3.70	5.00	32	4.33	0.07	SEALCOAT	
						2000	3.70	5.00	32	4.33	0.07		
						2001	3.70	5.00	32	4.33	0.09		
						2002	3.30	4.60	32	3.93	0.11		
						2003	3.20	4.60	41	3.88	0.10		
						2004	3.10	4.60	41	3.83	0.13		
						2005	4.10	4.60	59	4.34	0.15		
						2006	3.90	4.60	59	4.24	0.19	SEALCOAT	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	I-84	001010	164.699	168.363	ASC	1997	3.70	4.00	34	3.84	0.07		
						1998	3.70	4.00	34	3.84	0.08		
						1999	3.70	4.00	42	3.84	0.11	SEALCOAT	1999
						2000	3.70	4.00	42	3.84	0.11		
						2001	3.60	4.00	36	3.79	0.13		
						2002	3.30	4.00	36	3.64	0.17		
						2003	3.10	4.00	36	3.53	0.23		
						2004	3.10	3.80	36	3.43	0.21		
						2005	3.60	3.80	59	3.69	0.17		
						2006	3.40	3.80	59	3.59	0.21	SEALCOAT	2006
4	I-84	001010	164.699	168.363	DES	1997	3.90	4.00	41	3.94	0.10		
						1998	3.90	4.00	41	3.94	0.13		
						1999	3.90	4.00	46	3.94	0.16	SEALCOAT	1999
						2000	3.80	4.00	46	3.89	0.16		
						2001	3.80	4.00	46	3.89	0.19		
						2002	3.40	4.00	46	3.69	0.23		
						2003	3.40	3.40	36	3.40	0.23		
						2004	3.40	3.30	36	3.35	0.25		
						2005	3.80	3.30	50	3.55	0.14		
						2006	3.70	3.30	50	3.50	0.18	SEALCOAT	2006
4	I-84	001010	168.363	172.690	ASC	1997	3.70	3.90	29	3.79	0.10		
						1998	3.70	3.70	29	3.70	0.14		
						1999	3.70	3.70	38	3.70	0.19		
						2000	3.70	3.70	38	3.70	0.15		
						2001	3.70	3.70	33	3.70	0.20		
						2002	3.30	3.40	33	3.34	0.21		
						2003	3.30	3.30	33	3.30	0.25		
						2004	3.20	3.30	33	3.24	0.30		
						2005	3.20	3.00	34	3.10	0.32		
						2006	3.10	3.00	34	3.05	0.32		
4	I-84	001010	168.363	172.690	DES	1997	3.80	4.50	34	4.14	0.15		
						1998	3.70	4.50	34	4.08	0.18		
						1999	3.70	4.50	39	4.08	0.20		
						2000	3.70	4.50	39	4.08	0.23		
						2001	3.70	4.50	39	4.08	0.24		
						2002	3.40	4.20	39	3.78	0.29		
						2003	3.40	2.50	33	2.96	0.29		
						2004	3.40	2.50	33	2.96	0.30		
						2005	3.40	2.40	38	2.91	0.35		
						2006	3.30	2.40	38	2.86	0.32		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	I-84	001010	172.690	173.500	ASC	1997	3.50	4.70	37	4.09	0.09	
						1998	3.40	4.50	37	3.94	0.13	
						1999	3.40	4.50	45	3.94	0.14	
						2000	3.30	4.50	45	3.88	0.13	
						2001	3.30	4.50	45	3.88	0.19	
						2002	3.00	3.40	45	3.19	0.19	
						2003	3.10	3.30	33	3.19	0.11	
						2004	2.90	2.90	33	2.90	0.19	
						2005	2.80	2.40	38	2.60	0.25	
						2006	2.60	2.40	38	2.50	0.29	
4	I-84	001010	172.690	173.500	DES	1997	3.60	4.50	47	4.04	0.10	
						1998	3.40	4.30	47	3.84	0.05	
						1999	3.40	4.30	29	3.84	0.08	
						2000	3.30	4.30	29	3.79	0.11	
						2001	3.30	4.00	29	3.64	0.09	
						2002	3.00	3.70	29	3.34	0.13	
						2003	3.30	2.50	33	2.90	0.26	
						2004	3.80	5.00	33	4.38	0.08	
						2005	3.80	5.00	33	4.38	0.11	
						2006	3.80	5.00	33	4.38	0.11	
4	I-84	001010	173.500	176.638	ASC	1997	3.70	5.00	21	4.33	0.02	
						1998	3.60	5.00	21	4.28	0.04	
						1999	3.60	5.00	28	4.28	0.04	
						2000	3.60	4.60	28	4.09	0.05	
						2001	3.70	4.60	25	4.14	0.04	
						2002	3.40	4.60	25	3.98	0.05	
						2003	3.40	4.60	25	3.98	0.05	
						2004	3.40	4.60	25	3.98	0.04	
						2005	3.30	4.60	31	3.93	0.06	
						2006	3.50	4.60	31	4.03	0.04	
4	I-84	001010	173.500	176.638	DES	1997	3.40	5.00	29	4.18	0.04	
						1998	3.40	5.00	29	4.18	0.03	
						1999	3.30	5.00	33	4.13	0.03	
						2000	3.40	5.00	33	4.18	0.03	
						2001	3.40	5.00	33	4.18	0.02	
						2002	3.30	5.00	33	4.13	0.02	
						2003	3.20	5.00	25	4.08	0.04	
						2004	3.10	5.00	25	4.03	0.02	
						2005	3.10	5.00	32	4.03	0.05	
						2006	3.20	5.00	32	4.08	0.02	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	001010	176.638	181.252	ASC	1997	3.90	5.00	25	4.44	0.02	
						1998	3.80	5.00	25	4.38	0.05	
						1999	3.80	5.00	33	4.38	0.05	
						*2000	3.80	5.00	33	4.38	0.06	
						2001	3.90	5.00	33	4.44	0.05	
						2002	3.60	5.00	33	4.28	0.06	
						2003	3.60	5.00	33	4.28	0.05	
						2004	3.60	5.00	33	4.28	0.05	
						2005	3.50	5.00	33	4.23	0.07	
						2006	3.60	5.00	33	4.28	0.05	
4	I-84	001010	176.638	181.252	DES	1997	3.40	5.00	33	4.18	0.05	
						1998	3.40	5.00	33	4.18	0.03	
						1999	3.30	5.00	34	4.13	0.03	
						*2000	3.40	5.00	34	4.18	0.03	
						2001	3.40	5.00	34	4.18	0.03	
						2002	3.20	5.00	34	4.08	0.03	
						2003	3.20	5.00	33	4.08	0.03	
						2004	3.30	5.00	33	4.13	0.03	
						2005	3.10	5.00	38	4.03	0.04	
						2006	3.30	5.00	38	4.13	0.03	
4	I-84	001010	181.252	188.027	ASC	1997	3.60	2.50	30	3.06	0.11	
						1998	3.50	2.50	30	3.01	0.14	
						1999	3.20	2.50	40	2.85	0.17	
						*2000	3.50	2.50	40	3.01	0.13	
						2001	3.40	5.00	54	4.18	0.18	C.R.A.B.S.
						2002	3.60	5.00	54	4.28	0.11	
						2003	3.60	5.00	54	4.28	0.13	
						2004	3.60	5.00	54	4.28	0.13	
						2005	3.60	5.00	55	4.28	0.14	
						2006	2.90	5.00	55	3.92	0.11	SEALCOAT
4	I-84	001010	181.252	188.027	DES	1997	3.60	3.00	29	3.30	0.20	
						1998	3.50	3.00	29	3.25	0.26	
						1999	3.40	3.00	39	3.20	0.27	
						*2000	3.50	3.00	39	3.25	0.24	
						2001	3.70	5.00	39	4.33	0.12	C.R.A.B.S.
						2002	3.40	5.00	39	4.18	0.09	
						2003	3.40	5.00	54	4.18	0.10	
						2004	3.50	5.00	54	4.23	0.08	
						2005	3.40	5.00	54	4.18	0.11	
						2006	3.30	5.00	54	4.13	0.11	SEALCOAT
											2006	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	I-84	001010	188.027	194.160	ASC	1997	3.80	3.50	30	3.65	0.15	
						1998	3.70	3.50	30	3.60	0.15	
						1999	3.70	3.50	41	3.60	0.18	
						2000	3.60	3.50	41	3.55	0.13	
						2001	3.80	5.00	52	4.38	0.17	C.R.A.B.S.
						2002	3.30	5.00	52	4.13	0.13	
						2003	3.40	5.00	52	4.18	0.15	
						2004	3.40	5.00	52	4.18	0.14	
						2005	3.40	5.00	51	4.18	0.15	
						2006	3.90	5.00	51	4.43	0.09	SEALCOAT
4	I-84	001010	188.027	194.160	DES	1997	3.70	3.50	31	3.60	0.16	
						1998	3.60	3.50	37	3.55	0.19	
						1999	3.60	3.50	39	3.55	0.21	
						2000	3.60	3.50	39	3.55	0.21	
						2001	3.40	5.00	39	4.18	0.08	C.R.A.B.S.
						2002	3.40	5.00	39	4.18	0.08	
						2003	3.40	5.00	52	4.18	0.08	
						2004	3.40	5.00	52	4.18	0.08	
						2005	3.40	5.00	55	4.18	0.10	
						2006	3.30	5.00	55	4.13	0.08	SEALCOAT
4	I-84	001010	194.160	200.537	ASC	1997	3.90	5.00	43	4.44	0.11	SEALCOAT
						1998	4.00	5.00	43	4.48	0.14	
						1999	3.80	5.00	46	4.38	0.16	
						2000	4.00	4.70	46	4.34	0.18	
						2001	4.10	4.70	30	4.39	0.19	
						2002	3.70	3.70	30	3.70	0.25	
						2003	3.70	3.70	30	3.70	0.26	
						2004	3.60	2.90	30	3.25	0.28	
						2005	3.60	2.90	35	3.25	0.27	
						2006	3.70	2.90	35	3.30	0.16	SEALCOAT
4	I-84	001010	194.160	200.537	DES	1997	3.90	5.00	42	4.44	0.04	SEALCOAT
						1998	3.70	5.00	42	4.33	0.17	
						1999	3.70	4.50	41	4.09	0.21	
						2000	3.70	4.50	41	4.09	0.23	
						2001	3.70	4.50	41	4.09	0.26	
						2002	3.40	4.40	41	3.89	0.29	
						2003	3.50	4.40	30	3.94	0.29	
						2004	3.50	4.40	30	3.94	0.33	
						2005	3.50	3.20	42	3.35	0.30	
						2006	3.30	2.90	42	3.10	0.28	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS	
4	I-84	001010	200.537	207.257	ASC	1997	4.10	5.00	41	4.54	0.09	SEALCOAT	1997
						1998	4.10	5.00	41	4.54	0.14		
						1999	4.00	4.80	41	4.39	0.05		
						2000	4.20	4.50	41	4.34	0.15		
						2001	4.20	4.40	29	4.29	0.17		
						2002	3.70	4.30	29	3.99	0.19		
						2003	3.70	4.30	29	3.99	0.22		
						2004	3.60	3.00	29	3.30	0.24		
						2005	3.60	3.00	40	3.30	0.25		
						2006	3.00	3.00	40	3.00	0.15	SEALCOAT	2006
4	I-84	001010	200.537	207.257	DES	1997	4.20	5.00	42	4.59	0.02	SEALCOAT	1997
						1998	3.80	5.00	43	4.38	0.14		
						1999	3.80	5.00	43	4.38	0.17		
						2000	3.80	4.80	43	4.28	0.18		
						2001	3.90	4.80	43	4.34	0.20		
						2002	3.50	4.40	29	3.94	0.23		
						2003	3.50	4.40	29	3.94	0.26		
						2004	3.50	4.40	29	3.94	0.26		
						2005	3.50	4.10	42	3.79	0.27		
						2006	3.40	4.10	42	3.74	0.22	SEALCOAT	2006
4	I-84	001010	207.257	207.750	ASC	1997	4.20	5.00	45	4.59	0.06	SEALCOAT	1997
						1998	4.20	5.00	45	4.59	0.08		
						1999	3.70	5.00	45	4.33	0.04		
						2000	4.20	5.00	45	4.59	0.10		
						2001	4.30	4.50	29	4.39	0.12		
						2002	3.90	4.50	29	4.19	0.14		
						2003	3.90	4.50	29	4.19	0.17		
						2004	3.90	4.50	29	4.19	0.16		
						2005	4.00	4.10	40	4.04	0.19		
						2006	3.70	4.10	40	3.89	0.18	SEALCOAT	2006
4	I-84	001010	207.257	207.750	DES	1997	3.50	5.00	46	4.23	0.03	SEALCOAT	1997
						1998	3.20	5.00	42	4.08	0.05		
						1999	3.40	5.00	42	4.18	0.07		
						2000	3.40	5.00	42	4.18	0.10		
						2001	3.50	5.00	42	4.23	0.10		
						2002	3.30	5.00	29	4.13	0.14		
						2003	3.60	5.00	29	4.28	0.17		
						2004	3.50	4.80	29	4.13	0.16		
						2005	3.50	4.00	34	3.74	0.18		
						2006	3.50	4.00	34	3.74	0.16	SEALCOAT	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	I-84	001010	207.750	211.203	ASC	1997	3.40	4.70	27	4.04	0.04	
						1998	3.40	4.40	42	3.89	0.05	
						1999	3.30	4.00	37	3.64	0.07	
						2000	3.20	4.00	37	3.59	0.06	
						2001	3.10	2.30	30	2.70	0.09	
						2002	2.60	2.30	30	2.45	0.11	
						2003	2.50	2.30	30	2.40	0.14	
						2004	2.50	2.30	30	2.40	0.15	
						2005	2.40	2.20	39	2.30	0.17	
						2006	3.60	2.20	39	2.91	0.14	SEALCOAT
4	I-84	001010	207.750	211.203	DES	1997	3.90	4.50	35	4.19	0.04	
						1998	3.70	4.20	40	3.94	0.05	
						1999	3.60	3.50	41	3.55	0.08	
						2000	3.50	2.90	41	3.20	0.07	
						2001	3.40	2.70	41	3.05	0.10	
						2002	2.90	2.50	41	2.70	0.13	
						2003	2.70	2.30	30	2.50	0.12	
						2004	2.60	2.30	30	2.45	0.14	
						2005	2.50	2.20	44	2.35	0.17	
						2006	2.20	2.20	44	2.20	0.14	SEALCOAT
4	I-84	001010	211.203	216.037	ASC	1997	3.80	4.30	29	4.04	0.03	
						1998	3.70	3.80	35	3.74	0.05	
						1999	3.50	3.80	36	3.64	0.07	
						2000	3.40	3.80	36	3.59	0.07	
						2001	3.20	2.50	30	2.85	0.11	
						2002	2.80	2.50	30	2.65	0.10	
						2003	2.60	2.40	30	2.50	0.13	
						2004	2.60	2.30	30	2.45	0.15	
						2005	2.40	2.30	43	2.35	0.17	
						2006	3.60	2.30	43	2.96	0.19	
4	I-84	001010	211.203	216.037	DES	1997	3.90	4.20	35	4.04	0.04	
						1998	3.60	4.20	42	3.89	0.07	
						1999	3.60	3.90	44	3.74	0.10	
						2000	3.40	3.90	44	3.64	0.08	
						2001	3.40	2.50	44	2.95	0.14	
						2002	3.10	2.50	44	2.80	0.15	
						2003	3.10	2.40	30	2.75	0.14	
						2004	3.10	2.30	30	2.70	0.17	
						2005	3.00	2.30	43	2.65	0.18	
						2006	2.80	2.30	43	2.55	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX	RUT DEPTH	REMARKS
4	I-84	001010	216.037	222.480	ASC	1997	3.70	2.90	33	3.30	0.27	
						1998	3.70	2.90	39	3.30	0.31	
						*1999	3.70	2.90	37	3.30	0.32	
						2000	2.90	3.80	39	3.34	0.32	RUT FILLING
						2001	3.70	3.30	51	3.50	0.11	
						2002	3.30	3.20	51	3.25	0.15	
						2003	3.20	2.40	51	2.80	0.18	
						2004	3.00	2.30	51	2.65	0.18	
						2005	3.50	2.30	42	2.90	0.22	
						2006	3.20	2.30	42	2.75	0.25	
4	I-84	001010	216.037	222.480	DES	1997	3.20	2.50	46	2.85	0.13	
						1998	3.10	2.50	51	2.80	0.16	
						*1999	3.10	2.40	52	2.75	0.21	
						2000	3.40	4.00	42	3.69	0.28	RUT FILLING
						2001	4.00	4.00	57	4.00	0.11	
						2002	3.60	3.80	57	3.69	0.17	
						2003	3.40	2.40	57	2.90	0.21	
						2004	3.40	2.40	57	2.90	0.19	
						2005	3.60	2.40	51	3.00	0.21	
						2006	3.60	2.30	51	2.95	0.18	
4	I-84	001010	222.480	228.000	ASC	1997	3.70	2.90	33	3.30	0.27	
						1998	3.70	2.90	39	3.30	0.31	
						*1999	3.70	2.90	37	3.30	0.32	
						2000	3.00	5.00	37	3.99	0.10	MILL INLAY AND OVERLAY
						2001	3.90	5.00	55	4.44	0.14	
						2002	3.70	5.00	55	4.34	0.18	
						2003	3.70	5.00	55	4.34	0.21	
						2004	3.70	5.00	55	4.34	0.20	
						2005	3.70	5.00	56	4.34	0.22	
						2006	3.70	4.70	56	4.19	0.27	
4	I-84	001010	222.480	228.000	DES	1997	3.20	2.50	46	2.85	0.13	
						1998	3.10	2.50	51	2.80	0.16	
						*1999	3.10	2.40	52	2.75	0.21	
						2000	3.20	5.00	54	4.09	0.14	MILL INLAY AND OVERLAY
						2001	4.00	5.00	59	4.49	0.14	
						2002	3.80	5.00	59	4.39	0.16	
						2003	3.80	5.00	59	4.39	0.19	
						2004	3.80	5.00	59	4.39	0.16	
						2005	3.80	5.00	60	4.39	0.18	
						2006	3.80	5.00	60	4.39	0.21	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	I-84	001010	228.000	229.300	ASC	1997	3.70	2.90	33	3.30	0.27		
						1998	3.70	2.90	39	3.30	0.31		
						*1999	3.70	2.90	37	3.30	0.32		
							2000	3.60	5.00	42	4.29	0.19	MILL INLAY AND OVERLAY
							2001	4.00	5.00	57	4.49	0.12	
							2002	3.80	5.00	57	4.39	0.12	
							2003	3.90	5.00	57	4.44	0.13	
							2004	3.80	5.00	57	4.39	0.11	
							2005	3.80	4.90	63	4.34	0.12	
							2006	3.90	4.90	63	4.39	0.12	
4	I-84	001010	228.000	229.300	DES	1997	3.20	2.50	46	2.85	0.13		
						1998	3.10	2.50	51	2.80	0.16		
						*1999	3.10	2.40	52	2.75	0.21		
							2000	3.10	2.40	57	2.75	0.21	MILL INLAY AND OVERLAY
							2001	4.20	5.00	60	4.59	0.08	
							2002	4.00	5.00	60	4.49	0.10	
							2003	4.00	5.00	60	4.49	0.11	
							2004	4.00	5.00	60	4.49	0.09	
							2005	3.90	5.00	59	4.44	0.10	
							2006	4.00	5.00	59	4.49	0.11	
4	I-84	001010	229.300	237.200	ASC	1997	3.70	2.40	38	3.05	0.15		
						1998	3.60	2.40	51	3.00	0.18		
						1999	3.60	2.40	49	3.00	0.20		
							2000	3.50	2.40	49	2.95	0.19	
						*2001	3.60	2.40	46	3.00	0.27		
							2002	3.60	5.00	45	4.29	0.19	C.R.A.B.S.
							2003	3.50	5.00	45	4.24	0.22	C.R.A.B.S.
							2004	3.50	5.00	45	4.24	0.19	
							2005	3.40	5.00	54	4.19	0.24	
							2006	3.30	5.00	54	4.14	0.23	SEALCOAT
4	I-84	001010	229.300	237.200	DES	1997	3.50	2.50	47	3.00	0.33		
						1998	3.40	2.50	53	2.95	0.49		
						1999	3.40	2.50	53	2.95	0.46		
							2000	3.40	2.50	53	2.95	0.48	
						*2001	3.40	2.50	49	2.95	0.50		
							2002	3.10	2.40	49	2.75	0.52	C.R.A.B.S.
							2003	3.90	5.00	49	4.44	0.17	C.R.A.B.S.
							2004	3.90	5.00	49	4.44	0.16	
							2005	3.90	5.00	60	4.44	0.17	
							2006	3.60	5.00	60	4.29	0.16	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS					
										INDEX	DEPTH						
4	I-84	001010	237.200	239.400	ASC	1997	3.70	2.40	38	3.05	0.15						
						1998	3.60	2.40	51	3.00	0.18						
						1999	3.60	2.40	49	3.00	0.20						
						2000	3.50	2.40	49	2.95	0.19						
						*2001	3.60	2.40	46	3.00	0.27						
						2002	3.90	5.00	48	4.44	0.28						
						2003	3.90	5.00	48	4.44	0.34	C.R.A.B.S.					
						2004	3.90	5.00	48	4.44	0.38						
						2005	3.90	4.80	49	4.34	0.32						
						2006	3.90	4.80	49	4.34	0.34	SEALCOAT					
																	2006
						4	I-84	001010	237.200	239.400	DES	1997	3.50	2.50	47	3.00	0.33
1998	3.40	2.50	53	2.95	0.49												
1999	3.40	2.50	53	2.95	0.46												
2000	3.40	2.50	53	2.95	0.48												
*2001	3.40	2.50	49	2.95	0.50												
2002	3.30	2.50	48	2.90	0.52												
2003	3.90	5.00	48	4.44	0.15							C.R.A.B.S.					
2004	3.90	5.00	48	4.44	0.14												
2005	3.90	5.00	62	4.44	0.16												
2006	3.60	5.00	62	4.29	0.14							SEALCOAT					
																	2006
4	I-84	001010	239.400	245.200	ASC							1997	3.90	3.50	43	3.70	0.12
						1998	3.90	3.50	54	3.70	0.17						
						1999	3.80	3.50	53	3.65	0.18						
						*2000	3.80	3.50	53	3.65	0.22						
						2001	3.90	3.50	51	3.70	0.19						
						2002	3.70	3.50	51	3.60	0.18						
						2003	3.70	3.50	51	3.60	0.21						
						2004	3.70	3.50	51	3.60	0.24						
						2005	3.70	3.50	52	3.60	0.23						
						2006	3.70	3.50	52	3.60	0.17	SEALCOAT					
																	2006
						4	I-84	001010	239.400	245.200	DES	1997	3.40	2.20	50	2.80	0.09
1998	3.30	2.20	54	2.75	0.14												
1999	3.20	2.20	53	2.70	0.14												
*2000	3.10	2.20	53	2.65	0.16												
2001	3.70	2.80	50	3.25	0.14												
2002	3.40	2.60	50	3.00	0.15												
2003	4.00	5.00	50	4.49	0.17												
2004	4.00	5.00	50	4.49	0.16												
2005	4.00	5.00	60	4.49	0.16												
2006	3.70	5.00	60	4.34	0.15							SEALCOAT					
																	2006

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	I-84	001010	245.200	253.000	ASC	1997	3.90	3.50	43	3.70	0.12	
						1998	3.90	3.50	54	3.70	0.17	
						1999	3.80	3.50	53	3.65	0.18	
						*2000	3.80	3.50	53	3.65	0.22	C.R.A.B.S.
						2001	3.80	3.50	52	3.65	0.24	
						2002	3.70	3.50	52	3.60	0.28	
						2003	3.70	3.50	52	3.60	0.34	
						2004	3.70	3.50	52	3.60	0.33	
						2005	3.70	3.20	59	3.45	0.36	
						2006	3.80	3.20	59	3.50	0.32	SEALCOAT
4	I-84	001010	245.200	253.000	DES	1997	3.40	2.20	50	2.80	0.09	
						1998	3.30	2.20	54	2.75	0.14	
						1999	3.20	2.20	53	2.70	0.14	
						*2000	3.10	2.20	53	2.65	0.16	
						2001	4.10	5.00	60	4.54	0.03	C.R.A.B.S.
						2002	3.70	5.00	60	4.34	0.12	
						2003	3.70	5.00	60	4.34	0.13	
						2004	3.70	5.00	60	4.34	0.14	
						2005	3.60	4.80	60	4.19	0.17	
						2006	3.50	4.80	60	4.14	0.11	SEALCOAT
4	I-84	001010	253.000	254.230	ASC	1997	3.20	2.50	44	2.85	0.23	
						1998	2.90	2.50	39	2.70	0.19	
						1999	3.10	2.50	42	2.80	0.16	
						2000	3.00	2.50	42	2.75	0.19	
						2001	3.40	5.00	36	4.19	0.04	C.R.A.B.S.
						2002	3.40	5.00	36	4.19	0.13	
						2003	3.30	5.00	36	4.14	0.19	
						2004	3.30	5.00	36	4.14	0.16	
						2005	3.10	4.00	42	3.54	0.21	
						2006	3.30	4.00	42	3.64	0.11	SEALCOAT
4	I-84	001010	253.000	254.230	DES	1997	3.50	1.60	44	2.55	0.14	
						1998	3.40	1.60	48	2.50	0.19	
						1999	3.40	1.60	46	2.50	0.19	
						2000	3.30	1.60	46	2.45	0.20	
						2001	3.80	5.00	59	4.39	0.03	C.R.A.B.S.
						2002	3.60	5.00	59	4.29	0.09	
						2003	3.70	5.00	59	4.34	0.11	
						2004	3.60	5.00	59	4.29	0.11	
						2005	3.60	3.90	61	3.74	0.14	
						2006	3.20	3.90	61	3.54	0.17	SEALCOAT

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	001010	254.230	261.016	ASC	1997	4.20	5.00	44	4.59	0.03	
						1998	4.10	5.00	50	4.54	0.05	
						1999	4.10	5.00	50	4.54	0.06	
						2000	4.10	5.00	50	4.54	0.06	
						2001	4.10	4.50	40	4.29	0.07	C.R.A.B.S.
						2002	3.90	4.50	40	4.19	0.09	
						2003	3.90	4.50	40	4.19	0.10	
						2004	3.90	4.50	40	4.19	0.08	
						2005	3.90	4.50	48	4.19	0.10	
						2006	3.90	3.40	48	3.65	0.11	
4	I-84	001010	254.230	261.016	DES	1997	4.30	5.00	48	4.64	0.03	
						1998	4.20	5.00	52	4.59	0.05	
						1999	4.20	5.00	52	4.59	0.05	
						2000	4.20	4.60	52	4.39	0.06	
						2001	4.20	4.60	47	4.39	0.07	C.R.A.B.S.
						2002	3.90	4.60	47	4.24	0.09	
						2003	4.00	4.60	47	4.29	0.10	
						2004	3.90	4.60	47	4.24	0.09	
						2005	3.90	4.20	51	4.04	0.10	
						2006	3.90	4.20	51	4.04	0.11	
4	I-84	001010	261.016	263.100	ASC	1997	4.20	5.00	47	4.59	0.04	
						1998	4.20	5.00	52	4.59	0.05	
						1999	4.20	5.00	49	4.59	0.06	
						2000	4.20	5.00	49	4.59	0.08	
						2001	4.20	5.00	41	4.59	0.07	
						2002	3.90	5.00	41	4.44	0.09	
						2003	3.90	5.00	41	4.44	0.10	
						2004	3.90	5.00	41	4.44	0.08	
						2005	3.90	4.50	59	4.19	0.09	
						2006	3.90	4.50	59	4.19	0.12	
4	I-84	001010	261.016	263.100	DES	1997	4.40	4.70	45	4.54	0.02	
						1998	4.30	4.70	50	4.49	0.04	
						1999	4.30	4.70	50	4.49	0.05	
						2000	4.30	4.70	50	4.49	0.06	
						2001	4.30	4.70	48	4.49	0.06	
						2002	3.90	4.70	48	4.29	0.07	
						2003	3.90	4.70	48	4.29	0.09	
						2004	3.90	4.70	48	4.29	0.08	
						2005	4.00	4.70	50	4.34	0.09	
						2006	3.90	4.50	50	4.19	0.11	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS						
										INDEX	DEPTH							
4	I-84	001010	263.100	269.000	ASC	1997	4.30	4.60	45	4.44	0.07							
						*1998	4.30	4.60	49	4.44	0.11							
						1999	4.10	4.60	46	4.34	0.11							
						2000	4.30	4.60	46	4.44	0.12							
						2001	4.30	4.50	42	4.39	0.15							
						2002	4.00	4.40	42	4.19	0.18							
						2003	4.00	4.40	42	4.19	0.23							
						2004	4.00	4.00	42	4.00	0.22							
						2005	4.00	4.00	44	4.00	0.23							
						2006	3.90	3.90	44	3.90	0.23							
						4	I-84	001010	263.100	269.000	DES	1997	4.30	5.00	39	4.64	0.09	
												*1998	4.30	5.00	41	4.64	0.14	
1999	4.40	5.00	37	4.69	0.11													
2000	4.30	4.50	37	4.39	0.14													
2001	4.40	4.50	42	4.44	0.16													
2002	3.90	4.40	42	4.14	0.20													
2003	3.90	4.40	42	4.14	0.24													
2004	3.90	4.00	42	3.94	0.23													
2005	3.90	4.00	42	3.94	0.22													
2006	3.90	4.00	42	3.94	0.27													
4	I-84	001010	269.000	275.650	ASC							1997	4.30	4.60	45	4.44	0.07	
												*1998	4.30	4.60	49	4.44	0.11	
						1999	2.70	5.00	51	3.83	0.28	NEW CONST OR RECONST (FLEX)	1999					
						2000	4.40	5.00	51	4.69	0.12							
						2001	4.30	5.00	57	4.64	0.15							
						2002	4.00	5.00	57	4.49	0.15							
						2003	4.00	5.00	57	4.49	0.15							
						2004	4.00	5.00	57	4.49	0.15							
						2005	4.00	4.80	64	4.39	0.18							
						2006	4.00	4.80	64	4.39	0.17							
						4	I-84	001010	269.000	275.650	DES	1997	4.30	5.00	39	4.64	0.09	
												*1998	4.30	5.00	41	4.64	0.14	
1999	3.10	5.00	50	4.04	0.53							NEW CONST OR RECONST (FLEX)	1999					
2000	4.10	5.00	50	4.54	0.03													
2001	4.10	4.60	61	4.34	0.09													
2002	3.80	4.60	61	4.19	0.10													
2003	3.80	4.60	61	4.19	0.11													
2004	3.80	4.60	61	4.19	0.09													
2005	3.80	4.00	64	3.89	0.10													
2006	3.80	4.00	64	3.89	0.10													

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	I-84	002040	169.447	171.550	N	1997	3.00	3.50	49	3.27	0.15	
						1998	2.90	3.50	49	3.23	0.20	
						1999	2.90	3.50	49	3.23	0.19	
						2000	2.90	3.50	50	3.23	0.19	
						2001	2.90	2.60	61	2.73	0.19	
						2002	3.00	2.60	61	2.77	0.21	
						2003	2.80	2.40	61	2.57	0.22	
						2004	2.80	2.40	61	2.57	0.21	
						2005	2.90	2.40	64	2.62	0.20	
						2006	2.90	2.40	64	2.62	0.21	
4	I-84	002040	171.550	172.604	N	1997	3.10	3.50	37	3.33	0.33	
						1998	3.00	3.50	37	3.29	0.35	
						1999	3.00	3.50	37	3.29	0.49	
						2000	3.10	3.50	50	3.33	0.48	
						2001	3.10	3.50	61	3.33	0.52	
						2002	3.00	3.50	61	3.29	0.53	
						2003	3.00	3.50	61	3.29	0.61	
						2004	3.00	3.50	61	3.29	0.59	
						2005	4.00	3.50	64	3.70	0.08	
						2006	3.90	3.50	64	3.66	0.12	
4	I-84	002040	257.538	258.038	N	1997	3.00	3.40	30	3.22	0.13	
						1998	2.70	3.00	30	2.86	0.18	
						1999	2.70	2.50	30	2.58	0.23	
						2000	2.60	2.10	50	2.31	0.19	
						2001	2.80	2.10	61	2.40	0.14	
						2002	2.70	2.10	61	2.35	0.18	
						2003	2.70	2.10	61	2.35	0.27	MILL AND INLAY
						2004	3.50	5.00	61	4.35	0.08	
						2005	3.50	5.00	64	4.35	0.10	
						2006	3.30	5.00	64	4.26	0.12	
4	I-84	002040	258.038	258.404	N	1997	2.50	3.00	30	2.78	0.28	
						1998	2.40	3.00	30	2.73	0.27	
						1999	2.40	2.50	30	2.45	0.29	
						2000	2.40	2.50	50	2.45	0.33	
						2001	2.40	2.30	61	2.34	0.29	
						2002	2.40	2.20	61	2.28	0.26	
						2003	2.50	2.20	61	2.33	0.32	MILL AND INLAY
						2004	3.40	5.00	61	4.30	0.16	
						2005	3.60	5.00	64	4.38	0.17	
						2006	3.30	5.00	64	4.25	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

2003

2003

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	002040	258.404	258.900	N	1997	2.70	3.00	28	2.86	0.13	
						1998	2.50	3.00	28	2.76	0.18	
						1999	2.50	3.00	28	2.76	0.18	
						2000	2.50	2.50	50	2.50	0.17	
						2001	2.50	2.50	61	2.50	0.19	
						2002	2.50	2.40	61	2.44	0.16	
						2003	2.30	2.40	61	2.35	0.27	MILL AND INLAY
						2004	3.40	5.00	61	4.25	0.14	
						2005	3.40	5.00	64	4.26	0.16	
						2006	3.10	5.00	64	4.12	0.16	
4	I-84	002040	258.900	260.899	N	1997	3.40	5.00	20	4.26	0.07	
						1998	3.30	5.00	20	4.21	0.10	
						1999	3.30	5.00	20	4.21	0.12	
						2000	3.20	5.00	50	4.16	0.11	
						2001	3.40	4.70	61	4.10	0.15	
						*2002	3.50	4.70	61	4.14	0.16	
						2003	3.00	5.00	61	4.08	0.18	
						2004	3.00	4.20	61	3.64	0.11	
						2005	3.00	4.20	64	3.64	0.15	
						2006	2.90	4.20	64	3.60	0.18	
4	I-84	002040	260.899	261.840	ASC	1998	3.80	5.00	32	4.45	0.17	
						1999	3.80	5.00	32	4.45	0.19	
						2000	3.60	5.00	50	4.36	0.15	
						2001	3.80	4.50	61	4.18	0.23	
						2002	3.50	4.50	61	4.04	0.26	
						2003	3.40	4.50	61	4.00	0.30	
						2004	3.50	3.90	61	3.71	0.29	
						2005	3.50	3.90	64	3.71	0.32	
						2006	3.30	3.90	64	3.62	0.31	
4	I-84	002040	260.899	261.840	DES	1998	3.60	5.00	38	4.36	0.15	
						1999	3.40	5.00	38	4.27	0.18	
						2000	3.50	4.70	50	4.15	0.19	
						2001	3.50	4.70	61	4.15	0.21	
						2002	3.30	4.70	61	4.06	0.24	
						2003	3.40	4.70	61	4.11	0.21	
						2004	3.40	4.40	61	3.94	0.20	
						2005	3.40	4.40	64	3.94	0.21	
						2006	3.20	4.40	64	3.85	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	I-84	002240	138.600	138.970	N	1997	2.40	3.50	37	3.04	0.20		
						1998	2.40	3.50	37	3.04	0.24		
						1999	2.40	3.50	37	3.04	0.30		
						2000	2.40	3.50	50	3.04	0.25		
						2001	2.40	3.50	61	3.04	0.31		
						2002	2.30	3.50	61	3.00	0.27		
						2003	2.30	3.50	61	3.00	0.40		
						2004	2.20	3.50	61	2.95	0.37		
						2005	3.10	3.50	64	3.33	0.09		
						2006	3.20	3.50	64	3.37	0.12		
4	I-84	002290	021.807	022.440	N	1997	2.60	3.70	33	3.21	0.23		
						1998	2.60	3.70	33	3.20	0.23		
						1999	2.60	3.70	33	3.21	0.28		
						2000	2.40	2.90	50	2.67	0.30		
						2001	2.50	2.70	61	2.61	0.27		
						2002	2.40	2.70	61	2.56	0.36		
						2003	2.50	2.70	61	2.61	0.33	MILL AND INLAY	2003
						2004	3.00	5.00	61	4.10	0.10		
						2005	3.20	5.00	64	4.18	0.11	SEALCOAT	2005
						2006	2.80	5.00	64	4.00	0.14		
4	I-84	002290	022.440	022.690	N	1997	2.50	3.90	29	3.23	0.22		
						1998	2.50	3.90	29	3.22	0.29		
						*1999	2.40	3.90	29	3.17	0.32		
						2000	2.30	3.60	50	3.01	0.18		
						2001	2.80	3.60	61	3.24	0.29		
						2002	2.70	2.70	61	2.70	0.21		
						2003	2.70	2.70	61	2.70	0.38	MILL AND INLAY	2003
						2004	3.40	5.00	61	4.28	0.18		
						2005	3.40	5.00	64	4.27	0.22	SEALCOAT	2005
						2006	3.10	5.00	64	4.14	0.22		
4	I-84	002290	022.690	023.256	N	1997	2.10	1.90	33	1.99	0.36		
						*1998	2.10	1.90	33	1.99	0.47		
						*1999	2.40	3.90	29	3.17	0.32		
						2000	2.70	5.00	50	3.90	0.09		
						2001	2.70	5.00	61	3.90	0.10		
						2002	2.80	5.00	61	3.95	0.13	SEALCOAT	2002
						2003	2.80	5.00	61	3.95	0.20	MILL AND INLAY	2003
						2004	3.00	5.00	61	4.04	0.13		
						2005	2.90	5.00	64	3.99	0.18	SEALCOAT	2005
						2006	2.90	5.00	64	3.99	0.20		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL INDEX	RUT DEPTH	REMARKS
4	I-84	002290	023.256	023.590	N	1997	2.10	1.90	33	1.99	0.36	
						*1998	2.10	1.90	33	1.99	0.47	
						1999	3.00	5.00	35	4.04	0.06	PLANT MIX OVERLAY 1999
						2000	2.70	4.70	50	3.76	0.10	
						2001	2.80	4.70	61	3.81	0.09	
						2002	2.80	4.70	61	3.81	0.15	SEALCOAT 2002
						2003	2.50	4.70	61	3.67	0.22	
						2004	2.40	4.70	61	3.62	0.21	
						2005	2.60	4.70	64	3.71	0.24	SEALCOAT 2005
						2006	2.20	2.40	64	2.30	0.29	
4	I-84	002290	023.590	024.106	ASC	1997	1.70	2.20	32	1.97	0.25	
						1998	1.60	2.00	32	1.81	0.28	
						1999	2.40	5.00	32	3.82	0.05	PLANT MIX OVERLAY 1999
						2000	2.60	5.00	50	3.91	0.06	
						2001	2.50	5.00	61	3.86	0.07	
						2002	2.60	5.00	61	3.91	0.08	SEALCOAT 2002
						2003	2.50	5.00	61	3.86	0.12	
						2004	2.50	5.00	61	3.86	0.08	
						2005	2.40	5.00	64	3.82	0.11	SEALCOAT 2005
						2006	2.30	2.40	64	2.35	0.12	
4	I-84	002290	023.590	024.106	DES	1997	1.70	1.50	32	1.59	0.25	
						1998	2.00	1.50	32	1.72	0.13	
						1999	2.90	5.00	32	4.04	0.08	PLANT MIX OVERLAY 1999
						2000	2.90	5.00	50	4.04	0.10	
						2001	3.00	5.00	61	4.09	0.08	
						2002	3.00	5.00	61	4.09	0.12	SEALCOAT 2002
						2003	2.20	5.00	61	3.73	0.14	
						2004	2.20	4.00	61	3.18	0.10	
						2005	2.10	3.00	64	2.59	0.11	SEALCOAT 2005
						2006	1.90	3.00	64	2.50	0.13	
4	I-86	001260	000.000	008.000	ASC	1997	3.70	5.00	38	4.34	0.05	SEALCOAT 1997
						1998	3.60	4.00	38	3.79	0.08	
						1999	3.60	3.90	55	3.74	0.08	
						2000	3.50	3.40	55	3.45	0.10	
						2001	3.60	2.40	46	3.00	0.11	
						2002	3.20	2.40	46	2.80	0.13	
						2003	3.10	2.40	46	2.75	0.15	
						2004	3.10	2.30	46	2.70	0.14	
						2005	3.10	2.30	64	2.70	0.15	
						2006	3.80	2.30	64	3.05	0.08	
4	I-86	001260	000.000	008.000	DES	1997	4.20	5.00	46	4.59	0.04	SEALCOAT 1997
						1998	4.10	5.00	59	4.54	0.09	
						1999	4.10	4.60	59	4.34	0.08	
						2000	4.00	4.40	59	4.19	0.07	
						2001	4.00	3.70	59	3.85	0.11	
						2002	3.70	3.70	59	3.70	0.12	
						2003	3.70	2.70	46	3.20	0.13	

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
4	I-86	001260	008.000	014.818	ASC	2004	3.60	2.40	46	3.00	0.13								
						2005	3.60	2.30	64	2.95	0.15								
						2006	3.50	2.30	64	2.90	0.14								
						1997	4.10	5.00	40	4.54	0.04	SEALCOAT	1997						
						1998	4.00	4.00	40	4.00	0.09								
						1999	3.90	3.60	59	3.75	0.11								
						2000	3.80	3.00	59	3.40	0.13								
						2001	3.80	2.40	41	3.10	0.14								
						2002	3.30	2.40	41	2.85	0.16								
						2003	3.20	2.30	41	2.75	0.19								
						2004	3.20	2.20	41	2.70	0.18								
						2005	3.20	2.20	64	2.70	0.21								
2006	3.60	2.20	64	2.90	0.15														
4	I-86	001260	008.000	014.818	DES	1997	4.00	5.00	47	4.49	0.11	SEALCOAT	1997						
						1998	3.80	4.00	55	3.89	0.19								
						1999	3.80	4.00	56	3.89	0.20								
						2000	3.80	4.00	56	3.89	0.21								
						2001	3.90	4.00	56	3.94	0.24								
						2002	3.50	4.00	56	3.74	0.26								
						2003	3.50	3.00	41	3.25	0.28								
						2004	3.50	3.00	41	3.25	0.28								
						2005	3.50	2.90	64	3.20	0.30								
						2006	3.40	2.70	64	3.05	0.29								
						4	U.S.-93	002040	211.480	212.094	N	1997	2.80	5.00	22	3.92	0.09	NEW CONST OR RECONST (FLEX)	1997
												1998	3.70	5.00	30	4.37	0.06		
2000	3.70	5.00	38	4.37	0.10														
2001	3.70	5.00	38	4.37	0.09														
2002	3.60	5.00	38	4.32	0.12														
2003	3.50	5.00	41	4.27	0.15														
2004	3.50	5.00	41	4.27	0.15														
2005	3.50	5.00	64	4.27	0.15							SEALCOAT	2005						
2006	3.50	5.00	64	4.27	0.12														
4	U.S.-93	002040	212.094	213.064	N							1997	2.70	1.50	28	2.08	0.25	NEW CONST OR RECONST (FLEX)	1997
												*1998	3.00	1.50	28	2.23	0.27		
												1999	3.70	5.00	36	4.36	0.06		
						2000	3.60	5.00	36	4.32	0.07								
						2001	3.70	5.00	36	4.37	0.10								
						2002	3.50	5.00	36	4.27	0.13								
						2003	3.40	5.00	41	4.22	0.11								
						2004	3.40	5.00	41	4.22	0.11								
						2005	3.40	5.00	64	4.22	0.09	SEALCOAT	2005						
						2006	3.30	5.00	64	4.17	0.11								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS						
										INDEX	DEPTH								
4	U.S.-93	002040	213.064	215.346	N	1997	2.70	1.50	28	2.08	0.25	NEW CONST OR RECONST (FLEX)	1997						
						*1998	3.00	1.50	28	2.23	0.27								
						1999	2.40	5.00	31	3.73	0.34	NEW CONST OR RECONST (FLEX)	1999						
						2000	3.90	5.00	36	4.46	0.04								
						2001	3.90	5.00	36	4.46	0.09								
						2002	3.80	5.00	36	4.41	0.10								
						2003	3.70	5.00	41	4.36	0.12								
						2004	3.70	5.00	41	4.36	0.10								
						2005	3.80	5.00	64	4.41	0.09	SEALCOAT	2005						
						2006	3.70	5.00	64	4.36	0.12								
						4	U.S.-93	002040	215.346	215.633	N	1997	2.90	3.50	23	3.23	0.08		
												*1998	2.80	3.50	23	3.19	0.09		
1999	2.40	5.00	25	3.80	0.32							NEW CONST OR RECONST (FLEX)	1999						
2000	3.90	5.00	36	4.49	0.03														
2001	3.90	5.00	36	4.49	0.04														
2002	3.80	5.00	36	4.44	0.04														
2003	3.80	4.60	41	4.23	0.08														
*2004	3.80	4.60	41	4.23	0.05														
2005	3.80	4.60	64	4.23	0.06							SEALCOAT	2005						
2006	3.70	4.60	64	4.18	0.08							SEALCOAT	2006						
4	U.S.-93	002040	215.633	216.435	N							1997	2.90	3.50	23	3.23	0.08	SEALCOAT	1997
												*1998	2.80	3.50	23	3.19	0.09		
						1999	2.80	3.50	46	3.19	0.09								
						2000	3.10	3.50	46	3.32	0.09								
						2001	3.20	3.50	46	3.36	0.09								
						2002	3.20	3.50	46	3.36	0.10								
						2003	3.10	3.50	41	3.32	0.11								
						2004	3.10	3.50	41	3.32	0.10								
						2005	3.10	3.50	64	3.32	0.11								
						2006	3.10	3.50	64	3.32	0.12	SEALCOAT	2006						
						4	U.S.-93	002040	216.435	216.940	N	1997	3.30	3.80	18	3.58	0.05	SEALCOAT	1997
												1998	3.20	3.80	23	3.53	0.09		
1999	3.20	3.80	37	3.53	0.09														
2000	3.20	3.80	37	3.53	0.11														
2001	3.30	3.80	37	3.57	0.12														
2002	3.10	3.80	37	3.48	0.10														
2003	3.10	3.80	41	3.48	0.12														
2004	3.00	3.80	41	3.44	0.09														
2005	3.20	3.80	64	3.53	0.09														
2006	3.20	3.80	64	3.52	0.14							SEALCOAT	2006						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	U.S.-93	002043	217.199	217.282	N	1997	2.10	3.50	18	2.90	0.09		
						1998	2.20	3.50	23	2.94	0.23		
						1999	2.20	3.50	37	2.94	0.21		
						2000	2.10	3.50	37	2.90	0.16		
						2001	2.10	3.50	37	2.90	0.21		
						2002	1.80	3.50	37	2.74	0.28		
						2003	1.80	3.50	41	2.74	0.28		
						2004	1.80	3.50	41	2.74	0.28		
						2005	1.80	3.20	64	2.57	0.28		
						2006	3.20	3.20	64	3.20	0.14		
4	U.S.-93	002220	000.000	002.000	N	1997	4.00	2.50	23	3.21	0.11		
						1998	3.90	2.50	23	3.17	0.12		
						1999	3.90	2.50	32	3.16	0.18		
						2000	3.90	2.50	32	3.16	0.21		
						2001	3.80	2.50	32	3.11	0.25	MAJOR WIDENING	2001
						2002	3.30	2.50	32	2.88	0.28		
						2003	3.20	2.50	41	2.83	0.25	SEALCOAT	2003
						2004	3.20	2.40	41	2.78	0.28	SEALCOAT	2004
						2005	3.10	2.30	64	2.68	0.24		
						2006	2.90	2.30	64	2.58	0.28		
4	U.S.-93	002220	002.000	006.300	N	1997	3.60	2.50	26	3.02	0.11		
						1998	3.60	2.50	26	3.02	0.16		
						1999	3.60	2.50	41	3.02	0.16		
						2000	3.60	2.40	41	2.97	0.18		
						2001	3.60	2.40	41	2.97	0.20	MAJOR WIDENING	2001
						2002	3.30	2.40	41	2.82	0.23		
						2003	3.40	2.40	41	2.87	0.25	SEALCOAT	2003
						2004	3.40	2.30	41	2.82	0.24	SEALCOAT	2004
						2005	3.30	2.30	64	2.77	0.22		
						2006	3.30	2.30	64	2.77	0.24		
4	U.S.-93	002220	006.300	007.400	N	1997	3.70	2.40	29	3.02	0.14		
						1998	3.80	2.40	29	3.07	0.18		
						1999	3.70	2.40	46	3.01	0.20		
						2000	3.80	2.40	46	3.06	0.20		
						2001	3.80	2.40	46	3.06	0.24		
						2002	3.50	2.40	46	2.92	0.29		
						2003	3.50	2.40	41	2.92	0.33	SEALCOAT	2003
						2004	3.60	2.30	41	2.91	0.27	SEALCOAT	2004
						2005	3.40	2.30	64	2.82	0.29		
						2006	3.40	2.30	64	2.82	0.30		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-93	002220	007.400	013.154	N	1997	3.80	2.50	28	3.12	0.17	
						1998	3.80	2.50	28	3.12	0.20	
						1999	3.70	2.50	42	3.07	0.23	
						2000	3.70	2.50	42	3.07	0.25	
						2001	3.80	2.50	42	3.11	0.28	MAJOR WIDENING
						2002	3.50	2.50	42	2.97	0.32	2001
						2003	3.50	2.40	41	2.92	0.34	SEALCOAT
						2004	3.50	2.40	41	2.92	0.35	SEALCOAT
						2005	3.50	2.40	64	2.92	0.33	2004
						2006	3.50	2.40	64	2.92	0.32	
4	U.S.-93	002220	013.154	017.316	N	1997	3.90	2.90	29	3.37	0.17	
						1998	3.90	2.90	29	3.37	0.21	
						1999	3.90	2.90	46	3.37	0.23	
						2000	3.90	2.90	46	3.37	0.24	
						2001	3.90	2.70	46	3.27	0.23	MAJOR WIDENING
						2002	3.60	2.50	46	3.02	0.26	2001
						2003	3.60	2.50	41	3.02	0.27	SEALCOAT
						2004	3.60	2.30	41	2.91	0.28	SEALCOAT
						2005	3.60	2.10	64	2.81	0.27	2004
						2006	3.60	2.10	64	2.81	0.29	
4	U.S.-93	002220	017.316	020.300	N	1997	3.90	2.60	31	3.22	0.30	
						1998	4.00	2.50	31	3.21	0.33	
						1999	3.80	2.50	36	3.11	0.36	
						2000	3.80	2.40	36	3.06	0.41	
						2001	3.90	2.40	36	3.11	0.29	MAJOR WIDENING
						2002	3.50	5.00	36	4.28	0.11	2001
						2003	3.60	5.00	41	4.33	0.09	SEALCOAT
						2004	3.60	5.00	41	4.33	0.06	SEALCOAT
						2005	3.60	5.00	64	4.33	0.07	2004
						2006	3.70	3.90	64	3.80	0.11	
4	U.S.-93	002220	020.300	026.160	N	1997	3.90	4.00	19	3.95	0.25	
						1998	3.90	4.00	19	3.95	0.31	
						1999	3.90	4.00	38	3.95	0.34	
						2000	3.80	4.00	38	3.90	0.36	
						2001	3.80	4.00	38	3.90	0.37	
						2002	3.60	4.00	38	3.80	0.44	
						2003	3.50	4.00	41	3.76	0.09	SEALCOAT
						2004	3.50	4.00	41	3.76	0.06	SEALCOAT
						2005	3.50	4.00	64	3.76	0.07	2003
						2006	3.50	4.00	64	3.76	0.10	2004

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	U.S.-93	002220	026.160	028.000	N	1997	3.60	3.50	47	3.54	0.22		
						1998	3.60	3.50	47	3.54	0.25		
						1999	3.60	3.50	32	3.54	0.30		
						2000	3.50	3.50	32	3.50	0.32		
						2001	3.60	3.50	32	3.54	0.34		
						2002	3.40	3.50	32	3.45	0.38		
						2003	3.40	5.00	41	4.23	0.07	SEALCOAT	2003
						2004	3.40	5.00	41	4.23	0.05	SEALCOAT	2004
						2005	3.40	5.00	64	4.23	0.05		
						2006	3.40	4.50	64	3.97	0.09		
4	U.S.-93	002220	028.000	030.000	N	1997	3.70	3.50	30	3.59	0.22		
						1998	3.70	3.50	30	3.59	0.28		
						1999	3.70	3.50	35	3.59	0.30		
						2000	3.40	3.50	41	3.45	0.25		
						2001	3.50	3.50	41	3.50	0.22		
						2002	3.20	3.50	41	3.35	0.26		
						*2003	3.70	5.00	41	4.37	0.05		
						2004	3.70	4.80	41	4.27	0.05	SEALCOAT	2004
						2005	3.60	4.80	64	4.22	0.04		
						2006	3.60	4.80	64	4.22	0.06		
4	U.S.-93	002220	030.000	032.556	N	1997	4.00	3.50	23	3.73	0.20		
						1998	4.00	3.50	23	3.73	0.25		
						1999	4.10	3.50	41	3.78	0.28		
						2000	4.00	3.50	41	3.73	0.30		
						2001	4.10	3.50	41	3.78	0.33		
						2002	3.70	3.50	41	3.59	0.36		
						2003	3.70	3.50	41	3.59	0.39		
						2004	3.70	5.00	41	4.38	0.37	SEALCOAT	2004
						2005	3.80	5.00	64	4.42	0.06		
						2006	3.80	5.00	64	4.42	0.09		
4	U.S.-93	002220	032.556	034.810	N	1997	3.90	4.00	21	3.95	0.14		
						1998	4.00	4.00	21	4.00	0.22		
						1999	4.00	4.00	34	4.00	0.26		
						2000	3.90	4.00	34	3.95	0.28		
						2001	4.00	4.00	34	4.00	0.30		
						2002	3.60	4.00	34	3.80	0.39		
						*2003	3.60	4.00	41	3.80	0.37		
						2004	3.60	5.00	41	4.33	0.38	SEALCOAT	2004
						2005	3.80	5.00	64	4.42	0.05		
						2006	3.80	5.00	64	4.42	0.07		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
4	U.S.-93	002220	034.810	041.005	N	1997	3.90	4.00	21	3.95	0.14								
						1998	4.00	4.00	21	4.00	0.22								
						1999	4.00	4.00	34	4.00	0.26								
						2000	3.90	4.00	34	3.95	0.28								
						2001	4.00	4.00	34	4.00	0.30								
						2002	3.60	4.00	34	3.80	0.39								
						*2003	3.60	4.00	41	3.80	0.37								
						2004	3.70	5.00	41	4.37	0.05	SEALCOAT	2004						
						2005	3.60	5.00	64	4.32	0.04								
						2006	3.60	5.00	64	4.32	0.06								
						4	U.S.-93	002220	041.005	041.600	N	1997	2.50	5.00	30	3.80	0.16	NEW CONST OR RECONST (FLEX)	1997
												1998	3.70	5.00	30	4.37	0.04		
1999	3.50	5.00	57	4.28	0.04														
2000	3.50	5.00	57	4.28	0.04														
2001	3.50	4.80	57	4.17	0.06														
2002	3.60	4.80	57	4.22	0.05														
2003	3.60	4.80	41	4.22	0.07														
2004	3.60	5.00	41	4.32	0.05							SEALCOAT	2004						
2005	3.50	5.00	64	4.28	0.08														
2006	3.50	5.00	64	4.28	0.09														
4	U.S.-93	002220	046.549	047.345	N							*1997	2.30	3.00	21	2.69	0.16		
												1998	4.00	5.00	21	4.56	0.29	PLANT MIX OVERLAY	1998
						1999	2.50	4.60	46	3.68	0.06								
						2000	2.70	4.60	46	3.77	0.07								
						2001	2.90	4.60	46	3.85	0.08								
						2002	3.10	4.40	46	3.83	0.09								
						2003	3.00	4.40	41	3.78	0.09								
						2004	3.00	4.40	41	3.78	0.09								
						2005	3.00	4.00	64	3.56	0.09								
						2006	3.00	3.50	64	3.28	0.12								
						4	U.S.-93	002220	047.345	047.425	N	*1997	2.30	3.00	21	2.69	0.16		
												1998	4.00	5.00	21	4.56	0.29	PLANT MIX OVERLAY	1998
1999	2.50	4.60	46	3.68	0.06														
2000	2.70	4.60	46	3.77	0.07														
2001	2.90	4.60	46	3.85	0.08														
2002	3.10	4.40	46	3.83	0.09														
2003	3.00	4.40	41	3.78	0.09														
2004	3.00	4.40	41	3.78	0.09														
2005	3.00	4.00	64	3.56	0.09														
2006	2.60	5.00	64	3.94	0.16							NEW CONST OR RECONST (FLEX)	2006						

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS	
										INDEX	DEPTH		
4	U.S.-93	002220	047.425	047.750	N	*1997	2.30	3.00	21	2.69	0.16		
						1998	3.30	4.00	17	3.68	0.20		
						1999	2.10	4.00	40	3.12	0.29		
						2000	2.10	4.00	40	3.12	0.21		
						2001	2.20	4.00	40	3.17	0.31		
						2002	2.10	4.00	40	3.12	0.33		
						2003	2.00	4.00	41	3.07	0.28		
						2004	1.80	4.00	41	2.98	0.38		
						2005	1.70	4.00	64	2.93	0.34		
						2006	3.80	5.00	64	4.44	0.37	NEW CONST OR RECONST (FLEX)	2006
						1997	2.20	4.20	25	3.28	0.25		
						1998	2.10	4.20	25	3.23	0.22		
1999	2.30	4.20	47	3.31	0.29								
2000	2.30	4.20	47	3.31	0.23								
2001	2.40	4.20	47	3.36	0.38								
2002	2.50	4.20	47	3.41	0.35								
2003	2.40	4.20	41	3.36	0.37								
2004	2.50	4.20	41	3.40	0.34								
2005	2.50	4.20	64	3.40	0.32								
2006	3.80	4.20	64	4.01	0.38	NEW CONST OR RECONST (FLEX)	2006						
1997	2.30	3.50	26	2.95	0.15								
1998	2.20	3.50	26	2.91	0.16								
1999	2.20	3.50	54	2.91	0.23								
2000	2.20	3.50	54	2.91	0.19								
2001	2.20	3.50	54	2.91	0.27								
2002	2.50	2.40	54	2.44	0.21								
2003	2.40	2.40	41	2.40	0.20								
2004	2.40	2.00	41	2.18	0.18	RUT FILLING	2004						
2005	2.30	2.00	64	2.13	0.14								
2006	3.20	1.90	64	2.49	0.25	NEW CONST OR RECONST (FLEX)	2006						
1997	2.50	4.00	22	3.28	0.14								
1998	2.50	4.00	22	3.28	0.23								
1999	2.50	4.00	45	3.28	0.22								
2000	2.30	4.00	45	3.18	0.14								
2001	2.30	4.00	45	3.18	0.18								
2002	2.10	4.00	45	3.08	0.16								
2003	2.10	4.00	41	3.08	0.25								
2004	2.20	4.00	41	3.13	0.26	RUT FILLING	2004						
2005	2.40	4.00	64	3.22	0.19								
2006	2.10	4.00	64	3.08	0.22								

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-93	002220	050.135	052.682	ASC	1997	3.50	4.50	33	4.02	0.11	
						1998	3.40	4.50	33	3.97	0.16	
						1999	3.40	4.50	54	3.96	0.13	
						2000	3.40	4.50	54	3.97	0.18	
						2001	3.50	4.50	54	4.01	0.18	
						2002	3.40	4.50	54	3.97	0.21	
						2003	3.30	4.50	41	3.92	0.19	
						2004	3.30	4.50	41	3.91	0.21	
						2005	3.30	4.40	64	3.86	0.17	C.R.A.B.S.
						2006	3.80	5.00	64	4.41	0.11	2005
4	U.S.-93	002220	050.135	052.682	DES	1997	3.50	4.50	38	4.02	0.11	
						1998	3.60	4.50	38	4.06	0.17	
						1999	3.70	4.50	51	4.11	0.18	
						2000	3.60	4.50	51	4.06	0.17	
						2001	3.70	4.50	51	4.11	0.21	
						2002	3.50	4.50	51	4.01	0.25	
						2003	3.40	4.50	41	3.97	0.23	
						2004	3.40	4.50	41	3.96	0.18	
						2005	3.40	4.50	64	3.96	0.18	C.R.A.B.S.
						2006	3.90	5.00	64	4.46	0.10	2005
4	U.S.-93	002220	052.682	053.625	ASC	1997	3.50	4.50	33	4.02	0.11	
						1998	3.40	4.50	33	3.97	0.16	
						1999	3.40	4.50	54	3.96	0.13	
						2000	3.40	4.50	54	3.97	0.18	
						2001	3.50	4.50	54	4.01	0.18	
						2002	3.40	4.50	54	3.97	0.21	
						2003	3.30	4.50	41	3.92	0.19	
						2004	3.30	4.50	41	3.91	0.21	
						2005	3.30	4.40	64	3.86	0.17	
						2006	3.00	4.40	64	3.72	0.25	
4	U.S.-93	002220	052.682	053.625	DES	1997	3.50	4.50	38	4.02	0.11	
						1998	3.60	4.50	38	4.06	0.17	
						1999	3.70	4.50	51	4.11	0.18	
						2000	3.60	4.50	51	4.06	0.17	
						2001	3.70	4.50	51	4.11	0.21	
						2002	3.50	4.50	51	4.01	0.25	
						2003	3.40	4.50	41	3.97	0.23	
						2004	3.40	4.50	41	3.96	0.18	
						2005	3.40	4.50	64	3.96	0.18	
						2006	3.00	4.50	64	3.77	0.14	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH		REMARKS	
4	U.S.-93	002220	053.625	058.731	N	1997	3.40	4.00	34	3.71	0.20		
						1998	3.40	4.00	34	3.71	0.25		
						1999	3.40	4.00	51	3.71	0.26		
						2000	3.40	4.00	51	3.71	0.27		
						2001	3.40	3.00	51	3.19	0.28		
						2002	3.10	2.60	51	2.84	0.29		
						2003	3.00	2.60	41	2.79	0.31		
						2004	3.00	2.50	41	2.74	0.34		
						2005	3.00	2.40	64	2.68	0.33		
						2006	3.20	5.00	64	4.13	0.39	PLANT MIX OVERLAY	2006
4	U.S.-93	002220	058.731	065.830	N	1997	4.00	4.00	45	4.00	0.13		
						1998	4.00	4.00	45	4.00	0.15		
						1999	4.00	4.00	59	4.00	0.16		
						2000	4.00	4.00	59	4.00	0.19		
						2001	4.00	4.00	59	4.00	0.18		
						2002	3.60	3.70	59	3.65	0.19		
						2003	3.60	3.70	41	3.65	0.22		
						2004	3.50	3.40	41	3.44	0.22		
						2005	3.50	2.40	64	2.92	0.22		
						2006	3.40	2.40	64	2.88	0.23	PLANT MIX OVERLAY	2006
4	U.S.-93	002220	065.830	066.000	N	1997	3.90	4.80	50	4.36	0.09		
						1998	3.80	4.80	50	4.32	0.18		
						1999	3.80	4.80	50	4.32	0.13		
						2000	3.90	4.80	59	4.36	0.19		
						2001	3.90	4.80	59	4.36	0.22		
						2002	3.40	4.80	59	4.12	0.25		
						2003	3.40	4.80	41	4.12	0.27		
						2004	3.20	4.80	41	4.03	0.26		
						2005	3.20	4.80	64	4.03	0.27		
						2006	3.00	4.80	64	3.93	0.30		
4	U.S.-93	002220	066.000	067.591	N	1997	2.60	5.00	39	3.84	0.18	NEW CONST OR RECONST (FLEX)	1997
						1998	4.10	5.00	39	4.56	0.09		
						1999	4.10	5.00	61	4.56	0.14	SEALCOAT	1999
						2000	4.00	5.00	61	4.52	0.16		
						2001	4.10	5.00	61	4.56	0.16		
						2002	3.80	5.00	61	4.42	0.17		
						2003	3.90	5.00	41	4.47	0.19		
						2004	3.80	5.00	41	4.42	0.20		
						2005	3.90	5.00	64	4.47	0.20		
						2006	3.80	5.00	64	4.42	0.22		

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT			REMARKS	
										INDEX	DEPTH			
4	U.S.-93	002220	067.591	073.184	N	1997	2.30	2.50	35	2.40	0.18	NEW CONST OR RECONST (FLEX)	1997	
						1998	4.00	5.00	35	4.54	0.07			
						1999	4.10	5.00	60	4.59	0.12	SEALCOAT	1999	
						2000	4.00	5.00	60	4.54	0.14			
						2001	4.10	5.00	60	4.59	0.15			
						2002	3.80	5.00	60	4.45	0.17			
						2003	3.90	5.00	41	4.50	0.19			
						2004	3.80	5.00	41	4.45	0.18			
						2005	3.80	5.00	64	4.45	0.19			
						2006	3.80	4.40	64	4.12	0.21			
4	U.S.-93	002220	073.184	073.260	N	*1997	2.60	2.00	35	2.27	0.16	NEW CONST OR RECONST (FLEX)	1997	
						*1998	3.50	5.00	35	4.32	0.08			
						1999	3.60	5.00	60	4.36	0.11	SEALCOAT	1999	
						2000	3.40	5.00	60	4.27	0.13			
						2001	3.40	5.00	60	4.27	0.13			
						2002	3.40	5.00	60	4.27	0.20			
						2003	3.30	5.00	41	4.22	0.22			
						2004	3.30	4.80	41	4.11	0.22			
						2005	3.30	4.80	64	4.11	0.26			
						2006	3.20	4.80	64	4.07	0.31			
4	U.S.-93	002220	073.260	073.659	N	*1997	2.60	2.00	35	2.27	0.16	NEW CONST OR RECONST (FLEX)	1997	
						*1998	2.90	2.00	35	2.40	0.19			
						*1999	2.50	5.00	60	3.86	0.18	NEW CONST OR RECONST (FLEX)	1999	
						2000	3.00	5.00	60	4.09	0.13			
						2001	3.00	5.00	60	4.09	0.12			
						2002	3.00	5.00	60	4.09	0.13			
						2003	3.00	5.00	41	4.09	0.11			
						2004	2.90	5.00	41	4.04	0.15			
						2005	3.00	5.00	64	4.08	0.18			
						2006	2.90	5.00	64	4.04	0.14			
4	U.S.-93	002221	000.000	000.910	N	1997	3.10	2.00	21	2.47	0.31			
						1998	3.20	2.00	21	2.51	0.39			
						1999	3.20	4.50	21	3.94	0.42			
						2000	3.20	4.50	68	3.94	0.44			
						2001	3.10	4.50	68	3.90	0.50			
						2002	3.00	4.30	68	3.74	0.53			
						2003	3.00	3.00	41	3.00	0.66			
						2004	2.90	3.00	41	2.95	0.60			
						2005	2.90	3.00	64	2.95	0.65			
						2006	2.80	3.00	64	2.91	0.60			

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-93	002240	165.950	166.568	N	1997	2.70	5.00	29	3.91	0.08	
						1998	2.90	4.40	29	3.69	0.12	
						1999	2.80	4.40	54	3.63	0.12	
						2000	3.00	4.40	54	3.73	0.11	
						2001	2.80	4.40	54	3.63	0.14	
						2002	2.90	3.80	54	3.37	0.12	
						2003	2.80	2.70	41	2.74	0.17	
						2004	2.20	2.40	41	2.30	0.15	
						2005	2.70	2.40	64	2.54	0.18	
						2006	2.70	2.40	64	2.54	0.19	
4	U.S.-93	002240	166.568	175.200	N	1997	3.80	5.00	37	4.42	0.10	
						1998	3.70	4.00	37	3.85	0.10	
						1999	3.80	4.00	64	3.90	0.13	
						2000	3.70	4.00	64	3.85	0.15	
						2001	3.70	4.00	64	3.85	0.17	
						2002	3.30	3.90	64	3.61	0.18	
						2003	3.10	3.70	41	3.41	0.22	
						2004	3.00	2.70	41	2.84	0.20	
						2005	3.10	2.70	64	2.89	0.22	
						2006	2.70	2.40	64	2.54	0.26	
4	U.S.-93	002240	175.200	177.790	N	1997	3.50	3.50	49	3.50	0.13	
						1998	3.50	3.50	49	3.50	0.15	
						1999	3.50	3.50	63	3.50	0.16	
						2000	3.50	3.50	63	3.50	0.19	
						2001	3.50	3.50	63	3.50	0.21	
						2002	3.20	3.40	63	3.30	0.22	
						2003	3.00	2.80	41	2.89	0.27	
						2004	3.00	2.40	41	2.68	0.27	
						2005	3.00	2.40	64	2.68	0.29	
						2006	2.60	2.40	64	2.49	0.27	
4	U.S.-93	002240	177.790	178.900	N	1997	3.80	5.00	30	4.42	0.08	
						1998	3.80	5.00	30	4.42	0.04	
						1999	3.80	5.00	69	4.42	0.05	
						2000	3.80	5.00	69	4.42	0.05	
						2001	3.90	5.00	69	4.47	0.05	
						2002	3.70	5.00	69	4.38	0.05	
						2003	3.70	5.00	41	4.38	0.07	
						2004	3.70	5.00	41	4.38	0.05	
						2005	3.70	5.00	64	4.38	0.07	
						2006	3.70	5.00	64	4.38	0.07	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----

FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-93	002240	178.900	182.660	N	1997	3.80	3.00	35	3.35	0.09	
						1998	3.80	5.00	35	4.47	0.13	
						1999	3.80	5.00	58	4.46	0.17	
						2000	3.70	4.80	58	4.28	0.18	
						2001	3.70	4.40	58	4.09	0.22	
						2002	3.30	4.40	58	3.91	0.28	
						2003	3.40	4.40	41	3.96	0.29	
						2004	3.30	3.70	41	3.52	0.26	
						2005	3.30	3.70	64	3.52	0.29	
						2006	3.10	3.40	64	3.26	0.39	
4	U.S.-93	002240	182.660	188.600	N	1997	2.80	3.00	37	2.90	0.21	
						1998	2.70	2.70	37	2.70	0.21	
						1999	2.70	2.70	66	2.70	0.20	
						2000	2.60	2.70	66	2.65	0.22	
						2001	2.60	2.40	66	2.49	0.23	
						2002	2.40	2.40	66	2.40	0.24	
						2003	2.50	2.40	41	2.44	0.22	
						2004	2.40	2.40	41	2.40	0.22	
						2005	2.40	2.30	64	2.34	0.23	
						2006	2.30	2.30	64	2.30	0.24	
4	U.S.-93	002240	188.600	194.866	N	1997	3.50	3.50	40	3.50	0.15	
						1998	3.50	2.50	40	2.97	0.17	
						1999	3.50	2.50	66	2.97	0.20	
						2000	3.40	2.50	66	2.92	0.22	
						2001	3.50	2.40	66	2.91	0.22	
						2002	3.10	2.40	66	2.73	0.23	
						2003	3.10	2.40	41	2.73	0.23	
						2004	3.00	2.20	41	2.57	0.22	
						2005	3.10	2.10	64	2.57	0.22	
						2006	3.00	2.10	64	2.52	0.24	
4	U.S.-93	002240	194.866	196.008	N	1997	3.40	4.00	36	3.71	0.17	
						1998	3.30	3.20	36	3.24	0.19	
						1999	3.30	3.20	67	3.24	0.19	
						2000	3.30	3.20	67	3.24	0.21	
						2001	3.40	3.20	67	3.29	0.23	
						2002	3.00	3.20	67	3.10	0.24	
						2003	3.00	2.40	41	2.68	0.25	
						2004	3.00	2.00	41	2.47	0.24	
						2005	3.00	2.00	64	2.47	0.21	
						2006	2.90	2.00	64	2.42	0.26	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
 ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS
										INDEX	DEPTH	
4	U.S.-93	002240	196.008	199.270	N	1997	3.80	4.30	35	4.06	0.09	
						1998	3.80	4.30	35	4.06	0.11	
						1999	3.80	4.30	66	4.06	0.10	
						2000	3.80	4.30	66	4.06	0.12	
						2001	3.90	4.30	66	4.11	0.12	
						2002	3.60	4.30	66	3.96	0.13	
						2003	3.60	4.30	41	3.96	0.12	
						2004	3.50	4.30	41	3.92	0.12	
						2005	3.60	4.00	64	3.81	0.12	
						2006	3.50	3.70	64	3.60	0.13	
4	U.S.-93	002240	201.850	204.080	N	1997	3.80	4.80	28	4.32	0.07	
						1998	3.80	4.80	28	4.32	0.10	
						1999	3.80	4.80	60	4.32	0.10	
						2000	3.80	4.80	60	4.32	0.11	
						2001	3.80	4.80	60	4.32	0.11	
						2002	3.60	4.80	60	4.22	0.12	
						2003	3.60	4.80	41	4.22	0.13	
						2004	3.50	4.70	41	4.12	0.13	
						2005	3.50	4.70	64	4.12	0.13	
						2006	3.50	2.70	64	3.08	0.15	
4	U.S.-93	002240	204.080	205.200	N	1997	3.60	4.20	31	3.93	0.08	
						1998	3.60	4.20	31	3.93	0.12	
						1999	3.50	4.20	52	3.88	0.13	
						2000	3.50	2.90	52	3.16	0.15	
						2001	3.60	2.90	52	3.21	0.15	
						2002	3.30	2.90	52	3.07	0.18	
						2003	3.20	2.60	41	2.86	0.20	
						2004	3.20	2.50	41	2.81	0.20	
						2005	3.20	2.40	64	2.75	0.21	
						2006	3.00	2.40	64	2.66	0.23	
4	U.S.-93	002240	205.200	208.771	N	1997	4.10	4.60	37	4.36	0.09	
						1998	4.10	4.50	37	4.31	0.12	
						1999	4.10	4.50	65	4.30	0.12	
						2000	4.10	4.20	65	4.15	0.13	
						2001	4.10	4.00	65	4.04	0.13	
						2002	3.80	4.00	65	3.90	0.15	
						2003	3.80	4.00	41	3.90	0.15	
						2004	3.70	4.00	41	3.85	0.14	
						2005	3.70	3.80	64	3.75	0.15	

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT		REMARKS							
										INDEX	DEPTH								
4	U.S.-93	002240	208.771	216.000	N	2006	3.60	2.80	64	3.17	0.17								
						1997	3.90	5.00	46	4.47	0.10	SEALCOAT	1997						
						1998	3.90	5.00	46	4.48	0.13								
						1999	3.90	5.00	66	4.48	0.14								
						2000	3.90	4.40	66	4.16	0.14								
						2001	3.90	4.40	66	4.16	0.14								
						2002	3.70	4.40	66	4.06	0.16								
						2003	3.70	4.40	41	4.06	0.15								
						2004	3.60	3.60	41	3.60	0.14								
						2005	3.60	3.60	64	3.60	0.16								
						2006	3.50	3.50	64	3.50	0.17								
						4	U.S.-93	002240	216.000	222.835	N	1997	3.90	5.00	29	4.47	0.09	SEALCOAT	1997
1998	3.90	5.00	29	4.48	0.09														
1999	4.00	5.00	68	4.52	0.07														
2000	4.00	5.00	68	4.52	0.08														
2001	4.00	5.00	68	4.52	0.08														
2002	3.70	5.00	68	4.38	0.10														
2003	3.70	4.50	41	4.12	0.10														
2004	3.60	4.50	41	4.07	0.08														
2005	3.60	4.50	64	4.07	0.09														
2006	3.50	4.50	64	4.02	0.11														
4	U.S.-93	007356	199.270	201.684	N							1997	3.40	4.70	43	4.08	0.09		
												1998	3.40	4.70	35	4.08	0.11		
						1999	3.40	4.70	66	4.08	0.10								
						2000	3.40	4.70	66	4.08	0.11								
						2001	3.40	4.70	66	4.08	0.12								
						2002	3.20	4.70	66	3.99	0.12								
						2003	3.20	4.70	41	3.99	0.13								
						2004	3.10	4.00	41	3.57	0.12								
						2005	3.20	3.40	64	3.30	0.12								
						2006	3.10	3.40	64	3.25	0.12								
						4	U.S.-93	017876	100.000	100.246	N	1998	3.90	5.00	21	4.47	0.03		
												1999	3.80	5.00	21	4.59	0.04		
2000	3.90	5.00	68	4.47	0.03														
2001	3.90	5.00	68	4.47	0.05														
2002	3.80	5.00	68	4.42	0.04														
2003	3.70	5.00	41	4.38	0.06														
2004	3.70	5.00	41	4.38	0.06														
2005	3.50	5.00	64	4.28	0.09														
2006	3.40	5.00	64	4.23	0.10														

SORTED BY: DISTRICT, ROUTE, MACS-CODE, BEGINNING MILEPOINT
ENDING MILEPOINT, DIRECTION, AND YEAR

----HISTORICAL PAVEMENT CONDITIONS----
FINAL INDEX REPORT FOR 1997-2006

D	ROUTE	MACS CODE	BEGINNING MILEPOST	ENDING MILEPOST	DIR	YEAR	RI	CI	SN	FINAL RUT INDEX DEPTH	REMARKS
---	-------	--------------	-----------------------	--------------------	-----	------	----	----	----	--------------------------	---------